

---

---

**Information technology — Storage  
management —**

**Part 5:  
File systems**

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ISO/IEC 24775-5:2021](https://standards.iteh.ai/catalog/standards/iso/33eb14f3-0f51-4ec9-b9a5-cfd7a181fb45/iso-iec-24775-5-2021)

<https://standards.iteh.ai/catalog/standards/iso/33eb14f3-0f51-4ec9-b9a5-cfd7a181fb45/iso-iec-24775-5-2021>



iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

ISO/IEC 24775-5:2021

<https://standards.iteh.ai/catalog/standards/iso/33eb14f3-0f51-4ec9-b9a5-cfd7a181fb45/iso-iec-24775-5-2021>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier; Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by SNIA (as Storage Management Technical Specification, Part 5 Filesystems, Version 1.8.0, Revision 5) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

This second edition cancels and replaces the first edition (ISO/IEC 24775-5:2014), which has been technically revised.

The main changes compared to the previous edition are as follows:

- USAGE text was revised to address code (now included in the front matter for all SNIA specifications)
- All recipes and their references were deleted.
- Instances of subprofile were changed to profile. In the annex, instances of subprofile were changed to component profile (TSG meeting voice vote).
- Profile versions and related text were updated. (TSG meeting voice vote).
- Indications have been replaced by DMTF Indications, and all affected clauses updated. (TSG meeting voice vote).
- Instances of Experimental within profiles already labeled as Experimental were removed to avoid confusion and redundancy. (Editorial change)
- CIM/XML was changed to CIM-XML (Response to ballot comments).

- Annex: SMI-S Information Model
- The CIM schema version was changed to 2.51 for V1.8.0 Rev3.
- Multiple profiles
  - Changed LocalAccessAvailable LocalAccessAvailableToFS, to respond to a DMTF change.
- File Export Profile (SMIS-170-Draft-SCR00004)
  - Removed the deprecated LogicalFile, ConcreteDependency and FileStorage from the diagrams.
  - Removed GetElementNameCapabilities from CIM\_EnabledLogicalElementCapabilities (moved to the File Export Manipulation Profile).
  - Changed the FileShare reference in CIM\_SAPAvailableForFileShare to ManagedElement to match the mof.
  - Added mandatory indications for FileShare.
- File Export Manipulation Profile
  - Added missing figure: FileShares and Simple Identity Management in Section 5.1.3.3.
  - Promoted all draft material to Experimental.
  - Promoted to Stable (TSG-SMIS-SCR00319).
  - Changed requirement to Mandatory and description for ProtocolVersions property in Tables 33-36.
  - Changed requirement to Mandatory for FileSharingProtocol property in Table 34.
  - Added material associated with the DMTF Simple Identity Management Profile (DS1034 rev 1.1.0 as it pertains to ACL manipulation on file shares. (TSG-SMIS-SCR00317).
  - Removed the deprecated LogicalFile, ConcreteDependency and FileStorage from the diagrams.
  - Fixed the duplicate entry for CIM\_AccountManagementService (the second one was changed to CIM\_AssociatedPrivilege).
  - Removed the deprecated CIM\_ConcreteDependency, CIM\_FileStorage and CIM\_LogicalFile from the CIM Elements table.
  - Fixed the entries for CIM\_ElementCapabilities in the CIM Elements table.
  - Added Key properties in the CIM\_AccountManagementService CIM Elements table.
  - Added the method GetElementNameCapabilities to CIM\_ExportedFileShareCapabilities.
  - Changed the FileShare reference in CIM\_SAPAvailableForFileShare to ManagedElement to match the mof.
  - Added a Key property in the CIM\_UserContact CIM Elements table.
- File Server Manipulation Profile
  - Changed CanConfigureNetworkVLSN in the class CIM\_FileServerConfigurationCapabilities to CanConfigureNetworkVLAN to match the mof.
  - Fixed the PartComponent reference in CIM\_SettingsDefineCapabilities (DNSSettingData) to refer to DNSSettingData.
  - Promoted to Stable (TSG-SMIS-SCR00319).
- File Storage Profile
  - Changed the Central Class from N/A to CIM\_LogicalDisk (SMIS-180-Errata-SCR00003).
  - Changed the Scoping Class from ComputerSystem to CIM\_LocalFilesystem (SMIS-180-Errata-SCR00003).

- Filesystem Profile
  - Added mandatory indications for LocalFileSystem (SMIS-170-Draft-SCR00004).
  - Material related to ElementCapabilities (naming) incl 8.1.2.3: Promoted to Stable (TSG-SMISSCR00319).
  - Removed the deprecated LogicalFile, ConcreteDependency and FileStorage from the diagrams.
  - Removed the deprecated CIM\_ConcreteDependency, CIM\_FileStorage and CIM\_LogicalFile from the CIM Elements table.
  - Removed GetElementNameCapabilities from CIM\_EnabledLogicalElementCapabilities (moved to the Filesystem Manipulation Profile).
- Filesystem Manipulation Profile
  - Material related to ElementCapabilities (naming) in 9.1.3.1: Promoted to Stable (TSG-SMIS-SCR00319).
  - Fixed the version numbers on the Related Profiles to match what the profiles claim.
  - Removed the deprecated LogicalFile, ConcreteDependency and FileStorage from the diagrams.
  - Fixed the description of the Capabilities reference in CIM\_ElementCapabilities (Local Access Configuration Capabilities).
  - Added descriptions to the references and property in CIM\_ElementCapabilities (Default).
  - Added descriptions to the references in CIM\_ElementCapabilities (Non-Default).
  - Added the GetElementNameCapabilities() method to CIM\_FileSystemCapabilities.
- Filesystem Performance Profile
  - Changed FileSystemStorageStatisticalData to FileSystemStatisticalData in a diagram and the CIM Element table for CIM\_FileSystemStatisticalData.
- Filesystem Quotas Profile
  - Fixed queries in CIM table 173.
  - Changed the name of the Profile from Filesystem Quotas to Filesystem Quotas.
  - Added a missing ElementCapabilities between CIM\_FSQuotaCapabilities and CIM\_FSQuotaManagementService (as depicted in the instance diagram).
  - Added a definition for CIM\_LogicalFile which is depicted in the instance diagram, but is not in the CIM Elements table.
- Filesystem Replication Services Profile
  - Changed the name of the Clause to match the name of the Profile.
  - Fixed the method named GetReplicationRelationshipInstance to be GetReplicationRelationshipInstances.
  - Added DESC to references in CIM\_ElementCapabilities, CIM\_FileSystemSynchronized, CIM\_HostedCollection, CIM\_MemberOfCollection, CIM\_OrderedMemberOfCollection and CIM\_ReplicaPoolForStorage.
  - Added a CIM Element table to describe properties for CIM\_FileSystemGroupSynchronized.
  - Changed the DESC for the ManagedElement in SettingsDefineState.
- Filesystem Quotas Profile

- Changed the Central Class from LocalFileSystem to CIM\_FSQuotaManagementService (TSG-SMISSCR00333).
- Host Filesystem Profile
  - In the package diagram, changed Filesystem Copy Services to Filesystem Replication Services and deleted Experimental Indications.
  - Added descriptions for references in CIM\_HostedCollection (Remote Resources), NAS Head Profile (TSG-SMIS-SCR00333).
  - Changed both the Central Class and Scoping Class from ComputerSystem to CIM\_ComputerSystem (Top Level System).
- NAS Head Profile
  - Promoted 12.1.3.8.1 to Stable (TSG-SMIS-SCR00319).
  - Promoted the maturity level from DRAFT to EXPERIMENTAL: Updated profiles to remove SNIA\_ classes and use DMTF CIM\_ classes (TSG-SMIS-SCR00315.001).
  - Revised CIM\_AssociatedPrivilege; Added CIM\_UserContact, CIM\_Identity, CIM\_AccountManagementService, CIM\_AssignedIdentity.
  - Fixed the version numbers on the Related Profiles to match what the profiles claim.
  - In the package diagram, removed Cascading and added Filesystem Performance and Filesystem Replication Services.
  - Removed the deprecated LogicalFile, ConcreteDependency and FileStorage from the instance diagram.
- NAS Network Port Profile
  - Fixed the description of CIM\_FSIPInterfaceSettingData in the CIM Elements table.
  - Deleted the extra CIM\_FSIPInterfaceSettingData from the CIM Elements table
  - Deleted CIM\_MemberOfCollection (Allocated Resources) and CIM\_MemberOfCollection (Remote Resources).
  - Changed the Central Class from ProtocolEndpoint to CIM\_ProtocolEndpoint (CIFS or NFS) (TSG-SMISSCR00333).
- Self-Contained NAS Profile
  - Promoted 13.1.3.1, 13.1.3. 2 (TSG-SMIS-SCR00319).
  - Fixed the version numbers on the Related Profiles to match what the profiles claim.
  - In the package diagram, changed Filesystem Copy Services to Filesystem Replication Services.
  - Removed the deprecated LogicalFile, ConcreteDependency and FileStorage from the instance diagram.
  - Added a CIM Element table for CIM\_ElementCapabilities (ImplementationCapabilities to Service).
  - Changed both the Central Class and Scoping Class from ComputerSystem to CIM\_ComputerSystem (Top Level System) (TSG-SMIS-SCR00333).
- Annex A SMI-S Information Model
  - Deleted “Most SMI-S Profiles are primarily based on the DMTF Final MOFs” per 5/22/15 TSG meeting consensus.
  - DMTF’s CIM schema version changed to 2.45.0. (TSG meeting voice vote).

— References

- Added DMTF DSP1054 v1.2.2, Indications Profile (and changed version to 1.2.2 throughout book).
- Updated reference to DMTF DSP1054 Indications Profile.
- Removed DSP0214.
- Removed year from DSP1034del.

A list of all parts in the ISO/IEC 24775 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

ISO/IEC 24775-5:2021

<https://standards.iteh.ai/catalog/standards/iso/33eb14f3-0f51-4ec9-b9a5-cfd7a181fb45/iso-iec-24775-5-2021>





## INTENDED AUDIENCE

This document is intended for use by individuals and companies engaged in developing, deploying, and promoting interoperable multi-vendor SANs through the Storage Networking Industry Association (SNIA) organization.

## CHANGES TO THE SPECIFICATION

Each publication of this specification is uniquely identified by a three-level identifier, comprised of a version number, a release number and an update number. The current identifier for this specification is version 1.8.0. Future publications of this specification are subject to specific constraints on the scope of change that is permissible from one publication to the next and the degree of interoperability and backward compatibility that should be assumed between products designed to different publications of this standard. The SNIA has defined three levels of change to a specification:

- **Major Revision:** A major revision of the specification represents a substantial change to the underlying scope or architecture of the SMI-S API. A major revision results in an increase in the version number of the version identifier (e.g., from version 1.x.x to version 2.x.x). There is no assurance of interoperability or backward compatibility between releases with different version numbers.
- **Minor Revision:** A minor revision of the specification represents a technical change to existing content or an adjustment to the scope of the SMI-S API. A minor revision results in an increase in the release number of the specification's identifier (e.g., from x.1.x to x.2.x). Minor revisions with the same version number preserve interoperability and backward compatibility.
- **Update:** An update to the specification is limited to minor corrections or clarifications of existing specification content. An update will result in an increase in the third component of the release identifier (e.g., from x.x.1 to x.x.2). Updates with the same version and minor release levels preserve interoperability and backward compatibility.

## TYPOGRAPHICAL CONVENTIONS

### Maturity Level

In addition to informative and normative content, this specification includes guidance about the maturity of emerging material that has completed a rigorous design review but has limited implementation in commercial products. This material is clearly delineated as described in the following sections. The typographical convention is intended to provide a sense of the maturity of the affected material, without altering its normative content. By recognizing the relative maturity of different sections of the standard, an implementer should be able to make more informed decisions about the adoption and deployment of different portions of the standard in a commercial product.

This specification has been structured to convey both the formal requirements and assumptions of the SMI-S API and its emerging implementation and deployment lifecycle. Over time, the intent is that all content in the specification will represent a mature and stable design, be verified by extensive implementation experience, assure consistent support for backward compatibility, and rely solely on content material that has reached a similar level of maturity. Unless explicitly labeled with one of the subordinate maturity levels defined for this specification, content is assumed to satisfy these requirements and is referred to as "Finalized". Since much of the evolving specification

content in any given release will not have matured to that level, this specification defines three subordinate levels of implementation maturity that identify important aspects of the content's increasing maturity and stability. Each subordinate maturity level is defined by its level of implementation experience, its stability and its reliance on other emerging standards. Each subordinate maturity level is identified by a unique typographical tagging convention that clearly distinguishes content at one maturity model from content at another level.

### Experimental Maturity Level

No material is included in this document unless its initial architecture has been completed and reviewed. Some content included in this document has complete and reviewed design, but lacks implementation experience and the maturity gained through implementation experience. This content is included in order to gain wider review and to gain implementation experience. This material is referred to as “Experimental”. It is presented here as an aid to implementers who are interested in likely future developments within the SMI specification. The contents of an Experimental profile may change as implementation experience is gained. There is a high likelihood that the changed content will be included in an upcoming revision of the specification. Experimental material can advance to a higher maturity level as soon as implementations are available. Figure 1 is a sample of the typographical convention for Experimental content.




Figure 1 - Experimental Maturity Level Tag

### Implemented Maturity Level

Profiles for which initial implementations have been completed are classified as “Implemented”. This indicates that at least two different vendors have implemented the profile, including at least one provider implementation. At this maturity level, the underlying architecture and modeling are stable, and changes in future revisions will be limited to the correction of deficiencies identified through additional implementation experience. Should the material become obsolete in the future, it must be deprecated in a minor revision of the specification prior to its removal from subsequent releases. Figure 2 is a sample of the typographical convention for Implemented content.




Figure 2 - Implemented Maturity Level Tag

### Stable Maturity Level

Once content at the Implemented maturity level has garnered additional implementation experience, it can be tagged at the Stable maturity level. Material at this maturity level has been implemented by three different vendors, including both a provider and a client. Should material that has reached this maturity level become obsolete, it may only be deprecated as part of a minor revision to the specification. Material at this maturity level that has been deprecated may only be removed from the specification as part of a major revision. A profile that has reached this maturity level is guaranteed to preserve backward compatibility from one minor specification revision to the next. As a result, Profiles at or above the Stable

maturity level shall not rely on any content that is Experimental. Figure 3 is a sample of the typographical convention for Implemented content.




Figure 3 - Stable Maturity Level Tag

### Finalized Maturity Level

Content that has reached the highest maturity level is referred to as “Finalized.” In addition to satisfying the requirements for the Stable maturity level, content at the Finalized maturity level must solely depend upon or refine material that has also reached the Finalized level. If specification content depends upon material that is not under the control of the SNIA, and therefore not subject to its maturity level definitions, then the external content is evaluated by the SNIA to assure that it has achieved a comparable level of completion, stability, and implementation experience. Should material that has reached this maturity level become obsolete, it may only be deprecated as part of a major revision to the specification. A profile that has reached this maturity level is guaranteed to preserve backward compatibility from one minor specification revision to the next. Over time, it is hoped that all specification content will attain this maturity level. Accordingly, there is no special typographical convention, as there is with the other, subordinate maturity levels. Unless content in the specification is marked with one of the typographical conventions defined for the subordinate maturity levels, it should be assumed to have reached the Finalized maturity level.

### Deprecated Material

Non-Experimental material can be deprecated in a subsequent revision of the specification. Sections identified as “Deprecated” contain material that is obsolete and not recommended for use in new development efforts. Existing and new implementations may still use this material, but shall move to the newer approach as soon as possible. The maturity level of the material being deprecated determines how long it will continue to appear in the specification. Implemented content shall be retained at least until the next revision of the specialization, while Stable and Finalized material shall be retained until the next major revision of the specification. Providers shall implement the deprecated elements as long as it appears in the specification in order to achieve backward compatibility. Clients may rely on deprecated elements, but are encouraged to use non-deprecated alternatives when possible.

Deprecated sections are documented with a reference to the last published version to include the deprecated section as normative material and to the section in the current specification with the replacement. Figure 4 contains a sample of the typographical convention for deprecated content.



Figure 4 - Deprecated Tag

**iTeh Standards**  
**(<https://standards.itih.ai>)**  
**Document Preview**

[ISO/IEC 24775-5:2021](https://standards.itih.ai/catalog/standards/iso/33eb14f3-0f51-4ec9-b9a5-cfd7a181fb45/iso-iec-24775-5-2021)

<https://standards.itih.ai/catalog/standards/iso/33eb14f3-0f51-4ec9-b9a5-cfd7a181fb45/iso-iec-24775-5-2021>

## Contents

List of Figures .....	17
List of Tables .....	19
Foreword .....	27
1 Scope .....	29
2 Normative References .....	31
2.1 General .....	31
2.2 References under development .....	31
2.3 Other references .....	31
3 Terms, Definitions, Symbols, Abbreviations, and Conventions .....	33
3.1 General .....	33
3.2 Terms and Definitions .....	33
4 File Export Profile .....	35
4.1 Description .....	35
4.2 Health and Fault Management Consideration .....	37
4.3 Cascading Considerations .....	37
4.4 Methods of the Profile .....	37
4.5 Use Cases .....	38
4.6 CIM Elements .....	38
5 File Export Manipulation Profile .....	45
5.1 Description .....	45
5.2 Health and Fault Management Considerations .....	52
5.3 Cascading Considerations .....	53
5.4 Methods of the Profile .....	53
5.5 Use Cases .....	65
5.6 File Export Manipulation Supported Capabilities Patterns .....	66
5.7 CIM Elements .....	66
6 File Server Manipulation Profile .....	81
6.1 Description .....	81
6.2 Health and Fault Management Consideration .....	86
6.3 Cascading Considerations .....	87
6.4 Methods of the Profile .....	87
6.5 Use Cases .....	95
6.6 CIM Elements .....	96
7 File Storage Profile .....	113
7.1 Description .....	113
7.2 Health and Fault Management Consideration .....	114
7.3 Cascading Considerations .....	114
7.4 Methods of the Profile .....	116
7.5 Client Considerations and Recipes .....	117
7.6 CIM Elements .....	117
8 Filesystem Profile .....	119
8.1 Description .....	119
8.2 Health and Fault Management Consideration .....	122
8.3 Methods of the Profile .....	123
8.4 Use Cases .....	123
8.5 CIM Elements .....	123
9 Filesystem Manipulation Profile .....	135

9.1	Description .....	135
9.2	Health and Fault Management Considerations .....	142
9.3	Methods of the Profile .....	144
9.4	Use Cases .....	163
9.5	CIM Elements .....	164
10	Filesystem Performance Profile .....	189
10.1	Description .....	189
10.2	Implementation .....	190
10.3	Methods of the Profile .....	195
10.4	Use Cases .....	200
10.5	CIM Elements .....	203
11	Filesystem Quotas Profile .....	229
11.1	Description .....	229
11.2	Health and Fault Management Considerations .....	232
11.3	Methods of the Profile .....	232
11.4	Use Cases .....	235
11.5	CIM Elements .....	241
12	NAS Head Profile .....	249
12.1	Description .....	249
12.2	Health and Fault Management Considerations .....	257
12.3	Methods of the Profile .....	258
12.4	Use Cases .....	259
12.5	CIM Elements .....	259
13	Self-Contained NAS Profile .....	267
13.1	Description .....	267
13.2	Health and Fault Management Considerations .....	275
13.3	Standard Messages used by this Profile .....	276
13.4	Cascading Considerations .....	276
13.5	Methods of the Profile .....	276
13.6	Use Cases .....	277
13.7	CIM Elements .....	277
14	NAS Network Port Profile .....	283
14.1	Description .....	283
14.2	Implementation .....	284
14.3	Health and Fault Management Considerations .....	288
14.4	Cascading Considerations .....	289
14.5	Methods .....	289
14.6	Use Cases .....	289
14.7	CIM Elements .....	290
15	Host Filesystem Profile .....	301
15.1	Description .....	301
15.2	Implementation .....	303
15.3	Methods of the Profile .....	306
15.4	Use Cases .....	307
15.5	CIM Elements .....	311
16	Filesystem Replication Services Profile .....	327
16.1	Description .....	327
16.2	Implementation .....	343
16.3	Methods .....	345