TECHNICAL SPECIFICATION

ISO/TS 5118

First edition

Health informatics — Categorial structure of representation for evaluation of clinical practice guidelines of traditional Chinese medicine

Informatique de santé — Structure catégorielle de représentation pour l'évaluation des lignes directrices de pratique clinique en médecine traditionnelle chinoise

ISO/TS 5118

https://standards.iteh.ai/catalog/standards/sist/8d2b557b-28a1-4a2f-a302-5d2e81252766/iso-ts-5118

PROOF/ÉPREUVE



Reference number ISO/TS 5118:2022(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 5118

https://standards.iteh.ai/catalog/standards/sist/8d2b557b-28a1-4a2f-a302-5d2e81252766/iso-ts-5118



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents Foreword				
1	Scop	e		1
2	Normative references			1
3	Tern 3.1 3.2	Genei	lefinitions ral terms acterizing categories	1
4	Cate , 4.1 4.2	gorial s Overv Sema 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.2.6	tructure of TCMCPG evaluation view	5
Pibliography				o

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 5118

https://standards.iteh.ai/catalog/standards/sist/8d2b557b-28a1-4a2f-a302-5d2e81252766/iso-ts-5118

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 215, *Health informatics*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Clinical practice guideline (CPG) is one of the important measures to improve the quality of medical services and standardize of diagnosis and treatment. The evaluation of clinical practice guidelines for biomedicine has been shown to be useful. The appraisal of guidelines for research and evaluation (AGREE) tool was published in 2003 and upgraded in 2009, which includes 23 items and covers six quality assessment areas. It is widely used for the quality assessment of clinical practice guidelines. However, AGREE doesn't cover the application evaluation of CPG.

Traditional Chinese medicine clinical practice guideline (TCMCPG) is mainly divided into consensus-based guideline and evidence-based guideline. Consensus guideline is the main body of TCM Clinical practice guidelines and evidence-based guideline is still in its infancy. Out of the 527 TCM and acupuncture clinical practice guidelines/consensuses issued by December 2019, 403 (76,47 %) were based on the expert consensus approach and 124 (23,53 %) were based on the evidence-based guidelines approach. Different from evidence-based guidelines of biomedicine, the clinical promotion and application effects of a large number of expert consensus-based guidelines need to be evaluated.

Furthermore, the application evaluation of the guidelines is an indispensable basic work, which is different from the evaluation of the quality of guideline. No unified semantic information framework exists in the application evaluation of TCMCPG, which affects the data exchange and sharing among different institutions and databases. From the perspective of categorical structure, an overall framework involving the whole process of application evaluation of the guidelines is needed so that the exchange and utilization of data can be more convenient. Categorical structure of application evaluation of TCMCPG is an essential part among this process. This document was developed to standardize the effect of application evaluation of CPG in order to promote the implementation, popularization, further revision and perfection of TCMCPG.

To sum up, evaluating the application effect of clinical practice guidelines can provide a basis for the implementation, promotion and revision of the guidelines, which can promote the application effect of TCMCPG and is beneficial to developers and practitioners of clinical guidelines. The establishment of a unified categorial structure for the application evaluation of TCMCPG is necessary, which will greatly improve the effect of the application evaluation of TCMCPG, establish a communication platform for the research of TCMCPG, and lay a solid foundation for future sharing and utilization.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 5118

https://standards.iteh.ai/catalog/standards/sist/8d2b557b-28a1-4a2f-a302-5d2e81252766/iso-ts-5118

Health informatics — Categorial structure of representation for evaluation of clinical practice guidelines of traditional Chinese medicine

1 Scope

This document specifies the categorial structure within the field of TCMCPG application evaluation by defining a set of domain constraints of sanctioned characteristics each composed of a relationship.

The development clinical practice guidelines is outside the scope of this document.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1 General terms

5118

3.1.1

concept

general notion or idea of something

[SOURCE: ISO/TS 18876-1:2003, 3.1.3]

3.1.2

relationship

association between two or more entities that is significant for some intended purpose

Note 1 to entry: Can also be known as an association when the information model is based upon object classes.

[SOURCE: ISO 19440:2020, 3.64, modified — Note to entry added.]

3.2 Characterizing categories

3.2.1

traditional Chinese medicine clinical practice guidelines

set of systematically developed statements to assist the decisions made by healthcare actors of TCM about healthcare activities performed with regard to specified health issues

ISO/TS 5118:2022(E)

3.2.2

evaluation

action that assesses the value of clinical practice guidelines of traditional Chinese medicine

Note 1 to entry: The rationality and accuracy of the contents of the guidelines and developing method, the coordination of guidelines and clinical practice.

Note 2 to entry: The application effect and the application conformity of the guidelines.

3.2.3

applicability evaluation

internal characteristics of the guideline elements, the specific scope of the external environment and the relationship between them

Note 1 to entry: The evaluation results determine whether a guideline should be used in whole or in part.

Note 2 to entry: It evaluates the applicability of the guidelines from technical level, coordination, structure and content, etc.

[SOURCE: Applicability evaluation tool of Medical Guidelines, 2013]

3.2.4

consistency evaluation

degree of implementation uniformity between clinical practice guidelines and real clinical practice scenarios in many conditions such as clinical diagnosis, syndrome differentiation, drug use

Note 1 to entry: Tools or other relevant resources to support the recommendations and evaluation criteria for monitoring or auditing provided by the guidelines can improve consistency.

Note 2 to entry: The promotion and impediment factors in the application could be described in the guideline.

3.2.5

technical level

accuracy, clarity and rigor of clinical practice guidelines of traditional Chinese medicine clinical practice guidelines in disease, syndrome diagnosis and suggestion of treatment

3.2.6

structure and contents

concrete clauses and details included in a traditional Chinese medicine clinical practice guideline

3.2.7

coordination and matching

not conflicting with other standard documents, enabling several documents to be used in conjunction with each other

3.2.8

clarity

property of being clear, unambiguous and operable

Note 1 to entry: Different health problems and different choices have been listed clearly.

Note 2 to entry: The diagnostic points are accurate.

Note 3 to entry: The physical and chemical examinations are reasonable.

Note 4 to entry: The scope of application of the guidelines is clear.

3.2.9

preciseness

quality of being reproducible in amount or performance

Note 1 to entry: Preciseness can be shown in development, application and revision.

3.2.10

matching degree

degree of coordination and integration between the technical level of the guidelines and the hospital itself

3.2.11

normalization

imposition of standards or regulations

Note 1 to entry: Normalization is manifested in the process of making the guideline.

3.2.12

integrity

completeness in content and structure

Note 1 to entry: Integrity means the guidelines meets the requirements of the clinical practice guidelines, whether it contains the core elements of the guidelines.

3.2.13

consistency

conformity of clinical practice guidelines in clinical use regarding the aspects of diagnosis, syndrome differentiation and intervention methods

3.2.14

diagnosis

identification of a health or disease state from its signs and/or symptoms, where the diagnostic process can involve examinations and tests for classification of an individual's condition into separate and distinct categories or subclasses that allow medical decisions about treatment and prognosis to be made

Note 1 to entry: It includes the diagnosis of diseases in TCM (traditional Chinese medicine) and the diagnosis of TCM syndromes. $\frac{|SO/TS|}{|S|}$

[SOURCE: ISO 20184-1:2018, 3.6, modified — Note to entry added.]

3.2.15

intervention method

actions taken to maximize the prospects of achieving the patient's or providers' goals of care, including the removal of barriers to success

EXAMPLE Medication, physical therapy

3.2.16

implementation effect

standardization effect and technical effect

3.2.17

standardization effect

effect of the wide utilization of the diagnostic and therapeutic technology that are included in the traditional Chinese medicine clinical practice guidelines

Note 1 to entry: Standardization effects can achieve the best overall benefit through unification, simplification, optimization and coordination.

- EXAMPLE 1 The guidelines improve the application effect by adopting new diagnostic and therapeutic technology, optimizing scheme and eliminating low-efficiency technology.
- EXAMPLE 2 The guidelines can reduce unnecessary differences in clinical practice by standardizing diagnostic and therapeutic behaviour, realizing unified simplification and improving application effect
- EXAMPLE 3 The guidelines can promote the technical connection and improve the application effect through the coordination of internal and external technologies.

ISO/TS 5118:2022(E)

EXAMPLE 4 Through a wider range of popular application, to achieve the rapid spread of technology, the application of technology is increased.

3.2.18

technical effect

effects of the diagnostic and therapeutic technology itself

3.2.19

compliance evaluation

extent to which something complies with relevant laws and regulations, in line with the public interest of the society

3.2.20

source evaluation

methods of traditional Chinese medicine clinical practice guidelines

Note 1 to entry: Evidence-based clinical practice guidelines or expert consensus are the main manifestations of source evaluation.

Note 2 to entry: If evidence-based, it is based on literature evidence or clinical trials.

Note 3 to entry: If it is an expert consensus, it is necessary to evaluate whether it is widely representative and authoritative.

3.2.21

evidence-based clinical practice guidelines

set of systematically developed statements to assist the decisions made by healthcare actors about healthcare activities to perform with regard to specified health issues

[SOURCE: ISO 13131:2021, 3.3.5]

3.2.22

expert consensus

guidance document to guide clinicians to engage in prevention, diagnosis, treatment, rehabilitation, health care and management through formal consensus method

Note 1 to entry: When a clinical problem needs to be solved urgently with no best evidence or low-quality evidence, expert consensus is recommended.

Note 2 to entry: Expert consensus accounts for a large proportion of traditional Chinese medicine clinical practice guidelines.

3.2.23

evidence-based literature

document that supports the establishment of traditional Chinese medicine clinical practice guidelines

Note 1 to entry: Evidence in this document mainly refers to evidence from ancient books. They are important sources for the decision-making process of clinicians.

3.2.24

convenience evaluation

operability of traditional Chinese medicine clinical practice guidelines in application and promotion

Note 1 to entry: Suggestions and/or supporting tools are provided.

Note 2 to entry: Potential resource investment in the application of recommendation is considered.