INTERNATIONAL STANDARD

ISO/IEC 8825-6

Fourth edition 2021-06

Information technology — ASN.1 encoding rules —

Part 6:

Registration and application of PER encoding instructions

Technologies de l'information — Règles de codage ASN.1 —

Partie 6: Enregistrement et application des instructions de codage

PER

Document Preview

ISO/IEC 8825-6:2021

https://standards.iteh.ai/catalog/standards/iso/1d802836-b67e-4b3f-86ba-4793dd5c1445/iso-jec-8825-6-2021



iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 8825-6:2021

https://standards.iteh.ai/catalog/standards/iso/1d802836-b67e-4b3f-86ba-4793dd5c1445/iso-jec-8825-6-2021



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iso.org/directives<

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iso.org/iso/foreword.html. In the IEC, see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.695 (02/2021).

This fourth edition cancels and replaces the third edition (ISO/IEC 8825-6:2015), which has been technically revised.

A list of all parts in the ISO/IEC 8825 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 8825-6:2021

https://standards.iteh.ai/catalog/standards/iso/1d802836-b67e-4b3f-86ba-4793dd5c1445/iso-iec-8825-6-2021

ISO/IEC 8825-6:2021(E)

CONTENTS

		Page
1	Scope	1
2	Normative references	1
	2.1 Identical Recommendations International Standards	1
3	Definitions	1
4	Abbreviations	2
5	Notation	2
6	Information to be provided to specify a PER encoding instruction	2
7	Status of a PER EI proposal during the approval process	3
8	Approval process	3
9	Publication by the Registration Authority	4
10	Restrictions on the use of PER Encoding Instructions	4
11	Assigning a PER EI to an ASN.1 type using a type prefix	4
12	Assigning a PER encoding instruction using an encoding control section	5
	12.1 The encoding instruction assignment list	5
	12.2 Identification of the targets for a PER encoding instruction using a target list	5
	12.2.1 General rules	
	12.2.2 Target identification using an ASN.1 type reference and identifiers	
	12.2.3 Target identification using a built-in type name	8
	12.2.4 Use of identifiers in context	8
13	Multiple assignment of PER encoding instructions	9
	13.1 Order in which multiple assignments are considered	
	13.2 Effect of assigning a negating encoding instruction	
	13.3 Multiple assignment of PER encoding instructions	9
A nn ar		
	x A – Example of the application of PER EIs using prefixed encoding instructions	
Annex	x B – Example of the application of PER EIs using targeted encoding instructions	14
Annex	x C – Summary of the ASN.1 notation	16

ISO/IEC 8825-6:2021

https://standards.iteh.ai/catalog/standards/iso/1d802836-b67e-4b3f-86ba-4793dd5c1445/iso-iec-8825-6-202

ISO/IEC 8825-6:2021(E)

Introduction

Rec. ITU-T X.680 | ISO/IEC 8824-1 makes syntactic provision for the application of encoding instructions to modify the behaviour of a particular set of encoding rules, identified by an encoding reference (see Rec. ITU-T X.680 | ISO/IEC 8824-1).

Rec. ITU-T X.691 | ISO/IEC 8825-2 specifies the BASIC-PER and CANONICAL-PER encoding rules, each with two variants: the ALIGNED variant and the UNALIGNED variant. The PER encoding instructions allow minor variations to be made in parts of the UNALIGNED variant of a BASIC-PER and CANONICAL-PER encoding. They have no effect on the ALIGNED variant of these encodings.

NOTE – The purpose of PER encoding instructions is to ease the task of producing an ASN.1 specification, which when encoded by the UNALIGNED variant of a PER encoding produces bit-patterns that exactly match those of a legacy protocol. It is unusual for the ALIGNED variant to be used for this purpose, and so for simplicity all PER encoding instructions have no effect on the ALIGNED variant.

This Recommendation | International Standard specifies the use of type prefixes and encoding control sections (see Rec. ITU-T X.680 | ISO/IEC 8824-1, 31.3 and clause 54) to associate one or more PER encoding instructions with an ASN.1 type. Where an encoding instruction is associated with an ASN.1 type, specific clauses in Rec. ITU-T X.691 | ISO/IEC 8825-2 are amended according to the specification of the encoding instruction. These mechanisms are similar to those for the application of XER encoding instructions specified in Rec. ITU-T X.693 | ISO/IEC 8825-4.

This Recommendation | International Standard also specifies the procedures for the operation of a Registration Authority to receive, record and publish the specification of PER encoding instructions that are agreed from time to time. The Registration Authority is the ITU Telecommunication Standardization Bureau, and the form of publication is an Implementers' Guide for ASN.1. This Guide will be available freely on an ITU-T web-site.

This Recommendation | International Standard also specifies the procedures to be used for the approval of new PER encoding instructions. Broadly, these procedures involve the prior publication in the Implementers' Guide of a proposed new encoding instruction, with a later publication announcing that the new encoding instruction has been approved by a simple resolution of the relevant Study Group of ITU-T and the relevant Sub-Committee of ISO/IEC JTC 1.

Clauses 6 to 9 specify the operation of the Registration Authority for PER encoding instructions.

Clauses 10 to 13 specify the application of PER encoding instructions to an ASN.1 specification.

Annex A is informative and contains an example of the application of PER encoding instructions using encoding prefixes.

Annex B is informative and contains an example of the application of the same PER encoding instructions using an encoding control section.

Annex C is informative and summarizes the productions defined in this Recommendation | International Standard.

INTERNATIONAL STANDARD ITU-T RECOMMENDATION

Information technology – ASN.1 encoding rules: Registration and application of PER encoding instructions

1 Scope

This Recommendation | International Standard:

- a) specifies the information needed and the format to be used for specifying PER encoding instructions;
- b) specifies the mechanisms for approving new PER encoding instructions from time to time and the operation of the Registration Authority for PER encoding instructions;
- c) specifies the means of associating a PER encoding instruction with an ASN.1 type using both type prefixes and an encoding control section.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.680 (2021) | ISO/IEC 8824-1:2021, Information technology Abstract Syntax Notation One (ASN.1): Specification of basic notation.
- Recommendation ITU-T X.691 (2021) | ISO/IEC 8825-2:2021, Information technology ASN.1 encoding rules: Specification of Packed Encoding Rules (PER).

NOTE – The references above shall be interpreted as references to the identified Recommendations | International Standards together with all their published amendments and technical corrigenda.

ISO/IEC 8825-6:2021

n**3**.//stanc**Definitions**catalog/standards/iso/1d802836-b67e-4b3f-86ba-4793dd5c1445/iso-iec-8825-6-2021

For the purposes of this Recommendation | International Standard, the definitions of Rec. ITU-T X.680 | ISO/IEC 8824-1 apply. The following additional definitions apply.

- **3.1 associated encoding instructions (for a type)**: A set of PER encoding instructions associated with a type.
- **3.2 final encoding instructions (for a type)**: The set of PER encoding instructions associated with a type as a result of the complete ASN.1 specification, and which are applied in producing encodings of that type.
- **3.3 identifying keyword**: A word or hyphenated word that identifies a PER encoding instruction.
- **3.4 inherited encoding instructions**: PER encoding instructions that are associated with the type identified by a type reference.
- **3.5 Joint ITU-T** | **ISO/IEC JTC1 Collaborative Team for ASN.1**: A group established in accordance with Rec. ITU-T A.23, Annex A and ISO/IEC JTC 1 Directives Edition 5 Version 2.0, subclause 2.6.4 and Annex K, clause 8 to progress work on Joint Text in relation to Abstract Syntax Notation One (ASN.1).
- **3.6 PER encoding instructions (PER EIs)**: Notation used to change the unaligned PER encoding of a type (or of a component of a type).

NOTE – PER encoding instructions are included in either a PER type prefix (see Rec. ITU-T \times X.680 | ISO/IEC 8824-1, 31.3) or a PER encoding control section (see Rec. ITU-T \times X.680 | ISO/IEC 8824-1, clause 54).

- **3.7 PER EI proposal**: A proposal for a new PER encoding instruction that is progressing to either the REJECTED or the APPROVED state.
- **3.8 PER EI change proposal**: A proposal for deletion of or change to an APPROVED PER encoding instruction that is progressing to either the REJECTED or the APPROVED state.

ISO/IEC 8825-6:2021 (E)

NOTE – PER EI change proposals are expected to be rare occurrences, and due consideration will be needed to backwards compatibility considerations.

- **3.9 prefixed encoding instructions**: PER encoding instructions that are assigned using a type prefix (see Annex A and Rec. ITU-T X.680 | ISO/IEC 8824-1, 31.3).
 - NOTE Prefixed encoding instructions can delete, replace, or add to the associated encoding instructions of a type.
- **3.10 relevant Study Group**: The ITU-T Study Group that is responsible for the Joint ITU-T | ISO/IEC JTC1 Collaborative Team for ASN.1.
- **3.11 relevant Sub-Committee**: The ISO/IEC JTC1 Sub-Committee that is responsible for the Joint ITU-T | ISO/IEC JTC1 Collaborative Team for ASN.1.
- **3.12 targeted encoding instructions**: PER encoding instructions that are assigned using a target list in a PER encoding control section (see Annex B and Rec. ITU-T X.680 | ISO/IEC 8824-1, clause 54).

NOTE - Targeted encoding instructions can delete, replace, or add to the associated encoding instructions of a type.

4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply:

ASN.1 Abstract Syntax Notation One

ECN Encoding Control Notation

EI Encoding Instruction

PER Packed Encoding Rules

5 Notation

- 5.1 This Recommendation | International Standard references and uses the notation defined by Rec. ITU-T X.680 | ISO/IEC 8824-1, clause 5 for the specification of the syntax of PER encoding instructions via a set of productions.
- 5.2 All lexical items used in these productions are defined in Rec. ITU-T X.680 | ISO/IEC 8824-1, clause 12.
- **5.3** In accordance with Rec. ITU-T X.680 | ISO/IEC 8824-1, 31.3.2, this Recommendation | International Standard specifies the "EncodingInstruction" production (see 11.2).

NOTE – The "[" and "]" lexical items never appear in an "EncodingInstruction" production.

5.4 In accordance with Rec. ITU-T X.680 | ISO/IEC 8824-1, 54.4, this Recommendation | International Standard specifies the "EncodingInstructionAssignmentList" production (see 12.1.2).

NOTE – The END and ENCODING-CONTROL lexical items never appear in the "EncodingInstructionAssignmentList" production.

6 Information to be provided to specify a PER encoding instruction

- **6.1** The specification of a PER encoding instruction shall consist of the following information:
 - a) a short informative title (such as "Use and size of a length field ");
 - b) the value for the identifying keyword, which shall be distinct from that used for any earlier PER EI;
 - c) an illustration of the syntax of the EI, enclosed in square brackets ("[" and "]");
 - d) a simple description of the EI and its purpose;
 - e) a full specification of the types to which this EI applies and its effect in each case;
 - f) a complete specification of an "EIDetail" production (see 11.4), with the semantics associated with each element;
 - g) either:
 - an amendment to specific text in Rec. ITU-T X.691 | ISO/IEC 8825-2 that shall be applied to the encoding of any type to which the EI is applicable (see d) above) and that has this EI in its set of final encoding instructions; or

NOTE 1-If the EI is not applicable to the type, then the amendment is not applied in the encoding of that type.

- 2) an ECN specification of the effects of the encoding instruction; or
- 3) any other clear and implementable statement of the effects of the EI;
- 4) any combination of 1) to 3).

- NOTE 2 Whilst option 3) is clearly desirable, it may be necessary to progress with options 1) or 4) and add the others later so as not to delay approval of the EI.
- NOTE 3 The choice of options 1) to 4) has to be determined by whether the specification is sufficiently clear and precise to enable interworking implementations of encoders and decoders to be produced.
- h) a statement that the clauses or subclauses of Rec. ITU-T X.691 | ISO/IEC 8825-2 that are being amended are disjoint from those amended by any previously approved encoding instruction that has an overlapping list of types to which they can be applied.

7 Status of a PER EI proposal during the approval process

- 7.1 A PER EI proposal can be in one of the following categories:
 - Considered but rejected (REJECTED): There has been some (documented) discussion, but this PER EI proposal is unlikely to be progressed at this time.
 - Suggested as possibly useful (POSSIBLE): The PER EI proposal is pending further discussion.
 - Under active development (NEEDED): There is agreement that a PER EI performing this function is needed, but the precise specification has still to be developed. Work is in progress to refine the specification of this PER EI.
 - Conditionally approved (READY): The full specification is available and ready for implementation. It
 has been approved by either the relevant Study Group or by the relevant Sub-Committee by a Resolution at
 a Plenary meeting.
 - Approved (APPROVED): The full specification of the PER EI has been published in the READY state
 for at least six months, and has been approved by both the relevant Study Group and the relevant SubCommittee by Resolutions at Plenary meetings.
 - NOTE PER EI proposals in the **NEEDED**, **READY**, and **APPROVED** categories are published by the Registration Authority (see clause 9). **REJECTED** and **POSSIBLE** PER EI proposals are recorded by the Joint ITU-T | ISO/IEC JTC1 Collaborative Team for ASN.1 in standing documents.
- 7.2 A PER EI proposal will normally progress from an initial proposal into either the **REJECTED** or **POSSIBLE** or **NEEDED** category, and then to the **READY** and later to the **APPROVED** category. However, at any stage prior to moving to the **APPROVED** category, it can be moved to the **REJECTED** category.
 - NOTE This will typically occur if problems are found with its implementation.
- 7.3 Once a PER EI proposal is in the **APPROVED** category (the PER EI is approved), it shall only be changed or removed by a PER EI change proposal that shall move through all the above stages with the same approval processes (specified in clause 8) before it results in the removal or modification of an **APPROVED** PER EI.

8 Approval process

- 8.1 Any member of the relevant Study Group and any member of the relevant Sub-Committee can generate a new PER EI proposal by submitting at least the information in 6.1 a) to d) in the format of Annex A. Additional free-form text with suggestions for e) to g) may also be included, and submitters of new EIs are encouraged to provide the full information required for 6.1.
- **8.2** Discussion of the proposal shall take place at the next available main or interim meeting of either the relevant Study Group or the relevant Sub-Committee. The proposal shall, after discussion, be placed in the category:
 - a) **REJECTED**: minutes of the meeting shall record the reasons for the rejection; or
 - b) **POSSIBLE**: details of the PER EI proposal shall be listed in a Standing Document of the Joint ITU-T | ISO/IEC JTC1 Collaborative Team for ASN.1, recording proposed PER EIs, with the dates it was proposed, considered and details of the proposer and any relevant discussion; or
 - c) **NEEDED**: details of the PER EI proposal shall be published (see clause 9).
- **8.3** A PER EI proposal shall progress to the **NEEDED** category from any interim or main meeting of the relevant Study Group or the relevant Sub-Committee if and only if those present at the meeting agree unanimously and there is text available for the public announcement, with the information required for 6.1 a) to f) approved by the meeting. Details of the PER EI shall be published.
 - NOTE This information is sufficient for syntax tools to be produced, and for users to include the PER EI in their draft specifications.
- **8.4** A PER EI proposal shall progress to the **READY** category from any main meeting of the relevant Study Group or the relevant Sub-Committee if and only if there is a formal Resolution at that meeting, based on availability and review of complete text for all of 6.1 a) to h), that the PER EI proposal is approved by that relevant Sub-Committee or relevant Study Group. The revised details of the EI shall be published.
- **8.5** A PER EI proposal shall progress to the **APPROVED** status if and only if the following conditions are satisfied:

- a) the PER EI proposal has been in the **READY** category for at least six months;
- b) both the relevant Study Group and the relevant Sub-Committee have passed a formal Resolution at a Plenary meeting that they approve the PER EI.

9 Publication by the Registration Authority

- 9.1 All Registration and publication shall be via a Web page on a web-site of the relevant Study Group maintained by the ITU Telecommunication Standardization Bureau that acts as the formal Registration Authority. The new contents of this page shall be provided by the Joint ITU-T | ISO/IEC JTC1 Collaborative Team for ASN.1 when the status of a PER EI proposal changes (see clause 8 for when such changes can occur).
 - NOTE 1 The Web page at the time of publication can be located via the URL http://www.itu.int/ITU-T/studygroups/com17/, under the heading "Registration Assignment", title "ASN.1 PER EIs".
 - NOTE 2 Should these pages be moved, their new location can be obtained by an e-mail addressed to tsbmail@itu.int, asking to be put in contact with the ITU-T Rapporteur responsible for the maintenance of Rec. ITU-T X.695 | ISO/IEC 8825-6.
- 9.2 All PER EI proposals in the **NEEDED**, **READY** or **APPROVED** stage shall be published.
- **9.3** All PER EI change proposals in the **NEEDED** or **READY** stage shall be published.
- **9.4** A PER EI change proposal that moves to the **APPROVED** stage shall result in an archive record of the previous PER EI and an appropriate change to the modified PER EI, with an explanation of any backwards compatibility considerations.

10 Restrictions on the use of PER Encoding Instructions

- 10.1 The application of PER EIs can prevent some abstract values of the type from being encoded by PER. Depending on the intended application, this may or may not matter. It may be considered desirable, however, to additionally provide an explicit constraint on the type to ensure that all allowed values can be encoded by all encoding rules.
- 10.2 Where a PER EI implicitly forbids the encoding of some abstract values, the specification of the EI shall state that use of this EI restricts the abstract values that can be encoded.
- EXAMPLE 1: Application of a PER EI to terminate an ASCII string with a NULL terminating character cannot be encoded by PER if the string contains a NULL character. The designer may choose to apply a normal constraint to restrict the string to non-NULL characters.
 - NOTE This makes the specification more verbose, and arguably less clear, but ensures that relaying between different encoding rules is possible.
- EXAMPLE 2: Application of a PER EI to use a 16 bit-field for the encoding of an INTEGER cannot be encoded by PER if the INTEGER is too large, and adding a constraint to a range that can be encoded in a 16-bit field should be considered.
- **10.3** A PER EI shall not be applied to a type that is extensible for PER encoding (see Rec. ITU-T X.691 | ISO/IEC 8825-2, 3.7.11).
 - NOTE This applies to the type itself. Extensibility of a component does not restrict the application of PER EIs to other components or to the type itself.

11 Assigning a PER EI to an ASN.1 type using a type prefix

11.1 PER encoding instructions can be assigned to (or removed from) ASN.1 types (using either of the "EncodingInstruction" production alternatives) in a PER type prefix.

NOTE – The effect of multiple assignments of encoding instructions is specified in clause 13.

11.2 The PER "EncodingInstruction" production is:

EncodingInstruction ::=

PositiveInstruction

| NegatingInstruction

PositiveInstruction ::=

IdentifyingKeyword EIDetail

NegatingInstruction ::=

NOT PositiveInstruction