

### SLOVENSKI STANDARD SIST EN 60947-1:1999

01-julij-1999

Low-voltage switchgear and controlgear - Part 1: General rules (IEC 60947-1:1996, modified, (corrigendum Mar. 1998))

Low-voltage switchgear and controlgear -- Part 1: General rules

Niederspannungsschaltgeräte -- Teil 1: Allgemeine Festlegungen

Appareillage à basse tension -- Partie 1: Régles générales (standards.iteh.ai)

Ta slovenski standard je istoveten z: EN 60947-1:1997

https://standards.iteh.ai/catalog/standards/sist/8821feb1-9275-45bb-867d-

5d863d157fed/sist-en-60947-1-1999

ICS:

29.130.20 Nizkonapetostne stikalne in Low voltage switchgear and

krmilne naprave controlgear

SIST EN 60947-1:1999 en

# iTeh STANDARD PREVIEW (standards.iteh.ai)

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 60947-1

November 1997

ICS 29.120.60

Supersedes EN 60947-1:1991 and its amendments

Descriptors: Low-voltage switchgear and controlgear, characteristics, specification, test

English version

## Low-voltage switchgear and controlgear Part 1: General rules

(IEC 60947-1:1996, modified)

Appareillage à basse tension Partie 1: Règles générales (CEI 60947-1:1996, modifiée) Niederspannungsschaltgeräte Teil 1: Allgemeine Festlegungen (IEC 60947-1:1996, modifiziert)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 60947-1:1999

https://standards.iteh.ai/catalog/standards/sist/8821feb1-9275-45bb-867d-5d863d157fed/sist-en-60947-1-1999

This European Standard was approved by CENELEC on 1997-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

### **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

<sup>© 1997</sup> CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Page 2 EN 60947-1:1997

#### **Foreword**

The text of the International Standard IEC 60947-1:1996, prepared by SC 17B, Low-voltage switchgear and controlgear, of IEC TC 17, Switchgear and controlgear, together with common modifications prepared by the Technical Committee CENELEC TC 17B, Low-voltage switchgear and controlgear including dimensional standardization, was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 60947-1 on 1997-10-01.

This European Standard supersedes EN 60947-1:1991 and its amendments A11:1994, A2:1995 and A1:1996.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 1998-06-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow). 1998-06-01

Annexes designated "normative" are part of the body of the standard.

Annexes designated "informative" are given for information only.

In this standard, annexes C. K. I., M and ZA are normative and annexes A, B, D, E, F, G, H and J are informative.

Annex ZA has been added by CENELEC ards.iteh.ai)



Page 3 EN 60947-1:1997

#### **Endorsement notice**

The text of the International Standard IEC 60947-1:1996 was approved by CENELEC as a European Standard with agreed common modifications as given below.

#### **COMMON MODIFICATIONS**

7	Constructional and performance requirements
7.1.2	Delete the last paragraph just before the note.
8	Tests
8.2.6 8.2.6.1 8.2.6.2	Delete this subclause.  Delete this subclause.  Delete this subclause.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

Page 4 EN 60947-1:1997

#### Annex ZA (normative)

## Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE: When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	Title	EN/HD	Year
IEC 60050(151)	1978	International Electrotechnical Vocabulary (IEV) Chapter 151: Electrical and magnetic devices	-	-
IEC 60050(441)	1984	Chapter 441: Switchgear, controlgear and fuses STANDARD PREVIEV	V	-
IEC 60050(604)	1987	Chapter 604: Generation, transmission and distribution of electricity - Operation	-	-
IEC 60050(826)	1982 <sub>S</sub> ://	SIST EN 60947-1:1999 stChaptere 826: Electrical installations 1 of 275-45bb- building \$d863d157fed/sist-en-60947-1-1999	HD 384.2 S1	1986
IEC 60060	series	High-voltage test techniques Part 1: General definitions and test requirements	HD 588.1 S1 EN 60060	1991 series
IEC 60068-2-3	1969	Basic environmental testing procedures Part 2: Tests - Test Ca: Damp heat, steady state	HD 323.2.3 S2 <sup>1)</sup>	1987
IEC 60071-1	1993	Insulation co-ordination Part 1: Definitions, principles and rules	EN 60071-1	1995
IEC 60073	1991	Coding of indicating devices and actuators by colours and supplementary means	EN 60073 <sup>2)</sup>	1993
IEC 60085	1984	Thermal evaluation and classification of electrical insulation	HD 566 S1	1990
IEC 60099-1	1991	Surge arresters Part 1: Non-linear resistor type gapped surge arresters for a.c. systems	EN 60099-1	1994

<sup>1)</sup> HD 323.2.3 S2 includes A1:1984 to IEC 60068-2-3.

<sup>2)</sup> EN 60073:1993 is superseded by EN 60073:1996, which is based on IEC 60073:1996.

Page 5 EN 60947-1:1997

Publication	Year	<u>Title</u>	EN/HD	Year
IEC 60112	1979	Method for determining the comparative and the proof tracking indices of solid insulating materials under moist conditions	HD 214 S2	1980
IEC 60216	1990	Guide for the determination of thermal endurance properties of electrical insulating materials  Part 1: General guidelines for ageing procedures and evaluation of test results	EN 60216-3-2 HD 611	1995 series
IEC 60269-1	1986	Low-voltage fuses Part 1: General requirements	EN 60269-1	1989
IEC 60269-2	1986	Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application)	EN 60269-2	1995
IEC 60364-4-443	1990	Electrical installations of buildings Part 4: Protection for safety Chapter 44: Protection against overvoltages Section 443 - Protection against overvoltages of athmospheric origin or due to switching	<del>-</del>	-
IEC 60417	1973	Graphical symbols for use on equipment Index, survey and compilation of the single sheets  SIST EN 60947-1:1999	HD 243 S12 <sup>3)</sup>	1995
IEC 60439-1	1992	Low-voltage switchgear-and oontrolgear assemblies Part 1: Type-tested and partially type-tested assemblies	EN 60439-1 <sup>4)</sup> + corr. August + corr. February	1994 1994 1995
IEC 60445	1988	Identification of equipment terminals and of terminations of certain designated conductors, including general rules for an alphanumeric system	EN 60445	1990
IEC 60447	1993	Man-machine interface (MMI) - Actuating principles	EN 60447	1993
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 1993
IEC 60617-7	1983 <sup>5)</sup>	Graphical symbols for diagrams Part 7: Switchgear, controlgear and protective devices	-	-

<sup>3)</sup> HD 243 S12 includes supplements A:1974 to M:1994 to IEC 60417.

<sup>4)</sup> EN 60439-1 includes the corrigendum December 1993 to IEC 60439-1.

<sup>5)</sup> IEC 60617-7:1996 is harmonized as EN 60617-7:1996.

Page 6 EN 60947-1:1997

<u>Publication</u>	Year	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60664-1 (mod)	1992	Insulation coordination for equipment within low-voltage systems Part 1: Principles, requirements and tests	HD 625.1 S1 + corr. November	1996 1996
IEC 60695-2-1/0	1994	Fire hazard testing Part 2: Test methods Section 1/sheet 0: Glow-wire test methods General	EN 60695-2-1/0	1996
IEC 60695-2-1/1	1994	Section 1/sheet 1: Glow-wire end-product test and guidance	EN 60695-2-1/1 <sup>6)</sup>	1996
IEC 60695-2-1/2	1994	Section 1/sheet 2: Glow-wire flammability test on materials	EN 60695-2-1/2	1996
IEC 60695-2-1/3	3 1994	Section 1/sheet 3: Glow-wire ignitability test on materials	EN 60695-2-1/3	1996
IEC 60695-2-2	1991	Section 2: Needle-flame test	EN 60695-2-2	1994
IEC 60707	1981	Methods of test for the determination of the flammability of solid electrical insulating materials when exposed to an igniting	HD 441 S1	1983
		source (standards.iteh.ai)		
IEC 60981	1989	Extra-heavy duty rigid steel conduits for electrical installations 60947-1:1999	-	-
IEC 60998-1 (mod)	1990	//standards.iteh.ai/catalog/standards/sist/8821feb1-9275-45bl Connecting devices/for-dow-voltage circuits for household and similar purposes Part 1: General requirements	<sup>6-86/d-</sup> EN 60998-1	1993
IEC 61000-4-2	1995	Electromagnetic compatibility (EMC) Section 2: Electrostatic discharge immunity test	EN 61000-4-2	1995
IEC 61000-4-3 (mod)	1995	Section 3: Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	1996
IEC 61000-4-4	1995	Section 4: Electrical fast transient/burst immunity test	EN 61000-4-4	1995
IEC 61000-4-5	1995	Section 5: Surge immunity test	EN 61000-4-5	1995
CISPR 11 (mod	i) 1990	Limits and methods of measurement of electromagnetic disturbance characteristics of industrial, scientific and medical (ISM) radio-frequency equipment	EN 55011 <sup>7)</sup>	1991

<sup>6)</sup> EN 60695-2-1/1 includes the corrigendum May 1995 to IEC 60695-2-1/1.

<sup>7)</sup> The title of EN 55011:1991 is: Limits and methods of measurement of radio disturbance characteristics of industrial, scientific and medical (ISM) radio-frequency equipment.

Page 7 EN 60947-1:1997

Publication	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
CISPR 22	1993	Limits and methods of measurement of radio disturbance characteristics of information technology equipment	EN 55022	1994

# iTeh STANDARD PREVIEW (standards.iteh.ai)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

## **NORME** INTERNATIONALE INTERNATIONAL **STANDARD**

CEI **IEC** 947-1

Deuxième édition Second edition 1996-09

Appareillage à basse tension -

Partie 1: Règles générales

iTeh Low-voltage switchgear and controlgear -(standards.iteh.ai)

General rules 17-1:1999

https://standards.iteh.ai/catalog/standards/sist/8821feb1-9275-45bb-867d-5d863d157fed/sist-en-60947-1-1999

© CEI 1996 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher

Bureau central de la Commission Electrotechnique Internationale 3, rue de Varembé Genève Suisse



Commission Electrotechnique Internationale CODE PRIX International Electrotechnical Commission PRICE CODE Международная Электротехническая Комиссия

XG

Pour prix, voir catalogue en vigueur For price, see current catalogue

### CONTENTS

F	OREWORD	Pag
٠	OREWORD	
CI	lause	
1	General	
	1.1 Scope and object	1
	1.2 Normative references	
2	Definitions	13
	Definitions	17
	2.2 Switching devices	2
	2.3 Parts of switching devices	29
	2.4 Operation of switching devices	33
	2.5 Characteristic quantities	37
	2.6 Tests	43
3	Classification	57
4	Characteristics	57
	4.1 General	59
	4.2 Type of equipment	61
	4.2 Type of equipment	61
	4.4 Utilization category	61
	4.4 Utilization category	73
	4.5 Control circuits	- 73
	4.6 Auxiliary circuits	75
	4.7 Relays and releases itch a catalog/standards/sist/8821feh1-9275-45hh-867d-	75
	4.8 Co-ordination with short-circuit protective devices (SCPD)	77
5	4.9 Switching overvoltages	77
•	5.1. Nature of information	77
	5.1 Nature of information	77
	5.2 Marking	79
3	5.3 Instructions for installation, operation and maintenance	79
,	Normal service, mounting and transport conditions	81
	6.1 Normal service conditions	81
	6.2 Conditions during transport and storage	85
7	6.3 Mounting	85
,	Constructional and performance requirements	85
	7.1 Constructional requirements	85
	7.2 Performance requirements	97
	7.3 Electromagnetic compatibility (EMC)	111
3	Tests	115
	8.1 Kinds of tests	115
	8.2 Compliance with constructional requirements	117
	8.3 Performance	131
	8.4 Tests for EMC	167

ıa	ibles	Pag
1	Standard cross-sections of round copper conductors	169
2	Temperature-rise limits of terminals	169
3	Temperature-rise limits of accessible parts	17
4	Tightening torques for the verification of the mechanical strength of screw-type terminals	173
5	Test values for flexion and pull-out tests for round copper conductors	175
6	Test values for pull-out test for flat copper conductors	175
7	Maximum conductor cross-sections and corresponding gauges	177
8	Tolerances on test quantities	177
9	Test copper conductors for test currents up to 400 A inclusive	179
10	Test copper conductors for test currents above 400 A and up to 800 A inclusive	179
11	Test copper bars for test currents above 400 A and up to 3150 A inclusive	181
12	Dielectric withstand voltages for impulse, power-frequency and d.c. tests	183
13	Minimum clearances in air	185
14	Test voltages across the open contacts of equipment suitable for isolation	185
15	Minimum creepage distances	187
16	Values of power-factors and time-constants corresponding to test currents, and ratio <i>n</i> between peak and r.m.s. values of current	189
17	Limits of actuator test force for given types of actuator	189
18	Limits of actuator test force for given types of actuator.  Emission limits for environment 1	189
19	Emission limits for environment 2ndards, itch.ai)	191
20	Test values for conduit pull-out test	191
21	Test values for conduit hending test FN 60947-1:1999	191
22	Test values for too duit torque testalog/standards/sist/8821feb1-9275-45bb-867d-	193
23	Tests for EMC – Immunity	193
Figi	ures	
1	Test equipment for flexion test	195
2	Gauges of form A and form B	195
3	Diagram of the test circuit for the verification of making and breaking capacities of a single-pole equipment on single-phase a.c. or on d.c.	197
4	Diagram of the test circuit for the verification of making and breaking capacities of a two-pole equipment on single-phase a.c. or on d.c.	199
5	Diagram of the test circuit for the verification of making and breaking capacities of a three-pole equipment	201
6	Diagram of the test circuit for the verification of making and breaking capacities of a four-pole equipment	203
7	Schematic illustration of the recovery voltage across contacts of the first phase to clear (see 8.3.3.5.2, item e)) under ideal conditions	205
8	Diagram of a load circuit adjustment method	207
9	Diagram of the test circuit for the verification of short-circuit making and breaking capacities of a single-pole equipment on single-phase a.c. or on d.c.	209
10	Diagram of the test circuit for the verification of short-circuit making and breaking capacities of a two-pole equipment on single-phase a.c. or on d.c.	211

Fig	gures	Pages
11	Diagram of the test circuit for the verification of short-circuit making and breaking capacities of a three-pole equipment	213
12	Diagram of the test circuit for the verification of short-circuit making and breaking capacities of a four-pole equipment	215
13	Example of short-circuit making and breaking test record in the case of a single-pole equipment on single-phase a.c.	215
14	Verification of short-circuit making and breaking capacities on d.c. (8.3.4.1.8)	217
15	Determination of the prospective breaking current when the first calibration of the test circuit has been made at a current lower than the rated breaking capacity (8.3.4.1.8, item b))	219
16	Actuator test force	223
		223
Anr	nexes	
Α	Examples of utilization categories for low-voltage switchgear and controlgear	225
В .	Suitability of the equipment when conditions for operation in service differ from the normal conditions	
С	Degrees of protection of enclosed equipment	227 229
D	Examples of terminals	243
E.	Description of a method for adjusting the load circuit	255
F	Determination of short-circuit power-factor or time-constant	
G	Determination of short-circuit power-factor or time-constant  Measurement of creepage distances and clearances	259
Η.	Correlation between the nominal voltage of the supply system and the rated impulse withstand voltage of equipment	263
J	Items subject to agreement between manufacturer and user	273
K	Power-frequency_dielectric_tests/catalog/standards/sist/8821feb1-9275-45bb-867d-	279
L	Terminal marking and distinctive number sist-en-60947-1-1999	281
М	Flammability test	291
		303

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 1: General rules

#### **FOREWORD**

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 947518 has been prepared by subcommittee 17B: Low-voltage switchgear and controlgear, of IEC technical committee 17: Switchgear and controlgear.

This second edition replaces the first edition published in 1988, and the amendment 3 (1995), including amendments 1 (1994) and 2 (1995), and corrigendum (1996).

This second edition constitutes a technical revision.

The text of this standard is based on the first edition, corrigenda, amendments 1, 2 and 3 and the following documents:

FDIS	Report on voting
17B/739/FDIS	17B/782/RVD

Full information on the voting for the approval of the second edition of this standard can be found in the report on voting indicated in the above table.

Annexes C, K, L and M form an integral part of this standard.

Annexes A, B, D, E, F, G, H and J are for information only.