



**International
Standard**

ISO/IEC 5394

Information technology — Criteria for concept systems

*Technologies de l'information — Critères pour les systèmes de
concept*

**First edition
2024-01**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC 5394:2024](#)

<https://standards.iteh.ai/catalog/standards/iso/c137cab0-1de6-4bec-882f-0d49f453b44c/iso-iec-5394-2024>

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[ISO/IEC 5394:2024](#)

<https://standards.iteh.ai/catalog/standards/iso/c137cab0-1de6-4bec-882f-0d49f453b44c/iso-iec-5394-2024>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviations	5
4.1 Abbreviations relating to terminology	5
4.2 Abbreviations relating to computing	5
5 Requirements for a concept system	5
5.1 Overview	5
5.2 Components of a concept system	6
5.2.1 General	6
5.2.2 Concepts	6
5.2.3 Concept relations	7
5.2.4 Terms	7
5.2.5 Definitions	7
5.3 Principles for forming concept systems	7
5.3.1 General	7
5.3.2 Human and computer readability	8
5.3.3 Comprehensiveness	8
5.3.4 Clarity	8
5.3.5 Extensibility	8
5.3.6 Stability	8
5.3.7 Retrievability	8
5.3.8 Standardization	8
5.4 Representations	8
5.5 Level of structure	9
5.6 Relations between concept systems and vocabularies	10
5.7 Concept system management	11
5.7.1 Developing concept systems	11
5.7.2 Management of concept systems	11
5.7.3 Integration of concept systems	11
Annex A (informative) Examples of representing various forms of concept systems	12
Annex B (informative) Relationship to ISO/IEC 11179 and other JTC 1/SC 32/WG 2 standards	20
Bibliography	22

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 32, *Data management and interchange*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

A concept system is a “set of concepts structured in one or more related domains according to the concept relations among its concepts” according to ISO 1087:2019. A concept is defined as a unit of knowledge created by a unique combination of characteristics which are the abstraction of a property of an object or of a set of objects. Concept systems are used to support semantic interoperability and integration in domains, information classification and organization, indexing, retrieval, etc.

Concept systems are used in the description of semantics of data in the ISO/IEC 11179 series of standards. ISO/IEC 11179-1 introduces data element concept, object class, property, conceptual domain and value meaning as concepts. They can be organized through the use of relations among them into concept systems. A classification scheme is represented as a concept system in ISO/IEC TR 11179-2.

There are various types of concept systems, ranging from the simplest concept systems with simple relations among concepts to ontologies with rich formal semantics.

The construction of most controlled vocabularies is based on concept systems. On the basis of the relevant concept system, they add the relationships among terms and establish the relationships among terms and concepts on the basis of semantic characteristics. Concepts are mainly represented by terms. Therefore, the discussion of the types of concept systems is inseparable from the discussion of vocabularies.

Ontologies comprise an important kind of concept system. The goals of ontologies are to capture the knowledge of one or several subject fields and to provide a common understanding. Also, ontologies serve to determine the common terms in the subject field, and to provide a clear understanding of the relations among the relevant concepts based on various levels of formal patterns.

The development of artificial intelligence technology and ontology technology has expanded both the content and the application of the scope of concept systems. The issues regarding the structure, classification, description and application of concept systems are becoming more and more important.

Document Preview

[ISO/IEC 5394:2024](https://standards.iteh.ai/catalog/standards/iso/c137cab0-1de6-4bec-882f-0d49f453b44c/iso-iec-5394-2024)

<https://standards.iteh.ai/catalog/standards/iso/c137cab0-1de6-4bec-882f-0d49f453b44c/iso-iec-5394-2024>

Information technology — Criteria for concept systems

1 Scope

This document provides the criteria for effective concept systems. It provides the requirements for components, formation, representations, structural levels and management of concept systems. Concept systems are used in the description of semantics of data in ISO/IEC 11179 standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 704, *Terminology work — Principles and methods*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

object

anything perceptible or conceivable

[ISO/IEC 5394:2024](https://standards.iec.ch/catalog/standards/iso/c137cab0-1de6-4bec-882f-0d49f453b44c/iso-iec-5394-2024)

Note 1 to entry: Objects can be material (e.g. 'engine', 'sheet of paper', 'diamond'), immaterial (e.g. 'conversion ratio', 'project plan') or imagined (e.g. 'unicorn', 'scientific hypothesis').

[SOURCE: ISO 1087:2019, 3.1.1]

3.2

property

<terminology>feature of an *object* (3.1)

EXAMPLE 1 'Being made of wood' as a property of a given 'table'.

EXAMPLE 2 'Belonging to person A' as a property of a given 'pet'.

EXAMPLE 3 'Having been formulated by Einstein' as a property of a given 'E=mc²'.

EXAMPLE 4 'Being compassionate' as a property of a given 'person'.

EXAMPLE 5 'Having a given cable' as a property of a given 'computer mouse'.

Note 1 to entry: One or more objects can have the same property.

[SOURCE: ISO 1087:2019, 3.1.3, modified — added the domain <terminology>.]

3.3 **characteristic**

abstraction of a *property* (3.2)

EXAMPLE ‘Having a cable for connecting with a computer’ as a characteristic of the concept ‘cord mouse’.

Note 1 to entry: Characteristics are used for describing concepts.

[SOURCE: ISO 1087:2019, 3.2.1]

3.4

concept

unit of knowledge created by a unique combination of *characteristics* (3.3)

Note 1 to entry: Concepts are not necessarily bound to particular natural languages. They are, however, influenced by the social or cultural background which often leads to different categorizations.

Note 2 to entry: This is the concept ‘concept’ as used and designated by the term “concept” in terminology work. It is a very different concept from that designated by other domains such as industrial automation or marketing.

[SOURCE: ISO 1087:2019, 3.2.7]

3.5

domain

subject field

field of special knowledge

Note 1 to entry: The borderlines and the granularity of a domain are determined from a purpose-related point of view. If a domain is subdivided, the result is again a domain.

[SOURCE: ISO 1087:2019, 3.1.4]

3.6

designation

designator

representation of a *concept* (3.4) by a sign which denotes it in a *domain* (3.22) or subject

Note 1 to entry: A designation can be linguistic or non-linguistic. It can consist of various types of characters, but also punctuation marks such as hyphens and parentheses, governed by domain-, subject-, or language-specific conventions.

Note 2 to entry: A designation can be a term including appellations, a proper name, or a symbol.

[SOURCE: ISO 1087:2019, 3.4.1]

3.7

synonymy

relation between *designations* (3.6) in a given natural language representing the same *concept* (3.4)

EXAMPLE Synonymy exists between “deuterium” and “heavy hydrogen”, between “United Nations” and “UN”.

Note 1 to entry: Designations in the relation of synonymy are called “synonyms”.

[SOURCE: ISO 1087:2019, 3.4.23]

3.8

definition

representation of a *concept* (3.4) by an expression that describes it and differentiates it from related concepts

[SOURCE: ISO 1087:2019, 3.3.1]

**3.9
term**

designation (3.6) that represents a general *concept* (3.4) by linguistic means

EXAMPLE “laser printer”, “planet”, “pacemaker”, “chemical compound”, “3/4 time”, “Influenza A virus”, “oil painting”.

Note 1 to entry: Terms may be partly or wholly verbal.

[SOURCE: ISO 1087:2019, 3.4.2]

3.10**vocabulary**

terminological dictionary that contains *designations* (3.6) and *definitions* (3.8) from one or more *domains* (3.22) or subjects

Note 1 to entry: The vocabulary may be monolingual, bilingual or multilingual.

[SOURCE: ISO 1087:2019, 3.7.5]

3.11**controlled vocabulary**

CV

vocabulary (3.10) for which the entries, i.e. *definition* (3.8) /*term* (3.9) pairs, are controlled by a Source Authority based on a rulebase and process for addition/deletion of entries

Note 1 to entry: In a controlled vocabulary, there is a one-to-one relationship of definition and term.

EXAMPLE The contents of “[Clause 3 Definitions](#)” in ISO/IEC standards are examples of controlled vocabularies with the entities being identified and referenced through their ID code, i.e., via their clause numbers.

Note 2 to entry: In a multilingual controlled vocabulary, the definition/term pairs in the languages used are deemed to be equivalent, i.e., with respect to their semantics.

Note 3 to entry: The rule base governing a controlled vocabulary may include a predefined concept system.

Note 4 to entry: Source Authority is defined in ISO/IEC 15944-2:2015, 3.109. Its definition is “Person recognized by other Persons as the authoritative source for a set of constraints”

<https://standards.iteh.ai/catalog/standards/iso/c137cab0-1de6-4bec-882f-0d49f453b44c/iso-iec-5394-2024>

[SOURCE: ISO/IEC 15944-5:2008, 3.34, modified — added Note 4 to entry]

3.12**semantic spectrum**

range of increasingly precise *definitions* (3.8)

Note 1 to entry: Generally, the semantic spectrum includes glossaries, classification schemes, taxonomies, terminologies, subject heading schemes, thesauri, ontologies, etc. according to their semantic precision.

3.13**concept relation**

relation between *concepts* (3.4)

[SOURCE: ISO/IEC 11179-3:2023, 3.2.8]

3.14**hierarchical relation**

hierarchical concept relation

generic relation or partitive relation

[SOURCE: ISO 1087:2019, 3.2.12]

3.15**associative relation**

associative concept relation

pragmatic relation

non-hierarchical *concept relation* (3.13)

EXAMPLE An associative relation exists between the concepts 'education' and 'teaching'.

[SOURCE: ISO 1087:2019, 3.2.23]

3.16**equivalence relationship**relationship between two *designations* (3.6) that both represent the same or similar *concept* (3.4)**3.17****concept system**

system of concepts

set of *concepts* (3.4) structured in one or more related *domains* (3.22) according to the *concept relations* (3.13) among its concepts

[SOURCE: ISO 1087:2019, 3.2.28]

3.18**glossary**terminological dictionary that contains *designations* (3.6) from one or more *domains* (3.22) or subjects together with equivalents in one or more natural languages

Note 1 to entry: In English common language usage, glossary can refer to a monolingual list of designations and definitions in a domain or subject.

[SOURCE: ISO 1087:2019, 3.7.6]

Document Preview**3.19 classification scheme**descriptive information for an arrangement or division of *objects* (3.1) into groups based on criteria such as *characteristics* (3.3), which the objects have in commonEXAMPLE and a Origin, composition, structure, application, function, etc. <https://standards.iteh.ai>

[SOURCE: ISO/IEC 11179-3:2023, 3.2.5]

3.20**taxonomy**

type of hierarchy which deals with generalization/specialization relationships

[SOURCE: ISO/IEC 11179-32:2023, 3.20, modified — Note 1 to entry deleted]

3.21**terminology**set of *designations* (3.6) and *concepts* (3.4) belonging to one *domain* (3.22) or subject

[SOURCE: ISO 1087:2019, 3.1.11]

3.22**subject heading scheme**

subject heading language

subject heading list

SHL

structured *vocabulary* (3.10) comprising *terms* (3.4) available for subject indexing, plus rules for combining them into pre-coordinated strings of terms where necessary

[SOURCE: ISO 25964-2:2013, 3.77]

3.23**thesaurus**

controlled vocabulary (3.11) and *structured vocabulary* (3.10) in which *concepts* (3.4) are represented by *terms* (3.9), organized so that relationships between concepts are made explicit, and preferred *terms* are accompanied by lead-in entries for synonyms or quasi-synonyms

[SOURCE: ISO 5127:2017, 3.8.3.01, modified — Notes to entry deleted.]

3.24**ontology**

collection of *terms* (3.9), relational expressions and associated natural-language *definitions* (3.8) together with one or more formal theories designed to capture the intended interpretations of these definitions

[SOURCE: ISO/IEC 21838-1:2021, 3.14, modified — Note 1 to entry deleted]

4 Abbreviations

4.1 Abbreviations relating to terminology

BT Broader Term

NT Narrower Term

RT Related Term

UF Used For

iTeh Standards

4.2 Abbreviations relating to computing (<https://standards.iteh.ai>)

CSV Comma Separated Values

JSON Java Script Object Notation

OWL Web Ontology Language

[ISO/IEC 5394:2024](https://standards.iteh.ai/catalog/standards/iso/c137cab0-1de6-4bec-882f-0d49f453b44c/iso-iec-5394-2024)

RDF Resource Description Framework

UML Unified Modeling Language

XML eXtensible Markup Language

Document Preview

5 Requirements for a concept system

5.1 Overview

A concept system is defined as a set of concepts structured in one or more related domains according to the concept relations among its concepts according to ISO 1087. Concept systems can be classified as a semantic spectrum by their increasingly precise definitions. Concept systems can be developed using different approaches.

The development of information technology and artificial intelligence technology aims to shift as much complex intelligent work as possible to computer systems. As a consequence, the core issue of artificial intelligence systems involves the creation of complete knowledge systems coupled with the implementation of knowledge-based reasoning skills. Using concept systems for abstracting and organizing knowledge has many benefits. A concept system serves to model concepts and relations among them based on specialized knowledge of a subject field, helps to form new concepts and terms, forms the basis for a uniform and standardized terminology, facilitates the implementation of automated reasoning based on certain rules and facilitate the indexing, retrieval, information organization and navigation of data resources.