

~~Date: 2023-10-17~~

~~ISO/~~DIS~~FDIS 15360-3:2023(E)~~

~~ISO/TC-6/SC-14~~

~~Secretariat: SCC~~

~~Date: 2024-01-19~~

~~Recycled pulps — Estimation of stickies and plastics —~~

~~Part 3:
Determination and identification by applying near-infrared
measurement~~

ITeH Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 15360-3

<https://standards.iteh.ai/catalog/standards/iso/3cf6772d-b593-4819-9536-16984cd321dc/iso-fdis-15360-3>

Edited DIS - MUST BE USED FOR FINAL DRAFT

Copyright notice

~~This~~ FDIS stage

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 15360-3

<https://standards.iteh.ai/catalog/standards/iso/3cf6772d-b593-4819-9536-16984cd321dc/iso-fdis-15360-3>

Edited DIS - MUST BE USED FOR FINAL DRAFT

ISO/~~DIS~~ FDIS 15360-3:2023(E2024(en))

© ISO document is a working draft 2024

All rights reserved. Unless otherwise specified, or committee draft and is copyright protected by ISO. While required in the reproduction context of working drafts or committee drafts in any form for use by participants in the ISO standards development process is permitted without prior permission from ISO, neither its implementation, no part of this document nor any extract from its publication may be reproduced, stored or utilized otherwise in any form or transmitted in any form for any other purpose by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission from ISO. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ISO's member body in the country of the requester:

[Indicate the full address, telephone number, fax number, telex number, and electronic mail address, as appropriate, of the Copyright Manager of the ISO member body responsible for the secretariat of the TC or SC within the framework of which the working document has been prepared.]

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: + 41 22 749 01 11
E-mail: copyright@iso.org
Website: www.iso.org

Published in Switzerland

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO/FDIS 15360-3

<https://standards.itih.ai/catalog/standards/iso/3cf6772d-b593-4819-9536-16984cd321dc/iso-fdis-15360-3>

Error! Reference source not found.

iii

© ISO 2024 – All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT

Contents—Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Principle 2

5 Apparatus (near-infrared analysis system) 2

5.1 Hardware (measuring device) 2

5.2 Software 2

5.3 Penetration test reference piece 3

5.4 Calibration of the NIR sensor 3

6 Preparation of specimen 3

6.1 General 3

6.2 Pulp samples 3

6.2.1 Measurement of stickies and non-tacky contaminants deposited on filter 3

6.2.2 Measurement of stickies and non-tacky contaminants directly on paper or handsheets 3

6.3 Paper samples 4

7 Procedure 4

7.1 Parameters for the analysis 4

7.2 Placement of specimen 5

7.3 Measurement 5

7.4 Penetration test 5

8 Analysis 5

8.1 Determination of stickies and non-tacky polymeric contaminants 5

8.2 Calculation 7

8.2.1 Pulp samples 7

8.2.2 Paper samples 9

9 Precision 11

10 Test report 11

Annex A (normative) Calibration check 13

A.1 General 13

A.2 Reference Sheets 13

A.2.1 General 13

A.2.2 Qualitative Assessment 13

ISO/DIS-FDIS 15360-3:2023(E2024(en))

A.2.3 Quantitative Assessment 13
Annex B (informative) Example for measuring devices 14
B.1 PTS DOMAS multispec 14
B.2 Techpap 3DStick 14
Bibliography 15

Foreword — iv

Introduction — iv

1 Scope — 1
2 Normative references — 1
3 Terms and definitions — 1
4 Principle — 2
5 Apparatus (near infrared analysis system) — 2
5.1 Hardware — 2
5.2 Software — 2
5.3 Penetration test reference piece — 3
6 Preparation of specimen — 3
6.1 General — 3
6.2 Pulp samples — 3
6.3 Paper samples — 4
7 Procedure — 5
7.1 Parameters for the analysis — 5
7.2 Placement of specimen — 5
7.3 Measurement — 6
7.4 Penetration test — 6
8 Analysis — 6
8.1 Determination of stickies and non-tacky contaminants — 6
8.2 Calculation — 7
8.2.1 Pulp samples — 7
8.2.2 Paper samples — 9
9 Test report — 10
Bibliography — 12

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO/FDIS 15360-3

<https://standards.itih.ai/catalog/standards/iso/3cf6772d-b593-4819-9536-16984cd321dc/iso-fdis-15360-3>

Error! Reference source not found.

✖

© ISO 2024 – All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 6, *Paper, board and pulps*.

A list of all parts in the ISO 15360 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Field Code Changed

Introduction

Tacky particles, commonly named stickies, are a major issue in paper recycling since they can affect the processes as well as the quality of the recycled products. Therefore, a variety of test methods have been developed over decades. Existing laboratory test procedures for sticky contaminants in pulps made from paper for recycling or in recycled papers require an elaborate sample preparation to increase the concentration of these sticky contaminants by screening the pulp through a slotted plate and analysing the rejects. With the test procedure and equipment based on this document, the content of sticky contaminants can be determined at a laboratory handsheet or at the paper by means of near-infrared (NIR) measurement but also on filter paper where stickies have been concentrated and deposited with existing test procedures.

The approach of the measurement specified in this document is different to the established test methods since the amount and the chemical composition of polymeric substances are determined by applying NIR measurements. The content of these substances, which are typical constituents of adhesives are assigned as stickies. This is a further major difference to the existing methods, which typically analyse the sticky behaviour, but not the chemical composition. The results determined applying the method specified in this document correlate very well with established sticky measurement techniques, e.g. ISO 15360-2 or INGEDE Method 4 [1], [1]. The measurement procedure in this document also enables to simultaneously analyse polymeric substances without tacky behaviour, typically named "plastics" in other methods.

The method described here can be implemented by any system that combines particle size measurement and NIR analysis. For example, "3DStick" [2,3], [2,3] involves laser triangulation to determine size and location of particles and subsequent NIR to determine chemical composition. Alternatively, direct camera imaging in the NIR spectrum has been used to both locate and identify the chemical composition of particles [4], [4]. This method may prove valuable for online measurement in systems that generate dry sheet samples [5,6], [5,6].

(<https://standards.iteh.ai>)
Document Preview

[ISO/FDIS 15360-3](#)

<https://standards.iteh.ai/catalog/standards/iso/3cf6772d-b593-4819-9536-16984cd321dc/iso-fdis-15360-3>

Error! Reference source not found.

vii

© ISO 2024 – All rights reserved

vii
Edited DIS - MUST BE USED FOR FINAL DRAFT

Recycled pulps — Estimation of stickies and plastics —

Part 3: Determination and identification by applying near-infrared measurement

1 Scope

This document specifies a method for the determination of stickies and non-tacky polymeric contaminants present in pulp or paper sheets near-infrared measurement. This document is applicable to recycled pulps and papers.

Sampling of pulp and paper as well as the preparation of handsheets are outside the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 216, *Writing paper and certain classes of printed matter — Trimmed sizes — A and B series, and indication of machine direction*

ISO 534, *Paper and board — Determination of thickness, density and specific volume*

ISO 536, *Paper and board — Determination of grammage*

ISO 4119, *Pulps — Determination of stock concentration*

ISO 5263-2, *Pulps — Laboratory wet disintegration — Part 2: Disintegration of mechanical pulps at 20 degrees C*

ISO 5269-1, *Pulps — Preparation of laboratory sheets for physical testing — Part 1: Conventional sheet-former method*

ISO 5269-2, *Pulps — Preparation of laboratory sheets for physical testing — Part 2: Rapid-Köthen method*

ISO 5270, *Pulps — Laboratory sheets — Determination of physical properties*

ISO 15360-1, *Recycled pulps — Estimation of Stickies and Plastics — Part 1: Visual method*

ISO 15360-2, *Recycled pulps — Estimation of Stickies and Plastics — Part 2: Image analysis method*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

ISO/DIS/EDIS 15360-3:2023(F2024(en)

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <https://www.electropedia.org/>

3.1

Stickies **stickies**

diverse group of materials in disintegrated pulp that ~~may~~**can** adhere to objects at ambient temperature or ~~may~~**can** adopt adhesive characteristics when subjected to elevated temperature, elevated pressure or change of pH

[SOURCE: ISO 4046-2:2016, 2.61], ~~modified - two instances of the word "may" replaced with "can".~~

3.2

non-tacky polymeric contaminant

polymeric substance that is usually not found in adhesives, excluding cellulosic materials and inorganic substances

Note 1-to-entry: ISO 15360-2 defines these substances as "plastics".

4 Principle

This document specifies the determination of the chemical composition of an air dry paper sample applying a near-infrared (NIR) analysis system. The sample to be analysed can have various origins – pulp, paper machine, pilot plant, laboratory etc. – but shall be made using recycled fibres. The surface areas of particles, which are neither natural fibres nor inorganic substances are determined. The measurement differentiates between stickies or non-tacky polymeric contaminants according to their chemical nature.

5 Apparatus (near-infrared analysis system)

5.1 Hardware (measuring device)

The measuring device is a hyperspectral NIR imaging system. The illumination device, optics and sensor shall cover at least the spectral range from 1 400 nm to 1 800 nm. The optical system has a lateral resolution of at least 127 DPI (i. e. object pixel size $\leq 200 \mu\text{m}$). The optical system may be of the wide-field type, or of the point-, line- or wavelength-scanning type.

~~Annex A~~**Annex A** details the characteristics of such compatible hyperspectral NIR systems.

It is recommended that the system allows analysing paper sheets of ISO A4 according to ISO 216 format or larger.

5.2 Software

The required software is a NIR evaluation system for qualitative and quantitative assessment of polymeric substances by size and number. The software shall consist of an NIR imaging algorithm, including chemometrics and classification.

For examples, see ~~Annex B~~**Annex B**.