# **ISO/DTS 5777**

ISO/TC 215

Secretariat: ANSI

Date: 2024-03-01

# Health informatics—\_\_\_The architecture of internet healthcare service network

# iTeh Standards



**ISO/DTS 5777** 

https://standards.itah.si/satalag/standards/isa/726ah51f.20ah.42aa.a620.a0202420a207/isa.dts.5777

Informatique de santé — L'architecture du réseau de services de soins de santé sur internet

# iTeh Standards (https://standards.iteh.ai) Document Preview

**ISO/DTS 5777** 

https://standards.iteh.ai/catalog/standards/iso/726eb51f-80ab-42aa-a680-e0898430a807/iso-dts-5777

# ISO-/DTS 5777:(en)

# © ISO <del>20XX</del>2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: + 41 22 749 01 11

Fax: +41 22 749 09 47

Email E-mail: copyright@iso.org
Website: www.iso.org

Published in Switzerland

# iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/DTS 5777

https://standards.iteh.ai/catalog/standards/iso/726eb51f-80ab-42aa-a680-e0898430a807/iso-dts-5777

# ISO/DTS 5777(X:(en)

# **Contents**

Forew	vord	V
Introd	ductionduction	<b>v</b>
1	Scope	1
2	Normative references	2
3	Terms and definitions	2
4	Overall architecture of internet healthcare service network	4
5	Infrastructure of internet healthcare service network	6
5.1	Service opening device	6
5.1.1	Functional requirements	6
5.1.2	Technical characteristics	6
5.2	Service routing device	7
5.2.1	Functional requirements	7
5.2.2	Technical characteristics	7
6	Deployment scheme of internet healthcare service network	8
6.1	Star topology	
6.2	Tree topology	g
6.3	Mesh topology	10
7	Security of internet healthcare service network	
7.1	Category of privacy information	12
7.2	Network security requirement	12
7.2.1	Access control ISO/DTS 5777	12
7.2.2	Communication security standards/iso/726eb51f-80ab-42aa-a680-e0898430a807/is	o-dts-5777 12
7.2.3	Audit control	12
7.2.4	Data security	13
Annex	x A (informative) Implementation of IHSN	14
A.1	General	14
A.2	Service opening	14
A.3	Service discovery	14
A.4	Service invocation	14
Biblio	ography	16

# ISO-/DTS 5777:(en)

# **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawnISO draws attention to the possibility that some of the elementsimplementation of this document may beinvolve the subjectuse of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see ).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 215, Health Informatics informatics.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

# ISO/DTS 5777(X:(en)

# Introduction

With the development of computer and network technologies, the internet has been applied widely in healthcare services, giving rise to 'internet healthcare'. Internet healthcare is a new type of telehealth that uses the internet for online diagnosis and treatment. It can provide users with medical and healthcare services over a distance, thus improving the accessibility and efficiency of healthcare services.

The booming industry has now naturally formed a complicated internet healthcare service system composed of related healthcare service organizations, users, operators, and other stakeholders <u>/ and participants</u>. Participants provide internet-accessible healthcare services based on their facilities and abilities, such as <u>'online consultations', 'electronic prescriptions', 'scheduleonline consultations, electronic prescriptions, schedule medical appointments'appointments, and <u>'ee</u>-referral <u>services'services</u>. Across different organizations, healthcare services collaborate, connect, and exchange information, fulfilling users' healthcare needs and forming the internet healthcare service network. Although the internet healthcare service network is developing rapidly worldwide, a unified architecture or engineering implementation methods <u>still need to beare not yet</u> included. Without <u>thatthose</u>, services scattered across different healthcare organizations are delivered loosely, making it difficult to cooperate effectively.</u>

This document describes the reference architecture and typical internet healthcare service network deployment schemes. It aims to help all internet healthcare participants to reach a consensus on concepts and terminology. It can further guide the construction of internet healthcare service network, promoting the development of the entire industry.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/DTS 5777

https://standards.iteh.ai/catalog/standards/iso/726eb51f-80ab-42aa-a680-e0898430a807/iso-dts-5777

# Health informatics——The architecture of internet healthcare service network


# 1 Scope

This document provides the architecture of internet healthcare service network, which mainly includes including:


- overview of internet healthcare service network;
- — infrastructure and deployment scheme of internet healthcare service network:
- security of internet healthcare service network.

This document mainly focuses on the engineering architecture and infrastructure deployment of healthcare information transmission among various healthcare organizations through services, as shown in <u>Figure 1.</u> The implementation of information systems and healthcare services within organizations is demonstrated in <u>Annex A.</u>

This document applies to the construction and application of internet healthcare service network.



# ISO/DTS 5777:(en)



# Key

- 1 service delivery via internet
- 2 entities of provider and recipient
- 3 scope of this document

Figure 1-\_\_ Scope of this document

# 2 Normative references

There are no normative references in this document.

# 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological terminology databases for use in standardization at the following addresses:

- ——ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- ——IEC Electropedia: available at <a href="https://www.electropedia.org/">https://www.electropedia.org/</a>

### 3.1

# internet healthcare

internet-based telehealth

Note 1 to entry: Internet-based technologies deliver healthcare and transmit health information over both long and short distances.

Note 2 to entry: Telehealth utilizes all kinds of information and communications technologies, rather than internet technology only.

# ISO/DTS 5777:(en)

#### 3.2

#### internet healthcare service

healthcare service activities undertaken via internet

# 3.3

# service provider

organization, or part of an organization, or individual that manages and delivers a service or services to customers

[SOURCE: ISO/IEC 20000-1:2018, 3.2.24, modified added "or part of an organization, or individual"]" added to the definition.]

#### 3.4

# service recipient

patient

## subject of healthcare

healthcare actor with a personal role; who seeks to receive, is receiving, or has received healthcare services

Note 1 to entry: Among synonyms are patient and the subject of healthcare.

[SOURCE: ISO 13940:2015, 5.2.1, addedmodified — "services" | "added to the definition.]

## 3.5

# internet healthcare service network

# <u>IHSN</u>

overlay network built on the internet to deliver healthcare services and transmit healthcare information over long distance

# 3.6 **Document Preview**

# service opening device

device that opens services for healthcare organizations or other *service providers* (3.3) in *internet healthcare service network* (3.5)

# 3.7

# service routing device

device that locates the target services and relays the service request/response in *internet healthcare service network* (3.5)

#### 3.8

# service backbone network

network built by service routing devices (3.7) that connects multiple service access networks (3.9)

# 3.9

# service access network

network that connects services to *service opening devices* (3.6) for healthcare organizations or other *service providers* (3.3)

## 3.10

# forwarding rate

number of tasks that can be transmitted by the networking equipment in a given time

# 3.11

# **capacity**

maximum amount of information that a device can manage

# ISO/DTS 5777:(en)

## 3.12

# throughput

measure of the amount of work performed by a device over a given period of time

[SOURCE: ISO/IEC 2382:2015, 2122878, modified — "computer system" was replaced by "device" in the definition and notes to entry were deleted.]

# 3.13

# **reliability**

ability to perform as required, without failure, for a given time interval, under given conditions

[SOURCE: ISO/IEC 30144:2020, 3.7]

# 4 Overall architecture of internet healthcare service network

Built on traditional computer network, internet healthcare service network (IHSN) is an overlay network constructed by service opening devices and service routing devices. During the operation of IHSN, services within healthcare organizations or other service providers shall be opened to the network through service opening devices and routed to service recipients through service routing devices. The architecture of IHSN is shown in Figure 2, it shall consist of one service backbone network and at least one service access network.

The architecture of IHSN is shown in Figure 2Service access network shall be the network that connects services to service opening devices for healthcare organizations or other service providers. Service access network shall be located at the edge of an IHSN, connecting healthcare services with service backbone network.

Service backbone network shall be the network built by service routing devices that connect multiple service access networks. Each service; it shall consist of one service backbone network and at least one service access network. Service backbone network shall be constructed by one or more service routing devices, which may connect multiple service opening devices and other service routing devices, transmitting healthcare services among different service access networks. Service access network shall be located at the edge of an IHSN, connecting healthcare services with service backbone network.