

FINAL
DRAFT

INTERNATIONAL
STANDARD

ISO/
IEC/IEEE
FDIS
15288

ISO/IEC JTC 1/SC 7

Secretariat: BIS

Voting begins on:
2022-12-19

Voting terminates on:
2023-02-13

Systems and software engineering — System life cycle processes

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC/IEEE FDIS 15288](https://standards.iteh.ai/catalog/standards/sist/4109ef6c-8070-4ebe-89d8-c45ae8413981/iso-iec-ieee-fdis-15288)

<https://standards.iteh.ai/catalog/standards/sist/4109ef6c-8070-4ebe-89d8-c45ae8413981/iso-iec-ieee-fdis-15288>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/IEC/IEEE FDIS 15288:2022(E)

© ISO/IEC 2022
© IEEE 2022

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC/IEEE FDIS 15288

<https://standards.iteh.ai/catalog/standards/sist/4109ef6c-8070-4ebe-89d8-c45ae8413981/iso-iec-ieee-fdis-15288>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2022
© IEEE 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO or IEEE at the respective address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Institute of Electrical and Electronics Engineers, Inc
3 Park Avenue, New York
NY 10016-5997, USA

Email: stds.ipr@ieee.org
Website: www.ieee.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms, definitions, and abbreviated terms	1
4 Conformance	9
4.1 Intended usage.....	9
4.2 Full conformance.....	10
4.2.1 Full conformance to outcomes.....	10
4.2.2 Full conformance to tasks.....	10
4.3 Tailored conformance.....	10
5 Key concepts and their application	11
5.1 General.....	11
5.2 System concepts.....	11
5.2.1 Systems.....	11
5.2.2 System structure.....	12
5.2.3 Interfacing, enabling, and interoperating systems.....	13
5.2.4 Concepts related to the system solution context.....	13
5.2.5 Product line engineering (PLE).....	14
5.3 Organizational concepts.....	15
5.3.1 Organizations.....	15
5.3.2 Organization and project-level adoption.....	16
5.3.3 Organization and collaborative activities.....	16
5.4 System of systems concepts.....	16
5.4.1 Differences between systems and SoS.....	16
5.4.2 Managerial and operational independence.....	17
5.4.3 Taxonomy of SoS.....	17
5.4.4 SoS considerations in life cycle stages of a system.....	17
5.4.5 Application of this document to SoS.....	18
5.5 Life cycle concepts.....	18
5.5.1 System life cycle model.....	18
5.5.2 System life cycle stages.....	18
5.6 Process concepts.....	19
5.6.1 Criteria for processes.....	19
5.6.2 Description of processes.....	19
5.6.3 General characteristics of processes.....	19
5.7 Processes in this document.....	20
5.7.1 General.....	20
5.7.2 Agreement processes.....	22
5.7.3 Organizational project-enabling processes.....	22
5.7.4 Technical management processes.....	23
5.7.5 Technical processes.....	24
5.8 Process application.....	25
5.8.1 Overview.....	25
5.8.2 Process iteration, recursion, and concurrency.....	27
5.8.3 Process views.....	28
5.9 Concept and system definition.....	28
5.10 Assurance and quality characteristics.....	29
5.11 Process reference model.....	30
6 System life cycle processes	30
6.1 Agreement processes.....	30
6.1.1 Acquisition process.....	30

6.1.2	Supply process.....	32
6.2	Organizational project-enabling processes.....	34
6.2.1	Life cycle model management process.....	34
6.2.2	Infrastructure management process.....	36
6.2.3	Portfolio management process.....	37
6.2.4	Human resource management process.....	38
6.2.5	Quality management process.....	40
6.2.6	Knowledge management process.....	41
6.3	Technical management processes.....	43
6.3.1	Project planning process.....	43
6.3.2	Project assessment and control process.....	45
6.3.3	Decision management process.....	47
6.3.4	Risk management process.....	49
6.3.5	Configuration management process.....	51
6.3.6	Information management process.....	54
6.3.7	Measurement process.....	56
6.3.8	Quality assurance process.....	57
6.4	Technical processes.....	59
6.4.1	Business or mission analysis process.....	59
6.4.2	Stakeholder needs and requirements definition process.....	62
6.4.3	System requirements definition process.....	67
6.4.4	System architecture definition process.....	70
6.4.5	Design definition process.....	74
6.4.6	System analysis process.....	76
6.4.7	Implementation process.....	78
6.4.8	Integration process.....	81
6.4.9	Verification process.....	83
6.4.10	Transition process.....	85
6.4.11	Validation process.....	88
6.4.12	Operation process.....	91
6.4.13	Maintenance process.....	94
6.4.14	Disposal process.....	98
Annex A (normative) Tailoring process.....		101
Annex B (informative) Example process artefacts and information items.....		103
Annex C (informative) Process reference model for assessment purposes.....		107
Annex D (informative) Model-based systems and software engineering (MBSSE).....		109
Bibliography.....		113
IEEE notices and abstract.....		117

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialised system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO/IEC documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <https://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*, in cooperation with the Systems and Software Engineering Standards Committee of the IEEE Computer Society, under the Partner Standards Development Organization cooperation agreement between ISO and IEEE.

This second edition cancels and replaces the first edition (ISO/IEC/IEEE 15288:2015), which has been technically revised.

The main changes are as follows:

- improvements to selected technical processes including business or mission analysis, system architecture definition, system analysis, implementation, integration, operations, and maintenance;
- improvements to selected technical management processes including risk management and configuration management;
- updates to [Clause 5](#), key concepts, including a better description of iteration, recursion, system-of-systems, quality characteristics, etc.;
- new content in [Clause 5](#) on concept and system definition, and expanded content on process application and system concepts;

- updates to the terms and definitions;
- a new annex addressing model-based systems engineering (MBSE).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC/IEEE FDIS 15288

<https://standards.iteh.ai/catalog/standards/sist/4109ef6c-8070-4ebe-89d8-c45ae8413981/iso-iec-ieee-fdis-15288>

Introduction

The complexity of systems continues to increase to unprecedented levels. This has led to new opportunities, but also to increased challenges for the organizations that create and utilise systems. These challenges exist throughout the life cycle of a system and at all levels of architectural detail. This document provides a common process framework for describing the life cycle of systems, adopting a systems engineering approach. This document concerns systems that can be configured with one or more of the following system elements: hardware elements, software elements, data, humans, processes, services, procedures, facilities, materials, and naturally occurring entities.

This document focuses on defining stakeholder needs, concerns, priorities, and constraints for the required functionality early in the development cycle, establishing requirements, then proceeding with design synthesis and system validation while considering the complete problem. It integrates all the disciplines and specialty groups into a team effort forming a structured development process that proceeds from conception through production to operation. It considers the needs of all stakeholders with the goal of providing a quality product that meets the needs of users and other applicable stakeholders. It provides the processes for acquiring and supplying systems. It helps to improve communication and cooperation among the parties that create, utilise, and manage modern systems in order that they can work in an integrated, coherent fashion. Finally, this document provides the framework for assessment and improvement of the life cycle processes.

There is a wide variety of systems in terms of their purpose, domain of application, complexity, size, novelty, adaptability, quantity, location, life span, and evolution. The processes in this document form a comprehensive set from which an organization can construct system life cycle models appropriate to its products and services. An organization, depending on its purpose, can select and apply an appropriate subset to fulfil that purpose.

This document can be used in one or more of the following modes:

- By an organization — to help establish an environment of desired processes. These processes can be supported by an infrastructure of methods, procedures, techniques, tools, and trained personnel. The organization may then employ this environment to perform and manage its projects and progress systems through their life cycle stages. In this mode this document is used to assess conformance of a declared, established environment to its provisions. It can be used by a single organization in a self-imposed mode or in a multi-party situation. Parties can be from the same organization or from different organizations and the situation can range from an informal agreement to a formal contract.
- By a project — to help select, structure, and employ the elements of an established environment to provide products and services. In this mode this document is used in the assessment of conformance of the project to the declared and established environment.
- By an acquirer and a supplier — to help develop an agreement concerning processes and activities. Via the agreement, the processes and activities in this document are selected, negotiated, agreed to, and performed. In this mode this document is used for guidance in developing the agreement.
- By process assessors — to serve as a process reference model for use in the performance of process assessments that can be used to support organizational process improvement.

In the context of this document and ISO/IEC/IEEE 12207, there is a continuum of human-made systems from those that use little or no software to those in which software is the primary interest. When software is the predominant system or element of interest, ISO/IEC/IEEE 12207 should be used. Both documents have the same process model, share most activities and tasks, and differ primarily in descriptive notes.

Although this document does not establish a management system, it is intended to be compatible with the quality management system provided by ISO 9001, the service management system provided by ISO/IEC 20000 series, the IT asset management system provided by the ISO/IEC 19770 series, and the information security management system provided by ISO/IEC 27000.

Systems and software engineering — System life cycle processes

1 Scope

This document establishes a common framework of process descriptions for describing the life cycle of systems created by humans, defining a set of processes and associated terminology from an engineering viewpoint. These processes can be applied to systems of interest, their system elements, and to systems of systems. Selected sets of these processes can be applied throughout the stages of a system's life cycle. This is accomplished through the involvement of stakeholders, with the ultimate goal of achieving customer satisfaction.

This document defines a set of processes to facilitate system development and information exchange among acquirers, suppliers, and other stakeholders in the life cycle of a system.

This document specifies processes that support the definition, control, and improvement of the system life cycle processes used within an organization or a project. Organizations and projects can use these processes when acquiring and supplying systems.

This document applies to organizations in their roles as both acquirers and suppliers.

This document applies to the full life cycle of systems, including conception, development, production, utilization, support and retirement of systems, and to the acquisition and supply of systems, whether performed internally or externally to an organization. The life cycle processes of this document can be applied iteratively and concurrently to a system and recursively to the system elements.

This document applies to one-of-a-kind systems, mass-produced systems, and customised, adaptable systems. It also applies to a complete stand-alone system and to systems that are embedded and integrated into larger more complex and complete systems.

This document does not prescribe a specific system life cycle model, development methodology, method, modelling approach or technique.

This document does not detail information items in terms of name, format, explicit content, and recording media. ISO/IEC/IEEE 15289 addresses the content for life cycle process information items (documentation).

2 Normative references

There are no normative references in this document.

3 Terms, definitions, and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO, IEC, and IEEE maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>
- IEEE Standards Dictionary Online: available at: <http://dictionary.ieee.org>

NOTE Definitions for other system and software engineering terms can be found in ISO/IEC/IEEE 24765, available at www.computer.org/sevocab.

**3.1
acquirer**

stakeholder (3.44) that acquires or procures a *system* (3.46), *product* (3.32) or *service* (3.42) from a *supplier* (3.45)

Note 1 to entry: Other terms commonly used for an acquirer are *buyer*, *customer* (3.12), *owner*, *purchaser*, or *internal/organizational sponsor*.

**3.2
acquisition**

process (3.27) of obtaining a *system* (3.46), *product* (3.32) or *service* (3.42)

**3.3
activity**

set of cohesive *tasks* (3.51) of a *process* (3.27)

**3.4
agreement**

mutual acknowledgement of terms and conditions under which a working relationship is conducted

EXAMPLE Contract, memorandum of agreement.

**3.5
architecture**

fundamental concepts or properties of a *system* (3.46) in its *environment* (3.16) and governing principles for the realization and evolution of this system and its related *life cycle* (3.21) *processes* (3.27)

[SOURCE: ISO/IEC/IEEE 42020:2019, 3.3, modified — ‘entity’ has been replaced with ‘system’; notes to entry have been removed.]

**3.6
artefact**

work *product* (3.32) that is produced and used during a project to capture and convey information

EXAMPLE Models, stakeholder requirements, system/software requirements, architecture descriptions, design descriptions, source code, implemented system elements, verified or validated system.

[SOURCE: ISO 19014-4:2020, 3.9, modified — EXAMPLE has been added.]

**3.7
audit**

independent examination of a work *product* (3.32) or set of work products to assess compliance with specifications, standards, contractual *agreements* (3.4), or other criteria

**3.8
baseline**

formally approved version of a *configuration item* (3.11), regardless of media, formally designated and fixed at a specific time during the configuration item's *life cycle* (3.21)

[SOURCE: IEEE Std 828-2012]

**3.9
concept of operations**

verbal and graphic statement, in broad outline, of an *organization's* (3.25) assumptions or intent in regard to an operation or series of operations of new, modified, or existing organizational *systems* (3.46)

Note 1 to entry: The concept of operations frequently is embodied in long-range strategic plans and annual operational plans. In the latter case, the concept of operations in the plan covers a series of connected operations to be carried out simultaneously or in succession to achieve an organizational performance objective. See also *operational concept* (3.23).

Note 2 to entry: The concept of operations provides the basis for bounding the operating space, system capabilities, *interfaces* (3.19), and operating *environment* (3.16).

[SOURCE: ANSI/AIAA G-043B-2018, 5.2, modified — The second definition has been used; the last two sentences of Note 1 to entry have been removed; Note 2 to entry has been added.]

3.10

concern

matter of interest or importance to a *stakeholder* (3.44)

Note 1 to entry: A concern pertains to any influence on a *system* (3.46) in its *environment* (3.16), including developmental, technological, business, operational, organizational, political, economic, legal, regulatory, ethical, ecological, and social influences.

[SOURCE: ISO/IEC/IEEE 42020:2019, 3.8, modified — EXAMPLE has been removed; Note 1 to entry has been added.]

3.11

configuration item

item or aggregation of hardware, software, or both, that is designated for configuration management and treated as a single entity in the configuration management *process* (3.27)

3.12

customer

organization (3.25) or person that receives a *product* (3.32) or *service* (3.42)

EXAMPLE Consumer, client, *user* (3.53), *acquirer* (3.1), buyer, or purchaser.

Note 1 to entry: A customer can be internal or external to the organization.

3.13

design, noun

specification of *system elements* (3.47) and their relationships, that is sufficiently complete to support a compliant implementation of the *architecture* (3.5)

Note 1 to entry: Design provides the detailed implementation-level physical structure, behaviour, temporal relationships, and other attributes of system elements.

3.14

design characteristics

design attributes or distinguishing features that pertain to a measurable description of a *product* (3.32) or *service* (3.42)

3.15

enabling system

system (3.46) that supports a *system-of-interest* (3.48) during its *life cycle* (3.21) *stages* (3.43) but does not necessarily contribute directly to its function during operation

EXAMPLE Production-enabling system, which is required when a system-of-interest enters the production stage.

Note 1 to entry: Each enabling system has a life cycle of its own. This document is applicable to each enabling system when, in its own right, it is treated as a system-of-interest.

3.16

environment

<system> context determining the setting and circumstances of all influences upon a *system* (3.46)

3.17

incident

anomalous or unexpected event, set of events, condition, or situation at any time during the *life cycle* (3.21) of a *project* (3.33), *product* (3.32), *service* (3.42), or *system* (3.46)

Note 1 to entry: An incident is elevated and treated as a *problem* (3.26) when the cause of the incident needs to be analysed and corrected to prevent reoccurrence to avoid or minimise loss of life, or damage of property or natural *resources* (3.37).

3.18
information item

separately identifiable body of information that is produced, stored, and delivered for human use

[SOURCE: ISO/IEC/IEEE 15289:2019, 3.1.12, modified — The preferred term "information product" has been removed; notes to entry have been removed.]

3.19
interface

point at which two or more logical, physical, or both, *system elements* (3.47) or software system elements meet and act on or communicate with each other

[SOURCE: ISO/IEC/IEEE 24748-6: —, 3.1.3]

3.20
interoperating system

system (3.46) that exchanges information with the *system-of-interest* (3.48) and uses the information that has been exchanged

3.21
life cycle

evolution of a *system* (3.46), *product* (3.32), *service* (3.42), *project* (3.33) or other human-made entity from conception through *retirement* (3.38)

3.22
life cycle model

framework of *processes* (3.27) and *activities* (3.3) concerned with the *life cycle* (3.21) which can be organized into *stages* (3.43), acting as a common reference for communication and understanding

3.23
operational concept

verbal and graphic statement of an *organization's* (3.25) assumptions or intent in regard to an operation or series of operations of a specific *system* (3.46) or a related set of specific new, existing or modified systems

Note 1 to entry: The operational concept is designed to give an overall picture of the operations using one or more specific systems, or set of related systems, in the organization's operational *environment* (3.16) from the *users'* (3.53) and *operators'* (3.24) perspectives. See also *concept of operations* (3.9).

Note 2 to entry: The operational concept is about systems, while a *concept of operations* (3.9) typically refers to organizations.

[SOURCE: ANSI/AIAA G-043B-2018, 5.2, modified — The third definition has been used; the first sentence in Note 1 to entry has been removed; Note 2 to entry has been added.]

3.24
operator

individual or *organization* (3.25) that performs the operations of a *system* (3.46)

Note 1 to entry: The role of operator and the role of *user* (3.53) can be vested, simultaneously or sequentially, in the same individual or organization.

Note 2 to entry: An individual operator combined with knowledge, skills, and procedures can be considered as an element of the system.

Note 3 to entry: An operator may perform operations on a system that is operated, or of a system that is operated, depending on whether or not operating instructions are placed within the system boundary.

3.25**organization**

person or group of people that has its own functions with responsibilities, authorities, and relationships to achieve its objectives

EXAMPLE Company, corporation, firm, enterprise, manufacturer, institution, charity, sole trader, association, or parts or combination thereof.

[SOURCE: ISO 9000:2015, 3.2.1, modified — Notes to entry have been removed; EXAMPLE has been added.]

3.26**problem**

difficulty, uncertainty, or otherwise realised and undesirable event, set of events, condition, or situation that requires investigation and corrective action

3.27**process**

set of interrelated or interacting *activities* (3.3) that transform inputs into outputs

3.28**iteration**

<process> repeating the application of the same *process* (3.27) or set of processes on the same level of the *system* (3.46) structure

3.29**process purpose**

high level objective of performing the *process* (3.27) and the likely outcomes of effective implementation of the process

Note 1 to entry: The purpose of implementing the process is to provide benefits to the *stakeholders* (3.44).

3.30**process outcome**

observable result of the successful achievement of the *process purpose* (3.29)

3.31**recursion**

<process> repeating the application of the same *process* (3.27) or set of processes to successive levels of *system elements* (3.47) in the system structure

3.32**product**

output of an *organization* (3.25) that can be produced without any transaction taking place between the organization and the *customer* (3.12)

Note 1 to entry: The dominant element of a product is that it is generally tangible.

[SOURCE: ISO 9000:2015, 3.7.6, modified — Notes 1 and 3 to entry have been removed.]

3.33**project**

endeavour with defined start and finish criteria undertaken to create a *product* (3.32) or *service* (3.42) in accordance with specified *resources* (3.37) and *requirements* (3.36)

Note 1 to entry: A project is sometimes viewed as a unique *process* (3.27) comprising coordinated and controlled *activities* (3.3) and composed of activities from the Technical Management and Technical Processes defined in this document.

Note 2 to entry: Continuous development approaches such as agile and DevOps can use different terminology for the creation of product and services.

3.34
quality assurance
QA

part of quality management focused on providing confidence that quality *requirements* (3.36) will be fulfilled

[SOURCE: ISO 9000:2015, 3.3.6, modified — The abbreviated term has been added.]

3.35
quality characteristic

inherent characteristic of a *product* (3.32), *service* (3.42), *process* (3.27), or *system* (3.46) related to a *requirement* (3.36)

[SOURCE: ISO 9000:2015, 3.10.2, modified — ‘object’ has been replaced with ‘product, service, process, or system’; notes to entry have been removed.]

3.36
requirement

statement which translates or expresses a need and its associated constraints and conditions

[SOURCE: ISO/IEC/IEEE 29148:2018, 3.1.19, modified — Notes to entry have been removed.]

3.37
resource

asset that is utilised or consumed during the execution of a *process* (3.27)

Note 1 to entry: Resource includes diverse entities such as funding, personnel, facilities, capital equipment, tools and utilities such as power, water, fuel, and communication infrastructures.

Note 2 to entry: Resources include those that are reusable, renewable or consumable.

3.38
retirement

<system> withdrawal of active support by the operation and maintenance *organization* (3.25), partial or total replacement by a new *system* (3.46), or installation of an upgraded system, or final decommissioning and disposal

3.39
risk

effect of uncertainty on objectives

Note 1 to entry: An effect is a deviation from the expected — positive or negative. A positive effect is also known as an opportunity.

Note 2 to entry: Objectives can have different aspects [such as financial, health and *safety* (3.40), and environmental goals] and can apply at different levels [such as strategic, organization-wide, project, *product* (3.32) and *process* (3.27)].

Note 3 to entry: Risk is often characterized by reference to potential events and consequences, or a combination of these.

Note 4 to entry: Risk is often expressed in terms of a combination of the consequences of an event (including changes in circumstances) and the associated likelihood of occurrence.

Note 5 to entry: Uncertainty is the state, even partial, of deficiency of information related to understanding or knowledge of an event, its consequence, or likelihood.

[SOURCE: ISO Guide 73:2009, 1.1, modified — The last sentence in Note 1 to entry has been added.]

3.40 safety

expectation that a *system* (3.46) does not, under defined conditions, lead to a state in which human life, health, property, or the *environment* (3.16) is endangered

Note 1 to entry: The term is alternatively defined as freedom from *risk* (3.39) which is not tolerable.

[SOURCE: ISO/IEC/IEEE 12207:2017, 3.1.48, modified — Note 1 to entry has been added.]

3.41 security

protection against intentional subversion or forced failure

Note 1 to entry: Security includes authenticity, accountability, confidentiality, integrity, availability, non-repudiation, and reliability, all of which have the related issue of their assurance.

[SOURCE: NATO AEP-67, modified — Note 1 to entry has been updated.]

3.42 service

output of an *organization* (3.25) with at least one *activity* (3.3) necessarily performed between the organization and the *customer* (3.12)

Note 1 to entry: The dominant elements of a service are generally intangible.

Note 2 to entry: A service is coherent, discrete, and can be composed of other services.

[SOURCE: ISO 9000:2015, 3.7.7, modified — Notes 2, 3, and 4 to entry have been replaced by a new Note 2 to entry.]

3.43 stage

period within the *life cycle* (3.21) of an entity that relates to the state of its description or realization

Note 1 to entry: As used in this document, stages relate to major progress and achievement milestones of the entity through its life cycle.

Note 2 to entry: Stages often overlap.

3.44 stakeholder

individual or *organization* (3.25) having a right, share, claim, or interest in a *system* (3.46) or in its possession of characteristics that meet their needs and expectations

EXAMPLE End users (3.53), end user organizations, supporters, developers, *customers* (3.12), producers, trainers, maintainers, disposers, *acquirers* (3.1), *suppliers* (3.45), regulatory bodies, and people influenced positively or negatively by a system.

Note 1 to entry: Some stakeholders can have interests that oppose each other or oppose the system.

3.45 supplier

organization (3.25) or an individual that enters into an *agreement* (3.4) with the *acquirer* (3.1) for the supply of a *product* (3.32) or *service* (3.42)

Note 1 to entry: Other terms commonly used for supplier are contractor, producer, seller or vendor.

Note 2 to entry: The acquirer and the supplier sometimes are part of the same organization.