

**SLOVENSKI STANDARD**  
**SIST EN 60317-25:2001/A1:2001**  
**01-september-2001**

---

**Amendment to clause 16 of EN**

Specifications for particular types of winding wires -- Part 25: Polyester or polyesterimide overcoated with polyamide-imide enamelled round aluminium wire, class 200

Technische Lieferbedingungen für bestimmte Typen von Wickeldrähten -- Teil 25: Runddrähte aus Aluminium, lackisoliert mit Polyester oder Polyesterimid und darüber mit Polyamidimid, Klasse 200

Spécifications pour types particuliers de fils de bobinage -- Partie 25: Fil de section circulaire en aluminium émaillé avec polyester ou polyesterimide et avec surcouche polyamide-imide, classe 200

**Ta slovenski standard je istoveten z: EN 60317-25:1996/A1:1997**

---

**ICS:**

29.060.10	Žice	Wires
77.150.10	Aluminijski izdelki	Aluminium products

**SIST EN 60317-25:2001/A1:2001**      **en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 60317-25:2001/A1:2001](https://standards.iteh.ai/catalog/standards/sist/05a51141-6689-473d-a194-0c6717bfa25d/sist-en-60317-25-2001-a1-2001)

<https://standards.iteh.ai/catalog/standards/sist/05a51141-6689-473d-a194-0c6717bfa25d/sist-en-60317-25-2001-a1-2001>

EUROPEAN STANDARD  
 NORME EUROPÉENNE  
 EUROPÄISCHE NORM

**EN 60317-25/A1**

March 1997

UDC 621.315.337.4-034.71:621.3.045  
 ICS 29.060.10

Descriptors: Electric conductor, electric wire, insulated wire, enamelled wire, winding, aluminium, polyester, polyamide, specification, dimension

English version

**Specifications for particular types of winding wires**  
**Part 25: Polyester or polyesterimide overcoated with polyamide-imide**  
**enamelled round aluminium wire, class 200**  
 (IEC 60317-25:1990/A1:1997)

Spécifications pour types particuliers  
 de fils de bobinage  
 Partie 25: Fil de section circulaire en  
 aluminium émaillé avec polyester ou  
 polyesterimide et avec surcouche  
 polyamide-imide, classe 200  
 (CEI 60317-25:1990/A1:1997)

Technische Lieferbedingungen für  
 bestimmte Typen von Wickeldrähten  
 Teil 25: Runddrähte aus Aluminium,  
 lackisoliert mit Polyester oder  
 Polyesterimid und darüber mit  
 Polyamidimid, Klasse 200  
 (IEC 60317-25:1990/A1:1997)

This amendment A1 modifies the European Standard EN 60317-25:1996; it was approved by CENELEC on 1997-03-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
 Comité Européen de Normalisation Electrotechnique  
 Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

### Foreword

The text of document 55/529/FDIS, future amendment 1 to IEC 60317-25:1990, prepared by IEC TC 55, Winding wires, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A1 to EN 60317-25:1996 on 1997-03-11.

The following dates were fixed:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 1997-12-01
- latest date by which the national standards conflicting with the amendment have to be withdrawn (dow) 1997-12-01

---

### Endorsement notice

The text of amendment 1:1997 to the International Standard IEC 60317-25:1990 was approved by CENELEC as an amendment to the European Standard without any modification.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 60317-25:2001/A1:2001

<https://standards.iteh.ai/catalog/standards/sist/05a51141-6689-473d-a194-0c6717bfa25d/sist-en-60317-25-2001-a1-2001>



**NORME  
INTERNATIONALE  
INTERNATIONAL  
STANDARD**

**CEI  
IEC**

**317-25**

1990

AMENDEMENT 1  
AMENDMENT 1

1997-02

Amendement 1

**Spécifications pour types particuliers  
de fils de bobinage –**

**Partie 25:  
Fil de section circulaire en aluminium émaillé  
avec polyester ou polyesterimide et avec  
surcouche polyamide-imide, classe 200**

[SIST EN 60317-25:2001/A1:2001](https://standards.iteh.ai/catalog/standards/sist/05a51141-6689-473d-a194-0c6717bfa25d/sist-en-60317-25-2001-a1-2001)

<https://standards.iteh.ai/catalog/standards/sist/05a51141-6689-473d-a194-0c6717bfa25d/sist-en-60317-25-2001-a1-2001>

Amendment 1

**Specifications for particular types  
of winding wires –**

**Part 25:  
Polyester or polyesterimide overcoated with  
polyamide-imide enamelled round aluminium wire,  
class 200**

© IEC 1997 Droits de reproduction réservés — Copyright - all rights reserved

International Electrotechnical Commission  
Telefax: +41 22 919 0300

3, rue de Varembé Geneva, Switzerland  
e-mail: inmail@iec.ch IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

CODE PRIX  
PRICE CODE

**B**

Pour prix, voir catalogue en vigueur  
For price, see current catalogue

## FOREWORD

This amendment has been prepared by IEC technical committee 55: Winding wires.

The text of this amendment is based on the following documents:

FDIS	Report on voting
55/529/FDIS	55/565/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

---

Page 15

**16 Resistance to refrigerants**

*Replace the existing text by the following:*

The percentage of extractable matter shall not exceed 0,5 %. The requirement for breakdown voltage shall be 75 % of the minimum specified value.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 60317-25:2001/A1:2001

<https://standards.iteh.ai/catalog/standards/sist/05a51141-6689-473d-a194-0c6717bfa25d/sist-en-60317-25-2001-a1-2001>