
**Information technology — Swordfish
Scalable Storage Management API
Specification**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC PRF 5965](https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965)

<https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965>

PROOF/ÉPREUVE



Reference number
ISO/IEC 5965:2021(E)

© ISO/IEC 2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC PRF 5965

<https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by SNIA (as Swordfish Scalable Storage Management API Specification, Version 1.1.0c) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Table of Contents

Table of Contents	9
1 Abstract	11
2 Scope	12
2.1 Audience Assumptions	13
3 Normative References	14
3.1 Overview	14
3.2 Approved references	14
3.3 References under development	16
3.4 Other references	16
4 Terms and Definitions	17
4.1 Overview	17
4.2 Swordfish-specific Terms	17
4.3 Reference to Redfish terms	18
4.4 Keywords (normative language terms)	19
5 Swordfish Overview	20
5.1 Introduction	20
5.2 Relation to Redfish	20
5.3 Storage System Models	21
5.4 The ServiceRoot and ServiceContainer entities	24
5.5 Swordfish model overview	25
6 Features and Profiles	28
6.1 Overview	28
6.2 Requirement for SupportedFeatures	28
6.3 EnergyStar for Storage Feature	28
6.4 Class of Service Feature	29
7 Schema Considerations	37
7.1 Schema Introduction	37
7.2 Default values and NULLABLE attributes	37
7.3 Common schema annotations	38
7.4 Property implementation requirements	39
7.5 Schema repository	40
7.6 Referencing other schemas	40
8 Implementation requirements	41
8.1 Security	41
8.2 General constraints	41
8.3 Discovering Swordfish resources	42
8.4 ClassOfService requirements	43
8.5 StorageSystems requirements	43
8.6 Entity Sets	43
8.7 Addressing entities within a collection	43
8.8 Addressing members of a ResourceCollection	44
8.9 HTTP status codes	44
9 Swordfish type definitions	48
9.1 Overview	48
9.2 Common properties	48

9.3 Complex Types	55
9.4 CapacitySource 1.1.2	56
9.5 ClassOfServiceCollection	63
9.6 ConsistencyGroup 1.0.1	64
9.7 ConsistencyGroupCollection	76
9.8 DataProtectionLoSCapabilities 1.1.3	78
9.9 DataSecurityLoSCapabilities 1.1.3	83
9.10 DataStorageLoSCapabilities 1.2.1	91
9.11 DriveCollection	95
9.12 EndpointGroup 1.2.0	97
9.13 EndpointGroupCollection	101
9.14 FeaturesRegistry 1.0.0	102
9.15 FileShare 1.1.3	105
9.16 FileShareCollection	111
9.17 FileSystem 1.2.2	112
9.18 FileSystemCollection	120
9.19 HostedStorageServices	121
9.20 IOConnectivityLoSCapabilities 1.1.3	122
9.21 IOPerformanceLoSCapabilities 1.1.3	126
9.22 LineOfService 1.0.0	130
9.23 LineOfServiceCollection	132
9.24 SpareResourceSet 1.0.1	133
9.25 StorageGroup 1.2.1	136
9.26 StorageGroupCollection	145
9.27 StoragePool 1.3.1	147
9.28 StoragePoolCollection	156
9.29 StorageReplicaInfo 1.3.0	157
9.30 StorageService 1.4.0	159
9.31 StorageServiceCollection	168
9.32 StorageSystemCollection	169
9.33 Volume 1.4.1	170
9.34 VolumeCollection	202
Annex A: Bibliography	205
A.1 Overview	205
A.2 Informational references	205

iTeh STANDARD PREVIEW
(standards.itih.ai)

[ISO/IEC PRF 5965](https://standards.itih.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965)

<https://standards.itih.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965>

1 Abstract

The Swordfish Scalable Storage Management API (“Swordfish”) defines a RESTful interface and a standardized data model to provide a scalable, customer-centric interface for managing storage and related data services. It extends the Redfish Scalable Platforms Management API Specification (DSP0266) from the DMTF.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC PRF 5965](https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965)

<https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965>

2 Scope

Swordfish extends the Redfish Scalable Platforms Management API Specification, as defined by [ISO 30115](#). It defines a comprehensive, RESTful API for storage management that addresses block storage, file systems, object storage, and storage network infrastructure. It is centered around common operational and business concerns of storage management, including:

- Configuration and provisioning
- Monitoring
- Event and log management
- Performance assessment
- Diagnostics
- Fault detection and remediation
- Security
- Accounting and resource consumption

Swordfish's storage model is built around well-defined classes of service, which provide a means to map high-level business goals and objectives to specific, storage-based actions and requirements, in a clear and consistent way that can be applied uniformly across a broad spectrum of storage configurations and storage types (e.g., block storage, file systems, object stores). Common storage management functionality covered by class of service includes snapshots, replication, mapping and masking, and provisioning.

The Redfish specification provides the protocols and a core set of data models and behaviors for the management of systems. It defines the elements and behaviors that are mandatory for all Redfish implementations. Additionally it defines additional elements and behaviors that can be chosen by system vendors or manufacturers. The specifications also defines points at which OEM (system vendor) extensions can be provided by a given implementation. The specifications specifies normative requirements for Redfish Services and associated materials, such as Redfish Schema files. The Redfish specifications does not set requirements for Redfish clients, but will indicate what a Redfish client should do in order to access and utilize a Redfish Service successfully and effectively.

The Swordfish specification defines additional data models and behaviors for the management of storage systems and storage infrastructure. A Swordfish implementation shall conform to all requirements specified in the Redfish specifications.

Swordfish is suitable for a wide range of storage, from small-scale object drives, integrated RAID cards or RBODs providing storage services, to external disk arrays or file servers, to infrastructure providing storage services for converged, hyperscale and large scale cloud environments.

This document defines the Swordfish Scalable Storage Management API.

2.1 Audience Assumptions

As Swordfish is designed as an extension of the Redfish specification, this document is written with the presumption that the reader has a detailed understanding of [ISO 30115](#) and any updates or clarifications introduced by the DMTF. This document cannot be fully understood without that context.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC PRF 5965](#)

<https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965>

3 Normative References

3.1 Overview

The documents listed in Table 3 is indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

3.2 Approved references

Table 3: Approved normative references

Tag	Title (Version)	Author	URL
ISO-8601	Data elements and interchange formats – Information interchange – Representation of dates and times – Part 1: Basic rules	ISO/IEC	http://www.iso.org/iso/home/store/catalogue_ics/catalogue_detail_ics.htm?csnumber=70907 ISO/IEC PRF 5965 https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965

Table 3: Approved normative references, cont.

Tag	Title (Version)	Author	URL
ISO-Direct	ISO/IEC Directives, Part 2 Principles and rules for the structure and drafting of ISO and IEC documents (Seventh Edition, 2016)	ISO/IEC	http://isotc.iso.org/livelink/livelink/fetch/2000/2122/4230450/4230456/ISO_IEC_Directives_Part_2_Principles_and_rules_for_the_structure_and_drafting_of_ISO_and_IEC_documents-2016%287th_edition%29-_PDF.pdf?nodeid=17667902&vernum=-2
OData	Open Data Protocol (v. 4.0)	OASIS	https://www.oasis-open.org/standards#odatav4.0
RFC3986	Uniform Resource Identifier (URI): Generic Syntax (2005)	The Internet Society	http://www.rfc-base.org/txt/rfc-3986.txt
CSDL	Common Schema Definition Language (4.0)	OASIS	http://docs.oasis-open.org/odata/odata/v4.0/odata-v4.0-part3-csdl.html <small>https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965</small>
ITIL	ITIL Glossary (2011)	ITIL	https://www.axelos.com/Corporate/media/Files/Glossaries/ITIL_2011_Glossary_GB-v1-o.pdf
Units	The Unified Code for Units of Measure (v2.0.1)	Regenstrief Institute, Inc. and the UCUM Organization	http://unitsofmeasure.org/trac
SPC-4	SCSI Primary Commands - 4 (SPC-4) INCITS 513-2015	T10	http://www.techstreet.com/cgi-bin/joint.cgi/incits
Features	Swordfish Features Registry, version 1.0.1	SNIA	https://redfish.dmtf.org/registries/swordfish/v1/SwordfishFeatureRegistry.1.0.1.json

Table 3: Approved normative references, cont.

Tag	Title (Version)	Author	URL
Messages	Swordfish Message Registry, version 1.0.2	SNIA	https://redfish.dmtf.org/registries/swordfish/v1/Swordfish.1.0.2.json
EnergyStar	ENERGY STAR Data Center Storage Version 1.1 Updated Program Requirements – April 1, 2019	EPA	https://www.energystar.gov/sites/default/files/ENERGY STAR Data Center Storage Final Version 1.1 Specification Rev. April 2019.pdf
ISO-20648	Information technology – TLS specification for storage systems	ISO/IEC	https://www.iso.org/standard/68622.html
ISO-30115	ISO/IEC 30115(en) Information technology – Redfish scalable platforms management API specification	ISO/IEC	https://www.iso.org/standard/53235.html https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91b9f61d9/iso-iec-prf-5965

3.3 References under development

None defined in this document.

3.4 Other references

None defined in this document.

4 Terms and Definitions

4.1 Overview

In this document, some terms have a specific meaning beyond the normal English meaning. Those terms are defined in this clause. New terms, frequently used Redfish terms.

4.2 Swordfish-specific Terms

4.2.1 Definitions

Table 4 summarizes the terms are used in this document.

Table 4: Swordfish terms

Term	Definition
Entity	An instance of a schema element.
Model	A set of entities and the relationships between them that define the semantics, behavior and state of that set. ISO/IEC PRF 5965
OData service	A REST-based service that allows resources, identified using Uniform Resource Locators (URLs) and defined in a model, to be published and edited by Web clients using simple HTTP messages.
Resource	A central element in a model, which represents a physical construct or a logical service, and is further defined by other model entities.
Schema	A formal language representation of a model that conforms to a metamodel.
Service Document	A particular resource that is directly accessed via an OData service entry point. This resource serves as a starting point for locating and accessing the other resources and associated metadata that together make up an instance of a Swordfish service.
Swordfish service	An extension to the Redfish Service that conforms to the Swordfish specification, and provides REST-ful storage management functionality.

4.2.2 Symbols and abbreviated terms

None in this document.

4.3 Reference to Redfish terms

Many terms in this document were originally defined in the [Redfish Specification](#). Some of the more common terms and definitions are reproduced in [Table 5](#), as an aid to the reader.

Table 5: Redfish terms

Term	Definition (as of 16 August 2019)
OData	The Open Data Protocol, as defined in OData-Protocol .
OData Service Document	Resource that provides information about the service root for generic OData clients.
Redfish Schema	Defines Redfish Resources according to OData schema representation. You can directly translate a Redfish Schema to a JSON Schema representation.
Redfish service	Implementation of the protocols, resources, and functions that deliver the interface that this specification defines and its associated behaviors for one or more managed systems.
Request	A message from a client to a service.
Service Root	Resource that serves as the starting point for locating and accessing the other resources and associated metadata that together make up an instance of a Redfish Service.

[ISO/IEC PRF 5965](#)

<https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965>

4.4 Keywords (normative language terms)

This document conforms to [ISO/IEC Directives, Part 2](#) for keyword usage. The most common terms and their intended meanings are summarized in [Table 6](#).

Table 6: Normative language terms

Term(s)	Meaning
shall / shall not	Used to identify objectively verifiable criteria to be fulfilled and from which no deviation is permitted if compliance with the document is to be claimed
should / should not	Used to identify a suggested possible choice or course of action deemed to be particularly suitable without necessarily mentioning or excluding others
may / need not	Used to convey consent or liberty (or opportunity) to do something
can / cannot	Expected or conceivable material, physical or causal outcome
must	Identifies a constraint or obligation on the user of the document, typically due to one or more legal requirements or laws of nature, that is not stated as a provision of the standard <i>NB:</i> “must” is not an alternative for “shall”, and should only be used for constraints that arise from outside this standard

[ISO/IEC PRF 5965](#)

<https://standards.iteh.ai/catalog/standards/sist/e45a184a-50a8-4b56-ad0d-a9e91f9f61d9/iso-iec-prf-5965>

5 Swordfish Overview

5.1 Introduction

The Swordfish Scalable Storage Management API (“Swordfish”) defines a RESTful interface and a standardized data model to provide a scalable, customer-centric interface for managing storage and related data services. It extends the Redfish Scalable Platforms Management API Specification (DSP0266) from the DMTF.

5.2 Relation to Redfish




Figure 1: Extension Overview