

---

---

**Information technology — Open  
Connectivity Foundation (OCF)  
Specification —**

**Part 1:  
Core specification**

**iTeh STANDARD PREVIEW**  
*Technologies de l'information — Specification de la Fondation pour la  
connectivité ouverte (Fondation OCF) —  
Partie 1: Spécification du cœur*  
(standards.iteh.ai)

[ISO/IEC 30118-1:2021](https://standards.iteh.ai/catalog/standards/sist/bf94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/bf94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021>



## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 30118-1:2021](https://standards.iteh.ai/catalog/standards/sist/bff94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/bff94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021>



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword .....	vii
Introduction .....	viii
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms, definitions and abbreviated terms.....</b>	<b>3</b>
3.1 Terms and definitions .....	3
3.2 Symbols and abbreviated terms .....	7
<b>4 Document conventions and organization.....</b>	<b>8</b>
4.1 Conventions .....	8
4.2 Notation .....	8
4.3 Data types .....	9
4.4 Resource notation syntax .....	10
<b>5 Architecture .....</b>	<b>11</b>
5.1 Overview.....	11
5.2 Principle .....	11
5.3 Functional block diagram.....	12
5.4 Framework.....	14
<b>6 Identification and addressing.....</b>	<b>14</b>
6.1 Introduction.....	14
6.2 Identification .....	15
6.2.1 Device and Platform identification.....	15
6.2.2 Resource identification and addressing.....	15
6.3 Namespace:.....	16
6.4 Network addressing .....	16
<b>7 Resource model.....</b>	<b>17</b>
7.1 Introduction.....	17
7.2 Resource .....	17
7.3 Property.....	18
7.3.1 Introduction.....	18
7.3.2 Common Properties .....	19
7.4 Resource Type .....	21
7.4.1 Introduction.....	21
7.4.2 Resource Type Property .....	21
7.4.3 Resource Type definition.....	21
7.4.4 Multi-value "rt" Resource.....	23
7.5 Device Type.....	23
7.6 OCF Interface .....	24
7.6.1 Introduction.....	24
7.6.2 OCF Interface Property .....	24
7.6.3 OCF Interface methods .....	25
7.7 Resource representation.....	42
7.8 Structure .....	42
7.8.1 Introduction.....	42
7.8.2 Resource relationships (Links).....	42
7.8.3 Collections .....	48

7.8.4	Atomic Measurement .....	50
7.9	Query Parameters .....	52
7.9.1	Introduction .....	52
7.9.2	Use of multiple parameters within a query.....	52
7.9.3	Application to multi-value "rt" Resources .....	53
7.9.4	OCF Interface specific considerations for queries .....	53
8	CRUDN.....	54
8.1	Overview .....	54
8.2	CREATE.....	54
8.2.1	Overview .....	54
8.2.2	CREATE request .....	55
8.2.3	Processing by the Server .....	55
8.2.4	CREATE response.....	55
8.3	RETRIEVE.....	56
8.3.1	Overview .....	56
8.3.2	RETRIEVE request .....	56
8.3.3	Processing by the Server .....	56
8.3.4	RETRIEVE response .....	56
8.4	UPDATE.....	57
8.4.1	Overview .....	57
8.4.2	UPDATE request.....	57
8.4.3	Processing by the Server.....	57
8.4.4	UPDATE response.....	58
8.5	DELETE .....	58
8.5.1	Overview .....	58
8.5.2	DELETE request.....	59
8.5.3	Processing by the Server .....	59
8.5.4	DELETE response .....	59
8.6	NOTIFY .....	59
8.6.1	Overview .....	59
8.6.2	NOTIFICATION response .....	59
9	Network and connectivity.....	60
9.1	Introduction .....	60
9.2	Architecture .....	60
9.3	IPv6 network layer requirements .....	61
9.3.1	Introduction .....	61
9.3.2	IPv6 node requirements.....	62
10	OCF Endpoint .....	62
10.1	OCF Endpoint definition .....	62
10.2	OCF Endpoint information .....	63
10.2.1	Introduction .....	63
10.2.2	"ep" .....	63
10.2.3	"pri".....	64
10.2.4	"lat".....	64
10.2.5	OCF Endpoint information in "eps" Parameter .....	64
10.3	OCF Endpoint discovery .....	65
10.3.1	Introduction .....	65
10.3.2	Implicit discovery .....	65

10.3.3	Explicit discovery with "/oic/res" response .....	65
11	Functional interactions.....	67
11.1	Introduction.....	67
11.2	Resource discovery .....	68
11.2.1	Introduction.....	68
11.2.2	Resource based discovery: mechanisms .....	68
11.2.3	Resource based discovery: Finding information.....	69
11.2.4	Resource discovery using "/oic/res" .....	76
11.2.5	Multicast discovery using "/oic/res".....	77
11.3	Notification.....	78
11.3.1	Overview .....	78
11.3.2	Observe .....	78
11.4	Introspection.....	79
11.4.1	Overview .....	79
11.4.2	Usage of Introspection.....	83
11.5	Semantic Tags.....	84
11.5.1	Introduction.....	84
11.5.2	Semantic Tag definitions .....	85
12	Messaging.....	87
12.1	Introduction.....	87
12.2	Mapping of CRUDN to CoAP .....	87
12.2.1	Overview .....	87
12.2.2	URIs.....	88
12.2.3	CoAP method with request and response .....	88
12.2.4	Content-Format negotiation.....	89
12.2.5	OCF-Content-Format-Version information.....	90
12.2.6	Content-Format policy .....	91
12.2.7	CRUDN to CoAP response codes.....	92
12.2.8	CoAP block transfer.....	92
12.2.9	Generic requirements for CoAP multicast.....	92
12.2.10	Setting timeout on response to a confirmable request .....	93
12.3	Mapping of CRUDN to CoAP serialization over TCP.....	93
12.3.1	Overview .....	93
12.3.2	URIs.....	93
12.3.3	CoAP method with request and response .....	93
12.3.4	Content-Format negotiation.....	93
12.3.5	OCF-Content-Format-Version information.....	94
12.3.6	Content-Format policy .....	94
12.3.7	CRUDN to CoAP response codes.....	94
12.3.8	CoAP block transfer.....	94
12.3.9	Keep alive (connection health) .....	94
12.3.10	CoAP using a proxy .....	94
12.4	Payload Encoding in CBOR.....	94
13	Security.....	95
Annex A (normative)	Resource Type definitions.....	96
A.1	List of Resource Type definitions .....	96
A.2	Atomic Measurement links list representation .....	96
A.2.1	Introduction.....	96

A.2.2	Example URI.....	96
A.2.3	Resource type.....	96
A.2.4	OpenAPI 2.0 definition.....	96
A.2.5	Property definition.....	102
A.2.6	CRUDN behaviour.....	103
A.3	Collection.....	103
A.3.1	Introduction.....	103
A.3.2	Example URI.....	103
A.3.3	Resource type.....	104
A.3.4	OpenAPI 2.0 definition.....	104
A.3.5	Property definition.....	110
A.3.6	CRUDN behaviour.....	112
A.4	Device.....	112
A.4.1	Introduction.....	112
A.4.2	Well-known URI.....	112
A.4.3	Resource type.....	112
A.4.4	OpenAPI 2.0 definition.....	112
A.4.5	Property definition.....	115
A.4.6	CRUDN behaviour.....	116
A.5	Introspection Resource.....	116
A.5.1	Introduction.....	116
A.5.2	Well-known URI.....	116
A.5.3	Resource type.....	116
A.5.4	OpenAPI 2.0 definition.....	116
A.5.5	Property definition.....	118
A.5.6	CRUDN behaviour.....	119
A.6	Platform.....	119
A.6.1	Introduction.....	119
A.6.2	Well-known URI.....	119
A.6.3	Resource type.....	119
A.6.4	OpenAPI 2.0 definition.....	119
A.6.5	Property definition.....	122
A.6.6	CRUDN behaviour.....	123
A.7	Discoverable Resources.....	123
A.7.1	Introduction.....	123
A.7.2	Well-known URI.....	123
A.7.3	Resource type.....	123
A.7.4	OpenAPI 2.0 definition.....	123
A.7.5	Property definition.....	128
A.7.6	CRUDN behaviour.....	129
Annex B (informative)	OpenAPI 2.0 Schema Extension.....	130
B.1	OpenAPI 2.0 Schema Reference.....	130
B.2	OpenAPI 2.0 Introspection empty file.....	130
Annex C (normative)	Semantic Tag enumeration support.....	131
C.1	Introduction.....	131
C.2	"tag-pos-desc" supported enumeration.....	131
Bibliography	.....	132

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 30118-1:2021

[https://standards.iteh.ai/catalog/standards/sist/bf94d4e-9641-4bce-83cb-](https://standards.iteh.ai/catalog/standards/sist/bf94d4e-9641-4bce-83cb-56247048bbd2/iso-iec-30118-1-2021)

[56247048bbd2/iso-iec-30118-1-2021](https://standards.iteh.ai/catalog/standards/sist/bf94d4e-9641-4bce-83cb-56247048bbd2/iso-iec-30118-1-2021)

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see [patents.iec.ch](http://patents.iec.ch)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by the Open Connectivity Foundation (OCF) (as OCF Core Specification, version 2.2.0) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

This second edition cancels and replaces the first edition (ISO/IEC 30118-1:2018), which has been technically revised.

The main changes compared to the previous edition are as follows:

- simplification of specification so that it only includes the core functionality;
- additional reusable infrastructure components are now in the core optional specification;
- addition of semantic tags, sleepy devices based on long latency;
- improvements made on CoAP bindings, Error diagnostic payloads, discovery, reset of device and usage of baseline interfaces;
- addition of clarifications throughout.

A list of all parts in the ISO/IEC 30118 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

## Introduction

This document, and all the other parts associated with this document, were developed in response to worldwide demand for smart home focused Internet of Things (IoT) devices, such as appliances, door locks, security cameras, sensors, and actuators; these to be modelled and securely controlled, locally and remotely, over an IP network.

While some inter-device communication existed, no universal language had been developed for the IoT. Device makers instead had to choose between disparate frameworks, limiting their market share, or developing across multiple ecosystems, increasing their costs. The burden then falls on end users to determine whether the products they want are compatible with the ecosystem they bought into, or find ways to integrate their devices into their network, and try to solve interoperability issues on their own.

In addition to the smart home, IoT deployments in commercial environments are hampered by a lack of security. This issue can be avoided by having a secure IoT communication framework, which this standard solves.

The goal of these documents is then to connect the next 25 billion devices for the IoT, providing secure and reliable device discovery and connectivity across multiple OSs and platforms. There are multiple proposals and forums driving different approaches, but no single solution addresses the majority of key requirements. This document and the associated parts enable industry consolidation around a common, secure, interoperable approach.

ISO/IEC 30118 consists of eighteen parts, under the general title Information technology — Open Connectivity Foundation (OCF) Specification. The parts fall into logical groupings as described herein:

- Core framework
  - Part 1: Core Specification [ISO/IEC 30118-1:2021](https://standards.iteh.ai/catalog/standards/sist/bff94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021)
  - Part 2: Security Specification <https://standards.iteh.ai/catalog/standards/sist/bff94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021>
  - Part 13: Onboarding Tool Specification
- Bridging framework and bridges
  - Part 3: Bridging Specification
  - Part 6: Resource to Alljoyn Interface Mapping Specification
  - Part 8: OCF Resource to oneM2M Resource Mapping Specification
  - Part 14: OCF Resource to BLE Mapping Specification
  - Part 15: OCF Resource to EnOcean Mapping Specification
  - Part 16: OCF Resource to UPlus Mapping Specification
  - Part 17: OCF Resource to Zigbee Cluster Mapping Specification
  - Part 18: OCF Resource to Z-Wave Mapping Specification
- Resource and Device models
  - Part 4: Resource Type Specification
  - Part 5: Device Specification



- Core framework extensions
  - Part 7: Wi-Fi Easy Setup Specification
  - Part 9: Core Optional Specification
- OCF Cloud
  - Part 10: Cloud API for Cloud Services Specification
  - Part 11: Device to Cloud Services Specification
  - Part 12: Cloud Security Specification

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 30118-1:2021](https://standards.iteh.ai/catalog/standards/sist/bff94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/bff94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO/IEC 30118-1:2021

<https://standards.iteh.ai/catalog/standards/sist/bff94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021>

# Information technology — Open Connectivity Foundation (OCF) Specification —

## Part 1: Core specification

### 1 Scope

The OCF Core specifications are divided into a set of documents:

- Core specification (this document): The Core specification document specifies the Framework, i.e., the OCF core architecture, interfaces, protocols and services to enable OCF profiles implementation for Internet of Things (IoT) usages and ecosystems. This document is mandatory for all Devices to implement.
- Core optional specification: The Core optional specification document specifies the Framework, i.e., the OCF core architecture, interfaces, protocols and services to enable OCF profiles implementation for Internet of Things (IoT) usages and ecosystems that can optionally be implemented by any Device.
- Core extension specification(s): The Core extension specification(s) document(s) specifies optional OCF Core functionality that are significant in scope (e.g., Wi-Fi easy setup, Cloud).

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601, *Data elements and interchange formats – Information interchange – Representation of dates and times*, International Standards Organization, December 3, 2004

ISO/IEC DIS 20924, *Information Technology – Internet of Things – Vocabulary*, June 2018  
<https://www.iso.org/standard/69470.html>

ISO/IEC 30118-2, *Information technology – Open Connectivity Foundation (OCF) Specification – Part 2: Security specification*  
<https://www.iso.org/standard/74239.html>  
Latest version available at: [https://openconnectivity.org/specs/OCF\\_Security\\_Specification.pdf](https://openconnectivity.org/specs/OCF_Security_Specification.pdf)

IETF RFC 768, *User Datagram Protocol*, August 1980  
<https://www.rfc-editor.org/info/rfc768>

IETF RFC 3339, *Date and Time on the Internet: Timestamps*, July 2002  
<https://www.rfc-editor.org/info/rfc3339>

IETF RFC 3986, *Uniform Resource Identifier (URI): General Syntax*, January 2005.  
<https://www.rfc-editor.org/info/rfc3986>

## ISO/IEC 30118-1:2021(E)

IETF RFC 4122, *A Universally Unique Identifier (UUID) URN Namespace*, July 2005  
<https://www.rfc-editor.org/info/rfc4122>

IETF RFC 4287, *The Atom Syndication Format*, December 2005,  
<https://www.rfc-editor.org/info/rfc4287>

IETF RFC 4941, *Privacy Extensions for Stateless Address Autoconfiguration in IPv6*, September 2007  
<https://www.rfc-editor.org/info/rfc4941>

IETF RFC 5646, *Tags for Identifying Languages*, September 2009  
<https://www.rfc-editor.org/info/rfc5646>

IETF RFC 6347, *Datagram Transport Layer Security Version 1.2*, January 2012  
<https://www.rfc-editor.org/info/rfc6347>

IETF RFC 6434, *IPv6 Node Requirements*, December 2011  
<https://www.rfc-editor.org/info/rfc6434>

IETF RFC 6573, *The Item and Collection Link Relations*, April 2012  
<https://www.rfc-editor.org/info/rfc6573>

IETF RFC 6690, *Constrained RESTful Environments (CoRE) Link Format*, August 2012  
<https://www.rfc-editor.org/info/rfc6690>

IETF RFC 7049, *Concise Binary Object Representation (CBOR)*, October 2013  
<https://www.rfc-editor.org/info/rfc7049>

IETF RFC 7084, *Basic Requirements for IPv6 Customer Edge Routers*, November 2013  
<https://www.rfc-editor.org/info/rfc7084>

IETF RFC 7159, *The JavaScript Object Notation (JSON) Data Interchange Format*, March 2014  
<https://www.rfc-editor.org/info/rfc7159>

IETF RFC 7252, *The Constrained Application Protocol (CoAP)*, June 2014  
<https://www.rfc-editor.org/info/rfc7252>

IETF RFC 7301, *Transport Layer Security (TLS) Application-Layer Protocol Negotiation Extension*, July 2014  
<https://www.rfc-editor.org/info/rfc7301>

IETF RFC 7346, *IPv6 Multicast Address Scopes*, August 2014  
<https://www.rfc-editor.org/info/rfc7346>

IETF RFC 7595, *Guidelines and Registration Procedures for URI Schemes*, June 2015  
<https://www.rfc-editor.org/info/rfc7595>

IETF RFC 7641, *Observing Resources in the Constrained Application Protocol (CoAP)*, September 2015  
<https://www.rfc-editor.org/info/rfc7641>

IETF RFC 7721, *Security and Privacy Considerations for IPv6 Address Generation Mechanisms*, March 2016  
<https://www.rfc-editor.org/info/rfc7721>

IETF RFC 7959, *Block-Wise Transfers in the Constrained Application Protocol (CoAP)*, August 2016  
<https://www.rfc-editor.org/info/rfc7959>

IETF RFC 8075, *Guidelines for Mapping Implementations: HTTP to the Constrained Application Protocol (CoAP)*, February 2017  
<https://www.rfc-editor.org/info/rfc8075>

IETF RFC 8085, *UDP Usage Guidelines*, March 2017  
<https://www.rfc-editor.org/info/rfc8085>

IETF RFC 8288, *Web Linking*, October 2017  
<https://www.rfc-editor.org/info/rfc8288>

IETF RFC 8323, *CoAP (Constrained Application Protocol) over TCP, TLS, and WebSockets*, February 2018  
<https://www.rfc-editor.org/info/rfc8323>

IANA ifType-MIB Definitions  
<https://www.iana.org/assignments/ianaiftype-mib/ianaiftype-mib>

IANA IPv6 Multicast Address Space Registry  
<http://www.iana.org/assignments/ipv6-multicast-addresses/ipv6-multicast-addresses.xhtml>

IANA Link Relations, October 2017  
<http://www.iana.org/assignments/link-relations/link-relations.xhtml>

JSON Schema Validation, *JSON Schema: interactive and non-interactive validation*, January 2013  
<http://json-schema.org/draft-04/json-schema-validation.html>

OpenAPI specification, *fka Swagger RESTful API Documentation Specification*, Version 2.0  
<https://github.com/OAI/OpenAPI-Specification/blob/master/versions/2.0.md>

## iTeh STANDARD PREVIEW

### 3 Terms, definitions and abbreviated terms (standards.iteh.ai)

#### 3.1 Terms and definitions

ISO/IEC 30118-1:2021

For the purposes of this document, the terms and definitions given in the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>.
- IEC Electropedia: available at <http://www.electropedia.org/>.

##### 3.1.1

##### **Atomic Measurement**

design pattern that ensures that the *Client* (3.1.6) can only access the *Properties* (3.1.33) of linked *Resources* (3.1.31) atomically, that is as a single group

##### 3.1.2

##### **Bridged Client**

logical entity that accesses data via a *Bridged Protocol* (3.1.4)

Note 1 to entry: For example, an AllJoyn Consumer application is a *Bridged Client* (3.1.2).

##### 3.1.3

##### **Bridged Device**

*Bridged Client* (3.1.2) or *Bridged Server* (3.1.5)

##### 3.1.4

##### **Bridged Protocol**

another protocol (e.g., AllJoyn) that is being translated to or from OCF protocols

## 3.1.5

### **Bridged Server**

logical entity that provides data via a *Bridged Protocol* (3.1.4)

Note 1 to entry: For example an AllJoyn Producer is a *Bridged Server* (3.1.5).

Note 2 to entry: More than one *Bridged Server* (3.1.5) can exist on the same physical platform.

## 3.1.6

### **Client**

logical entity that accesses a *Resource* (3.1.31) on a *Server* (3.1.36)

## 3.1.7

### **Collection**

*Resource* (3.1.31) that contains zero or more *Links* (3.1.21)

## 3.1.8

### **Common Properties**

*Properties* (3.1.33) specified for all *Resources* (3.1.31)

## 3.1.9

### **Composite Device**

*Device* (3.1.13) that is modelled as multiple *Device Types* (3.1.14); with each component *Device Type* (3.1.14) being exposed as a *Collection* (3.1.7)

ITeH STANDARD PREVIEW  
(standards.iteh.ai)

## 3.1.10

### **Configuration Source**

cloud or service network or a local read-only file which contains and provides configuration related information to the *Devices* (3.1.13)

ISO/IEC 30118-1:2021  
<https://standards.iteh.ai/catalog/standards/sist/bff94d4e-9641-4bce-83eb-56247048bbd2/iso-iec-30118-1-2021>

## 3.1.11

### **Core Resources**

those *Resources* (3.1.31) that are defined in this document

## 3.1.12

### **Default OCF Interface**

*OCF Interface* (3.1.18) used to generate the response when an *OCF Interface* (3.1.18) is omitted in a request

## 3.1.13

### **Device**

logical entity that assumes one or more roles, e.g., *Client* (3.1.6), *Server* (3.1.36)

Note 1 to entry: More than one *Device* (3.1.13) can exist on a *Platform* (3.1.30).

## 3.1.14

### **Device Type**

uniquely named definition indicating a minimum set of *Resource Types* (3.1.34) that a *Device* (3.1.13) supports

Note 1 to entry: A *Device Type* (3.1.14) provides a hint about what the *Device* (3.1.13) is, such as a light or a fan, for use during *Resource* (3.1.31) discovery.

## 3.1.15

### **Device UUID**

stack instance identifier

**3.1.16****Discoverable Resource**

*Resource* (3.1.31) that is listed in `"/oic/res"`

**3.1.17****OCF Endpoint**

entity participating in the OCF protocol, further identified as the source or destination of a request and response messages for a given Transport Protocol Suite

Note 1 to entry: Example of a Transport Protocol Suite would be CoAP over UDP over IPv6.

**3.1.18****Framework**

set of related functionalities and interactions defined in this document, which enable interoperability across a wide range of networked devices, including IoT

**3.1.19****OCF Interface**

interface description extended by OCF that provides a view to and permissible responses from a *Resource* (3.1.31)

[SOURCE: IETF RFC 6690]

**3.1.20****Introspection**

mechanism to determine the capabilities of the hosted *Resources* (3.1.31) of a *Device* (3.1.13)

**3.1.21****Introspection Device Data (IDD)**

data that describes the payloads per implemented method of the *Resources* (3.1.31) that make up the *Device* (3.1.13)

Note 1 to entry: See 11.4 for all requirements and exceptions.

**3.1.22****Links**

extends typed web links

[SOURCE: IETF RFC 8288]

**3.1.23****Non-Discoverable Resource**

*Resource* (3.1.31) that is not listed in `"/oic/res"`

Note 1 to entry: The *Resource* (3.1.31) can be reached by a *Link* (3.1.21) which is conveyed by another *Resource* (3.1.31). For example a *Resource* (3.1.31) linked in a *Collection* (3.1.7) does not have to be listed in `"/oic/res"`, since traversing the *Collection* (3.1.7) would discover the *Resource* (3.1.31) implemented on the *Device* (3.1.13).

**3.1.24****Notification**

mechanism to make a *Client* (3.1.6) aware of state changes in a *Resource* (3.1.31)