
**Information technology — Open
Connectivity Foundation (OCF)
Specification —**

**Part 4:
Resource type specification**

iTeh STANDARD PREVIEW
(standards.iteh.ai)
*Technologies de l'information — Specification de la Fondation pour la
connectivité ouverte (Fondation OCF) —
Partie 4: Spécification des types de ressources*

[ISO/IEC 30118-4:2021](https://standards.iteh.ai/catalog/standards/sist/4a58efba-b6ef-4f3c-9930-17f609c89a19/iso-iec-30118-4-2021)

<https://standards.iteh.ai/catalog/standards/sist/4a58efba-b6ef-4f3c-9930-17f609c89a19/iso-iec-30118-4-2021>



iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 30118-4:2021](https://standards.iteh.ai/catalog/standards/sist/4a58efba-b6ef-4f3c-9930-17f609c89a19/iso-iec-30118-4-2021)

<https://standards.iteh.ai/catalog/standards/sist/4a58efba-b6ef-4f3c-9930-17f609c89a19/iso-iec-30118-4-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	xxix
Introduction.....	xxx
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms.....	1
3.1 Terms and definitions	2
3.2 Symbols and abbreviated terms.....	2
4 Document conventions and organization.....	2
4.1 Conventions	2
4.2 Notation.....	2
5 Baseline model constructs.....	3
5.1 URI.....	3
5.2 OCF Interfaces	3
5.2.1 Introduction	3
5.2.2 Restricting OCF Interface functionality	4
5.3 OpenAPI specification 2.0 definition.....	4
5.4 Property definition	5
5.4.1 Common Properties.....	5
5.4.2 Resource Properties.....	5
5.4.3 Basic Resource Schema.....	7
5.4.4 CRUDN operation response codes	7
5.5 Example Resource definitions.....	7
5.6 Observable Resource Types.....	7
5.6.1 Introduction	7
5.6.2 Conditional Notification	8
5.7 Composite Resource Types.....	10
5.8 Document version	11
5.9 Data types	11
6 Resource Type definitions	12
6.1 Introduction.....	12
6.2 Air Flow	16
6.2.1 Introduction	16
6.2.2 Example URI.....	16
6.2.3 Resource type.....	16
6.2.4 OpenAPI 2.0 definition.....	17
6.2.5 Property definition.....	19
6.2.6 CRUDN behaviour	20
6.3 Air Flow Control	20
6.3.1 Introduction	20
6.3.2 Example URI.....	20
6.3.3 Resource type.....	20
6.3.4 OpenAPI 2.0 definition.....	20
6.3.5 Property definition.....	25
6.3.6 CRUDN behaviour	26

6.4	Battery	26
6.4.1	Introduction	26
6.4.2	Example URI.....	26
6.4.3	Resource type.....	26
6.4.4	OpenAPI 2.0 definition.....	27
6.4.5	Property definition.....	29
6.4.6	CRUDN behaviour.....	30
6.5	Binary Switch	30
6.5.1	Introduction	30
6.5.2	Example URI.....	30
6.5.3	Resource type.....	30
6.5.4	OpenAPI 2.0 definition.....	30
6.5.5	Property definition.....	32
6.5.6	CRUDN behaviour.....	32
6.6	Brightness	33
6.6.1	Introduction	33
6.6.2	Example URI.....	33
6.6.3	Resource type.....	33
6.6.4	OpenAPI 2.0 definition.....	33
6.6.5	Property definition.....	35
6.6.6	CRUDN behaviour.....	35
6.7	Colour Chroma	35
6.7.1	Introduction	35
6.7.2	Example URI.....	36
6.7.3	Resource type.....	36
6.7.4	OpenAPI 2.0 definition.....	36
6.7.5	Property definition.....	38
6.7.6	CRUDN behaviour.....	39
6.8	Colour RGB	39
6.8.1	Introduction	39
6.8.2	Example URI.....	39
6.8.3	Resource type.....	39
6.8.4	OpenAPI 2.0 definition.....	39
6.8.5	Property definition.....	41
6.8.6	CRUDN behaviour.....	42
6.9	Dimming	42
6.9.1	Introduction	42
6.9.2	Example URI.....	42
6.9.3	Resource type.....	42
6.9.4	OpenAPI 2.0 definition.....	42
6.9.5	Property definition.....	44
6.9.6	CRUDN behaviour.....	45
6.10	Door	45
6.10.1	Introduction	45
6.10.2	Example URI.....	45
6.10.3	Resource type.....	45
6.10.4	OpenAPI 2.0 definition.....	45
6.10.5	Property definition.....	47

iTech STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/4a58c1ba-06ef-413c-9930-171609c89a19/iso-iec-30118-4-2021>

<https://standards.iteh.ai/catalog/standards/sist/4a58c1ba-06ef-413c-9930-171609c89a19/iso-iec-30118-4-2021>

6.10.6	CRUDN behaviour	48
6.11	Energy Consumption	48
6.11.1	Introduction	48
6.11.2	Example URI.....	48
6.11.3	Resource type.....	48
6.11.4	OpenAPI 2.0 definition.....	48
6.11.5	Property definition.....	50
6.11.6	CRUDN behaviour	50
6.12	Energy Usage	51
6.12.1	Introduction	51
6.12.2	Example URI.....	51
6.12.3	Resource type.....	51
6.12.4	OpenAPI 2.0 definition.....	51
6.12.5	Property definition.....	56
6.12.6	CRUDN behaviour	57
6.13	Humidity	57
6.13.1	Introduction	57
6.13.2	Example URI.....	57
6.13.3	Resource type.....	57
6.13.4	OpenAPI 2.0 definition.....	57
6.13.5	Property definition.....	59
6.13.6	CRUDN behaviour.....	60
6.14	Ice Maker	60
6.14.1	Introduction	60
6.14.2	Example URI.....	60
6.14.3	Resource type.....	60
6.14.4	OpenAPI 2.0 definition.....	60
6.14.5	Property definition.....	62
6.14.6	CRUDN behaviour	63
6.15	Lock.....	63
6.15.1	Introduction	63
6.15.2	Example URI.....	63
6.15.3	Resource type.....	63
6.15.4	OpenAPI 2.0 definition.....	63
6.15.5	Property definition.....	65
6.15.6	CRUDN behaviour	66
6.16	Lock Code	66
6.16.1	Introduction	66
6.16.2	Example URI.....	66
6.16.3	Resource type.....	66
6.16.4	OpenAPI 2.0 definition.....	66
6.16.5	Property definition.....	68
6.16.6	CRUDN behaviour	68
6.17	Mode.....	68
6.17.1	Introduction	68
6.17.2	Example URI.....	68
6.17.3	Resource type.....	69
6.17.4	OpenAPI 2.0 definition.....	69

6.17.5	Property definition.....	71
6.17.6	CRUDN behaviour.....	71
6.18	Open Level	71
6.18.1	Introduction	71
6.18.2	Example URI.....	72
6.18.3	Resource type.....	72
6.18.4	OpenAPI 2.0 definition.....	72
6.18.5	Property definition.....	74
6.18.6	CRUDN behaviour.....	74
6.19	Operational State	75
6.19.1	Introduction	75
6.19.2	Example URI.....	75
6.19.3	Resource type.....	75
6.19.4	OpenAPI 2.0 definition.....	75
6.19.5	Property definition.....	78
6.19.6	CRUDN behaviour.....	78
6.20	Ramp Time	79
6.20.1	Introduction	79
6.20.2	Example URI.....	79
6.20.3	Resource type.....	79
6.20.4	OpenAPI 2.0 definition.....	79
6.20.5	Property definition.....	81
6.20.6	CRUDN behaviour.....	81
6.21	Refrigeration	82
6.21.1	Introduction	82
6.21.2	Example URI.....	82
6.21.3	Resource type.....	82
6.21.4	OpenAPI 2.0 definition.....	82
6.21.5	Property definition.....	85
6.21.6	CRUDN behaviour.....	85
6.22	Temperature	85
6.22.1	Introduction	85
6.22.2	Example URI.....	86
6.22.3	Resource type.....	86
6.22.4	OpenAPI 2.0 definition.....	86
6.22.5	Property definition.....	88
6.22.6	CRUDN behaviour.....	89
6.23	Time Period	89
6.23.1	Introduction	89
6.23.2	Example URI.....	90
6.23.3	Resource type.....	90
6.23.4	OpenAPI 2.0 definition.....	90
6.23.5	Property definition.....	92
6.23.6	CRUDN behaviour.....	93
6.24	Activity Count	93
6.24.1	Introduction	93
6.24.2	Example URI.....	94
6.24.3	Resource type.....	94

<https://standards.iteh.ai/catalog/standards/sist/4a58c1ba-06cf-413c-9930-171609c89a19/iso-iec-30118-4-2021>
ITEH STANDARD PREVIEW
 (standards.iteh.ai)

[ISO/IEC 30118-4:2021](https://standards.iteh.ai/catalog/standards/sist/4a58c1ba-06cf-413c-9930-171609c89a19/iso-iec-30118-4-2021)

6.24.4	OpenAPI 2.0 definition.....	94
6.24.5	Property definition.....	96
6.24.6	CRUDN behaviour.....	96
6.25	Atmospheric Pressure Sensor	96
6.25.1	Introduction	96
6.25.2	Example URI.....	96
6.25.3	Resource type.....	96
6.25.4	OpenAPI 2.0 definition.....	97
6.25.5	Property definition.....	98
6.25.6	CRUDN behaviour.....	99
6.26	Audio Controls	99
6.26.1	Introduction	99
6.26.2	Example URI.....	99
6.26.3	Resource type.....	99
6.26.4	OpenAPI 2.0 definition.....	99
6.26.5	Property definition.....	101
6.26.6	CRUDN behaviour.....	102
6.27	Auto Focus	102
6.27.1	Introduction	102
6.27.2	Example URI.....	102
6.27.3	Resource type.....	102
6.27.4	OpenAPI 2.0 definition.....	102
6.27.5	Property definition.....	104
6.27.6	CRUDN behaviour.....	104
6.28	Automatic Document Feeder.....	105
6.28.1	Introduction	105
6.28.2	Example URI.....	105
6.28.3	Resource type.....	105
6.28.4	OpenAPI 2.0 definition.....	105
6.28.5	Property definition.....	107
6.28.6	CRUDN behaviour.....	107
6.29	Button Switch.....	107
6.29.1	Introduction	107
6.29.2	Example URI.....	107
6.29.3	Resource type.....	107
6.29.4	OpenAPI 2.0 definition.....	107
6.29.5	Property definition.....	109
6.29.6	CRUDN behaviour.....	109
6.30	Carbon Dioxide Sensor.....	109
6.30.1	Introduction	109
6.30.2	Example URI.....	110
6.30.3	Resource type.....	110
6.30.4	OpenAPI 2.0 definition.....	110
6.30.5	Property definition.....	111
6.30.6	CRUDN behaviour.....	112
6.31	Carbon Monoxide Sensor	112
6.31.1	Introduction	112
6.31.2	Example URI.....	112

6.31.3	Resource type.....	112
6.31.4	OpenAPI 2.0 definition.....	113
6.31.5	Property definition.....	114
6.31.6	CRUDN behaviour.....	115
6.32	Auto White Balance	115
6.32.1	Introduction	115
6.32.2	Example URI.....	115
6.32.3	Resource type.....	115
6.32.4	OpenAPI 2.0 definition.....	115
6.32.5	Property definition.....	117
6.32.6	CRUDN behaviour.....	117
6.33	Colour Saturation.....	118
6.33.1	Introduction	118
6.33.2	Example URI.....	118
6.33.3	Resource type.....	118
6.33.4	OpenAPI 2.0 definition.....	118
6.33.5	Property definition.....	120
6.33.6	CRUDN behaviour.....	120
6.34	Contact Sensor	120
6.34.1	Introduction	120
6.34.2	Example URI.....	120
6.34.3	Resource type.....	120
6.34.4	OpenAPI 2.0 definition.....	121
6.34.5	Property definition.....	122
6.34.6	CRUDN behaviour.....	122
6.35	Demand Response Load Control (DRLC).....	123
6.35.1	Introduction	123
6.35.2	Example URI.....	123
6.35.3	Resource type.....	123
6.35.4	OpenAPI 2.0 definition.....	123
6.35.5	Property definition.....	125
6.35.6	CRUDN behaviour.....	126
6.36	Energy Overload/Circuit Breaker	126
6.36.1	Introduction	126
6.36.2	Example URI.....	126
6.36.3	Resource type.....	126
6.36.4	OpenAPI 2.0 definition.....	126
6.36.5	Property definition.....	128
6.36.6	CRUDN behaviour.....	128
6.37	Generic Sensor	128
6.37.1	Introduction	128
6.37.2	Example URI.....	128
6.37.3	Resource type.....	129
6.37.4	OpenAPI 2.0 definition.....	129
6.37.5	Property definition.....	130
6.37.6	CRUDN behaviour.....	131
6.38	Glass Break Sensor	131
6.38.1	Introduction	131

iTech STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/4a58e1ba-06e1-413c-9930-171609c69a19/iso-iec-30118-4-2021>
ISO/IEC 30118-4:2021

6.38.2	Example URI.....	131
6.38.3	Resource type.....	131
6.38.4	OpenAPI 2.0 definition.....	131
6.38.5	Property definition.....	133
6.38.6	CRUDN behaviour.....	133
6.39	Heart Rate Zone	133
6.39.1	Introduction	133
6.39.2	Example URI.....	133
6.39.3	Resource type.....	133
6.39.4	OpenAPI 2.0 definition.....	134
6.39.5	Property definition.....	135
6.39.6	CRUDN behaviour.....	135
6.40	Illuminance Sensor	136
6.40.1	Introduction	136
6.40.2	Example URI.....	136
6.40.3	Resource type.....	136
6.40.4	OpenAPI 2.0 definition.....	136
6.40.5	Property definition.....	137
6.40.6	CRUDN behaviour.....	138
6.41	Magnetic Field Direction Sensor	138
6.41.1	Introduction	138
6.41.2	Example URI.....	138
6.41.3	Resource type.....	138
6.41.4	OpenAPI 2.0 definition.....	138
6.41.5	Property definition.....	140
6.41.6	CRUDN behaviour.....	140
6.42	Media	140
6.42.1	Introduction	140
6.42.2	Example URI.....	140
6.42.3	Resource type.....	141
6.42.4	OpenAPI 2.0 definition.....	141
6.42.5	Property definition.....	143
6.42.6	CRUDN behaviour.....	143
6.43	Media Source	144
6.43.1	Introduction	144
6.43.2	Example URI.....	144
6.43.3	Resource type.....	144
6.43.4	OpenAPI 2.0 definition.....	144
6.43.5	Property definition.....	146
6.43.6	CRUDN behaviour.....	147
6.44	Media Source List	147
6.44.1	Introduction	147
6.44.2	Example URI.....	147
6.44.3	Resource type.....	147
6.44.4	OpenAPI 2.0 definition.....	147
6.44.5	Property definition.....	150
6.44.6	CRUDN behaviour.....	150

6.45	Media Source Input	150
6.45.1	Introduction	150
6.45.2	Example URI.....	150
6.45.3	Resource type.....	150
6.45.4	OpenAPI 2.0 definition.....	151
6.45.5	Property definition.....	153
6.45.6	CRUDN behaviour.....	153
6.46	Media Source Output	154
6.46.1	Introduction	154
6.46.2	Example URI.....	154
6.46.3	Resource type.....	154
6.46.4	OpenAPI 2.0 definition.....	154
6.46.5	Property definition.....	156
6.46.6	CRUDN behaviour.....	157
6.47	Motion Sensor	157
6.47.1	Introduction	157
6.47.2	Example URI.....	157
6.47.3	Resource type.....	157
6.47.4	OpenAPI 2.0 definition.....	157
6.47.5	Property definition.....	159
6.47.6	CRUDN behaviour.....	159
6.48	Night Mode	159
6.48.1	Introduction	159
6.48.2	Example URI.....	159
6.48.3	Resource type.....	159
6.48.4	OpenAPI 2.0 definition.....	160
6.48.5	Property definition.....	161
6.48.6	CRUDN behaviour.....	162
6.49	Presence Sensor	162
6.49.1	Introduction	162
6.49.2	Example URI.....	162
6.49.3	Resource type.....	162
6.49.4	OpenAPI 2.0 definition.....	162
6.49.5	Property definition.....	163
6.49.6	CRUDN behaviour.....	164
6.50	Pan Tilt Zoom Movement	164
6.50.1	Introduction	164
6.50.2	Example URI.....	164
6.50.3	Resource type.....	165
6.50.4	OpenAPI 2.0 definition.....	165
6.50.5	Property definition.....	167
6.50.6	CRUDN behaviour.....	168
6.51	Signal Strength	168
6.51.1	Introduction	168
6.51.2	Example URI.....	168
6.51.3	Resource type.....	168
6.51.4	OpenAPI 2.0 definition.....	168
6.51.5	Property definition.....	170

ITeH STANDARD PREVIEW
 (standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/4a58c1ba-06ef-413c-9930-171009c89a19/iso-iec-30118-4-2021>
 ISO/IEC 30118-4:2021

6.51.6	CRUDN behaviour	170
6.52	Speech Synthesis-TTS	170
6.52.1	Introduction	170
6.52.2	Example URI.....	171
6.52.3	Resource type.....	171
6.52.4	OpenAPI 2.0 definition.....	171
6.52.5	Property definition.....	173
6.52.6	CRUDN behaviour	174
6.53	Touch Sensor	174
6.53.1	Introduction	174
6.53.2	Example URI.....	174
6.53.3	Resource type.....	174
6.53.4	OpenAPI 2.0 definition.....	174
6.53.5	Property definition.....	176
6.53.6	CRUDN behaviour	176
6.54	UV Radiation	176
6.54.1	Introduction	176
6.54.2	Example URI.....	176
6.54.3	Resource type.....	176
6.54.4	OpenAPI 2.0 definition.....	176
6.54.5	Property definition.....	178
6.54.6	CRUDN behaviour.....	178
6.55	Water Sensor.....	178
6.55.1	Introduction	178
6.55.2	Example URI.....	178
6.55.3	Resource type.....	179
6.55.4	OpenAPI 2.0 definition.....	179
6.55.5	Property definition.....	180
6.55.6	CRUDN behaviour	181
6.56	Acceleration Sensor	181
6.56.1	Introduction	181
6.56.2	Example URI.....	181
6.56.3	Resource type.....	181
6.56.4	OpenAPI 2.0 definition.....	181
6.56.5	Property definition.....	183
6.56.6	CRUDN behaviour	183
6.57	Movement	184
6.57.1	Introduction	184
6.57.2	Example URI.....	184
6.57.3	Resource type.....	184
6.57.4	OpenAPI 2.0 definition.....	184
6.57.5	Property definition.....	186
6.57.6	CRUDN behaviour	186
6.58	Sleep Sensor	187
6.58.1	Introduction	187
6.58.2	Example URI.....	187
6.58.3	Resource type.....	187
6.58.4	OpenAPI 2.0 definition.....	187

6.58.5	Property definition.....	188
6.58.6	CRUDN behaviour.....	189
6.59	Smoke Sensor.....	189
6.59.1	Introduction.....	189
6.59.2	Example URI.....	189
6.59.3	Resource type.....	189
6.59.4	OpenAPI 2.0 definition.....	189
6.59.5	Property definition.....	191
6.59.6	CRUDN behaviour.....	191
6.60	Three Axis Sensor.....	191
6.60.1	Introduction.....	191
6.60.2	Example URI.....	192
6.60.3	Resource type.....	192
6.60.4	OpenAPI 2.0 definition.....	192
6.60.5	Property definition.....	193
6.60.6	CRUDN behaviour.....	193
6.61	Altimeter.....	194
6.61.1	Introduction.....	194
6.61.2	Example URI.....	194
6.61.3	Resource type.....	194
6.61.4	OpenAPI 2.0 definition.....	194
6.61.5	Property definition.....	196
6.61.6	CRUDN behaviour.....	196
6.62	Clock.....	196
6.62.1	Introduction.....	196
6.62.2	Example URI.....	196
6.62.3	Resource type.....	196
6.62.4	OpenAPI 2.0 definition.....	197
6.62.5	Property definition.....	199
6.62.6	CRUDN behaviour.....	199
6.63	Geolocation.....	199
6.63.1	Introduction.....	199
6.63.2	Example URI.....	199
6.63.3	Resource type.....	199
6.63.4	OpenAPI 2.0 definition.....	200
6.63.5	Property definition.....	201
6.63.6	CRUDN behaviour.....	202
6.64	Height.....	202
6.64.1	Introduction.....	202
6.64.2	Example URI.....	203
6.64.3	Resource type.....	203
6.64.4	OpenAPI 2.0 definition.....	203
6.64.5	Property definition.....	205
6.64.6	CRUDN behaviour.....	206
6.65	Weight.....	206
6.65.1	Introduction.....	206
6.65.2	Example URI.....	206
6.65.3	Resource type.....	206

ITIH STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/4a58c1ba-06ef-413c-9930-171609c89a19/iso-iec-30118-4-2021>

<https://standards.iteh.ai/catalog/standards/sist/4a58c1ba-06ef-413c-9930-171609c89a19/iso-iec-30118-4-2021>

6.65.4	OpenAPI 2.0 definition.....	206
6.65.5	Property definition.....	209
6.65.6	CRUDN behaviour.....	209
6.66	Air Quality.....	210
6.66.1	Introduction.....	210
6.66.2	Example URI.....	210
6.66.3	Resource type.....	210
6.66.4	OpenAPI 2.0 definition.....	210
6.66.5	Property definition.....	212
6.66.6	CRUDN behaviour.....	212
6.67	Air Quality Collection.....	213
6.67.1	Introduction.....	213
6.67.2	Example URI.....	213
6.67.3	Resource type.....	213
6.67.4	OpenAPI 2.0 definition.....	213
6.67.5	Property definition.....	217
6.67.6	CRUDN behaviour.....	218
6.68	Consumable.....	218
6.68.1	Introduction.....	218
6.68.2	Example URI.....	218
6.68.3	Resource type.....	218
6.68.4	OpenAPI 2.0 definition.....	218
6.68.5	Property definition.....	220
6.68.6	CRUDN behaviour.....	221
6.69	Consumables.....	221
6.69.1	Introduction.....	221
6.69.2	Example URI.....	221
6.69.3	Resource type.....	221
6.69.4	OpenAPI 2.0 definition.....	221
6.69.5	Property definition.....	225
6.69.6	CRUDN behaviour.....	226
6.70	Delay Defrost.....	226
6.70.1	Introduction.....	226
6.70.2	Example URI.....	227
6.70.3	Resource type.....	227
6.70.4	OpenAPI 2.0 definition.....	227
6.70.5	Property definition.....	229
6.70.6	CRUDN behaviour.....	230
6.71	Eco Mode.....	230
6.71.1	Introduction.....	230
6.71.2	Example URI.....	230
6.71.3	Resource type.....	230
6.71.4	OpenAPI 2.0 definition.....	230
6.71.5	Property definition.....	232
6.71.6	CRUDN behaviour.....	233
6.72	Heating Zone.....	233
6.72.1	Introduction.....	233
6.72.2	Example URI.....	233

6.72.3	Resource type.....	233
6.72.4	OpenAPI 2.0 definition.....	233
6.72.5	Property definition.....	235
6.72.6	CRUDN behaviour.....	235
6.73	Heating Zone Collection	235
6.73.1	Introduction	235
6.73.2	Example URI.....	235
6.73.3	Resource type.....	236
6.73.4	OpenAPI 2.0 definition.....	236
6.73.5	Property definition.....	240
6.73.6	CRUDN behaviour.....	240
6.74	Selectable Levels	241
6.74.1	Introduction	241
6.74.2	Example URI.....	241
6.74.3	Resource type.....	241
6.74.4	OpenAPI 2.0 definition.....	241
6.74.5	Property definition.....	243
6.74.6	CRUDN behaviour.....	243
6.75	Value Conditional.....	244
6.75.1	Introduction	244
6.75.2	Example URI.....	244
6.75.3	Resource type.....	244
6.75.4	OpenAPI 2.0 definition.....	244
6.75.5	Property definition.....	246
6.75.6	CRUDN behaviour.....	247
6.76	Colour Space Coordinates	247
6.76.1	Introduction	247
6.76.2	Example URI.....	247
6.76.3	Resource type.....	247
6.76.4	OpenAPI 2.0 definition.....	247
6.76.5	Property definition.....	249
6.76.6	CRUDN behaviour.....	250
6.77	Colour Temperature	250
6.77.1	Introduction	250
6.77.2	Example URI.....	250
6.77.3	Resource type.....	250
6.77.4	OpenAPI 2.0 definition.....	250
6.77.5	Property definition.....	252
6.77.6	CRUDN behaviour.....	253
6.78	Colour Hue and Saturation	253
6.78.1	Introduction	253
6.78.2	Example URI.....	253
6.78.3	Resource type.....	253
6.78.4	OpenAPI 2.0 definition.....	253
6.78.5	Property definition.....	255
6.78.6	CRUDN behaviour.....	256
6.79	Battery Material.....	256
6.79.1	Introduction	256

iTech STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/4a58e1ba-06e1-413c-9930-171009c89a19/iso-iec-30118-4-2021>

<https://standards.iteh.ai/catalog/standards/sist/4a58e1ba-06e1-413c-9930-171009c89a19/iso-iec-30118-4-2021>

6.79.2	Example URI.....	256
6.79.3	Resource type.....	256
6.79.4	OpenAPI 2.0 definition.....	256
6.79.5	Property definition.....	259
6.79.6	CRUDN behaviour.....	259
6.80	Brewing	259
6.80.1	Introduction	259
6.80.2	Example URI.....	260
6.80.3	Resource type.....	260
6.80.4	OpenAPI 2.0 definition.....	260
6.80.5	Property definition.....	262
6.80.6	CRUDN behaviour.....	262
6.81	Energy	262
6.81.1	Introduction	262
6.81.2	Example URI.....	262
6.81.3	Resource type.....	262
6.81.4	OpenAPI 2.0 definition.....	263
6.81.5	Property definition.....	265
6.81.6	CRUDN behaviour.....	266
6.82	Energy Generation	266
6.82.1	Introduction.....	266
6.82.2	Example URI.....	266
6.82.3	Resource type.....	266
6.82.4	OpenAPI 2.0 definition.....	266
6.82.5	Property definition.....	267
6.82.6	CRUDN behaviour.....	268
6.83	Foaming.....	268
6.83.1	Introduction	268
6.83.2	Example URI.....	268
6.83.3	Resource type.....	268
6.83.4	OpenAPI 2.0 definition.....	268
6.83.5	Property definition.....	270
6.83.6	CRUDN behaviour.....	271
6.84	Grinder	271
6.84.1	Introduction	271
6.84.2	Example URI.....	271
6.84.3	Resource type.....	271
6.84.4	OpenAPI 2.0 definition.....	271
6.84.5	Property definition.....	273
6.84.6	CRUDN behaviour.....	274
6.85	Liquid Level.....	274
6.85.1	Introduction	274
6.85.2	Example URI.....	274
6.85.3	Resource type.....	274
6.85.4	OpenAPI 2.0 definition.....	274
6.85.5	Property definition.....	276
6.85.6	CRUDN behaviour.....	277