
**Information technology — Open
Connectivity Foundation (OCF)
Specification —**

**Part 4:
Resource type specification**

*Technologies de l'information — Spécification de la Fondation pour la
connectivité ouverte (Fondation OCF) —*

Partie 4: Spécification des types de ressources

Document Preview

ISO/IEC 30118-4:2021

<https://standards.iteh.ai/catalog/standards/iso/4a58efba-b6ef-4f3c-9930-17f609c89a19/iso-iec-30118-4-2021>



Reference number
ISO/IEC 30118-4:2021(E)

© ISO/IEC 2021

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/IEC 30118-4:2021

<https://standards.iteh.ai/catalog/standards/iso/4a58efba-b6ef-4f3c-9930-17f609c89a19/iso-iec-30118-4-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	xxix
Introduction.....	xxx
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms.....	1
3.1 Terms and definitions	2
3.2 Symbols and abbreviated terms.....	2
4 Document conventions and organization.....	2
4.1 Conventions	2
4.2 Notation.....	2
5 Baseline model constructs.....	3
5.1 URI.....	3
5.2 OCF Interfaces	3
5.2.1 Introduction	3
5.2.2 Restricting OCF Interface functionality	4
5.3 OpenAPI specification 2.0 definition.....	4
5.4 Property definition	5
5.4.1 Common Properties.....	5
5.4.2 Resource Properties.....	5
5.4.3 Basic Resource Schema.....	7
5.4.4 CRUDN operation response codes	7
5.5 Example Resource definitions.....	7
5.6 Observable Resource Types.....	7
5.6.1 Introduction	7
5.6.2 Conditional Notification	8
5.7 Composite Resource Types.....	10
5.8 Document version	11
5.9 Data types	11
6 Resource Type definitions	12
6.1 Introduction.....	12
6.2 Air Flow	16
6.2.1 Introduction	16
6.2.2 Example URI.....	16
6.2.3 Resource type.....	16
6.2.4 OpenAPI 2.0 definition.....	17
6.2.5 Property definition.....	19
6.2.6 CRUDN behaviour	20
6.3 Air Flow Control	20
6.3.1 Introduction	20
6.3.2 Example URI.....	20
6.3.3 Resource type.....	20
6.3.4 OpenAPI 2.0 definition.....	20
6.3.5 Property definition.....	25
6.3.6 CRUDN behaviour	26

6.4	Battery	26
6.4.1	Introduction	26
6.4.2	Example URI	26
6.4.3	Resource type	26
6.4.4	OpenAPI 2.0 definition	27
6.4.5	Property definition	29
6.4.6	CRUDN behaviour	30
6.5	Binary Switch	30
6.5.1	Introduction	30
6.5.2	Example URI	30
6.5.3	Resource type	30
6.5.4	OpenAPI 2.0 definition	30
6.5.5	Property definition	32
6.5.6	CRUDN behaviour	32
6.6	Brightness	33
6.6.1	Introduction	33
6.6.2	Example URI	33
6.6.3	Resource type	33
6.6.4	OpenAPI 2.0 definition	33
6.6.5	Property definition	35
6.6.6	CRUDN behaviour	35
6.7	Colour Chroma	35
6.7.1	Introduction	35
6.7.2	Example URI	36
6.7.3	Resource type	36
6.7.4	OpenAPI 2.0 definition	36
6.7.5	Property definition	38
6.7.6	CRUDN behaviour	39
6.8	Colour RGB	39
6.8.1	Introduction	39
6.8.2	Example URI	39
6.8.3	Resource type	39
6.8.4	OpenAPI 2.0 definition	39
6.8.5	Property definition	41
6.8.6	CRUDN behaviour	42
6.9	Dimming	42
6.9.1	Introduction	42
6.9.2	Example URI	42
6.9.3	Resource type	42
6.9.4	OpenAPI 2.0 definition	42
6.9.5	Property definition	44
6.9.6	CRUDN behaviour	45
6.10	Door	45
6.10.1	Introduction	45
6.10.2	Example URI	45
6.10.3	Resource type	45
6.10.4	OpenAPI 2.0 definition	45
6.10.5	Property definition	47

6.10.6	CRUDN behaviour	48
6.11	Energy Consumption	48
6.11.1	Introduction	48
6.11.2	Example URI.....	48
6.11.3	Resource type.....	48
6.11.4	OpenAPI 2.0 definition.....	48
6.11.5	Property definition.....	50
6.11.6	CRUDN behaviour	50
6.12	Energy Usage	51
6.12.1	Introduction	51
6.12.2	Example URI.....	51
6.12.3	Resource type.....	51
6.12.4	OpenAPI 2.0 definition.....	51
6.12.5	Property definition.....	56
6.12.6	CRUDN behaviour	57
6.13	Humidity	57
6.13.1	Introduction	57
6.13.2	Example URI.....	57
6.13.3	Resource type.....	57
6.13.4	OpenAPI 2.0 definition.....	57
6.13.5	Property definition.....	59
6.13.6	CRUDN behaviour	60
6.14	Ice Maker	60
6.14.1	Introduction	60
6.14.2	Example URI.....	60
6.14.3	Resource type.....	60
6.14.4	OpenAPI 2.0 definition.....	60
6.14.5	Property definition.....	62
6.14.6	CRUDN behaviour	63
6.15	Lock.....	63
6.15.1	Introduction	63
6.15.2	Example URI.....	63
6.15.3	Resource type.....	63
6.15.4	OpenAPI 2.0 definition.....	63
6.15.5	Property definition.....	65
6.15.6	CRUDN behaviour	66
6.16	Lock Code	66
6.16.1	Introduction	66
6.16.2	Example URI.....	66
6.16.3	Resource type.....	66
6.16.4	OpenAPI 2.0 definition.....	66
6.16.5	Property definition.....	68
6.16.6	CRUDN behaviour	68
6.17	Mode	68
6.17.1	Introduction	68
6.17.2	Example URI.....	68
6.17.3	Resource type.....	69
6.17.4	OpenAPI 2.0 definition.....	69

6.17.5	Property definition.....	71
6.17.6	CRUDN behaviour.....	71
6.18	Open Level	71
6.18.1	Introduction	71
6.18.2	Example URI.....	72
6.18.3	Resource type.....	72
6.18.4	OpenAPI 2.0 definition.....	72
6.18.5	Property definition.....	74
6.18.6	CRUDN behaviour.....	74
6.19	Operational State	75
6.19.1	Introduction	75
6.19.2	Example URI.....	75
6.19.3	Resource type.....	75
6.19.4	OpenAPI 2.0 definition.....	75
6.19.5	Property definition.....	78
6.19.6	CRUDN behaviour.....	78
6.20	Ramp Time	79
6.20.1	Introduction	79
6.20.2	Example URI.....	79
6.20.3	Resource type.....	79
6.20.4	OpenAPI 2.0 definition.....	79
6.20.5	Property definition.....	81
6.20.6	CRUDN behaviour.....	81
6.21	Refrigeration	82
6.21.1	Introduction	82
6.21.2	Example URI.....	82
6.21.3	Resource type.....	82
6.21.4	OpenAPI 2.0 definition.....	82
6.21.5	Property definition.....	85
6.21.6	CRUDN behaviour.....	85
6.22	Temperature	85
6.22.1	Introduction	85
6.22.2	Example URI.....	86
6.22.3	Resource type.....	86
6.22.4	OpenAPI 2.0 definition.....	86
6.22.5	Property definition.....	88
6.22.6	CRUDN behaviour.....	89
6.23	Time Period	89
6.23.1	Introduction	89
6.23.2	Example URI.....	90
6.23.3	Resource type.....	90
6.23.4	OpenAPI 2.0 definition.....	90
6.23.5	Property definition.....	92
6.23.6	CRUDN behaviour.....	93
6.24	Activity Count	93
6.24.1	Introduction	93
6.24.2	Example URI.....	94
6.24.3	Resource type.....	94

6.24.4	OpenAPI 2.0 definition.....	94
6.24.5	Property definition.....	96
6.24.6	CRUDN behaviour.....	96
6.25	Atmospheric Pressure Sensor	96
6.25.1	Introduction	96
6.25.2	Example URI.....	96
6.25.3	Resource type.....	96
6.25.4	OpenAPI 2.0 definition.....	97
6.25.5	Property definition.....	98
6.25.6	CRUDN behaviour.....	99
6.26	Audio Controls	99
6.26.1	Introduction	99
6.26.2	Example URI.....	99
6.26.3	Resource type.....	99
6.26.4	OpenAPI 2.0 definition.....	99
6.26.5	Property definition.....	101
6.26.6	CRUDN behaviour.....	102
6.27	Auto Focus	102
6.27.1	Introduction	102
6.27.2	Example URI.....	102
6.27.3	Resource type.....	102
6.27.4	OpenAPI 2.0 definition.....	102
6.27.5	Property definition.....	104
6.27.6	CRUDN behaviour.....	104
6.28	Automatic Document Feeder	105
6.28.1	Introduction	105
6.28.2	Example URI.....	105
6.28.3	Resource type.....	105
6.28.4	OpenAPI 2.0 definition.....	105
6.28.5	Property definition.....	107
6.28.6	CRUDN behaviour.....	107
6.29	Button Switch.....	107
6.29.1	Introduction	107
6.29.2	Example URI.....	107
6.29.3	Resource type.....	107
6.29.4	OpenAPI 2.0 definition.....	107
6.29.5	Property definition.....	109
6.29.6	CRUDN behaviour.....	109
6.30	Carbon Dioxide Sensor.....	109
6.30.1	Introduction	109
6.30.2	Example URI.....	110
6.30.3	Resource type.....	110
6.30.4	OpenAPI 2.0 definition.....	110
6.30.5	Property definition.....	111
6.30.6	CRUDN behaviour.....	112
6.31	Carbon Monoxide Sensor	112
6.31.1	Introduction	112
6.31.2	Example URI.....	112

6.31.3	Resource type	112
6.31.4	OpenAPI 2.0 definition.....	113
6.31.5	Property definition.....	114
6.31.6	CRUDN behaviour.....	115
6.32	Auto White Balance	115
6.32.1	Introduction	115
6.32.2	Example URI.....	115
6.32.3	Resource type	115
6.32.4	OpenAPI 2.0 definition.....	115
6.32.5	Property definition.....	117
6.32.6	CRUDN behaviour	117
6.33	Colour Saturation.....	118
6.33.1	Introduction	118
6.33.2	Example URI.....	118
6.33.3	Resource type	118
6.33.4	OpenAPI 2.0 definition.....	118
6.33.5	Property definition.....	120
6.33.6	CRUDN behaviourc	120
6.34	Contact Sensor	120
6.34.1	Introduction	120
6.34.2	Example URI.....	120
6.34.3	Resource type	120
6.34.4	OpenAPI 2.0 definition.....	121
6.34.5	Property definition.....	122
6.34.6	CRUDN behaviour	122
6.35	Demand Response Load Control (DRLC).....	123
6.35.1	Introduction	123
6.35.2	Example URI.....	123
6.35.3	Resource type	123
6.35.4	OpenAPI 2.0 definition.....	123
6.35.5	Property definition.....	125
6.35.6	CRUDN behaviour	126
6.36	Energy Overload/Circuit Breaker	126
6.36.1	Introduction	126
6.36.2	Example URI.....	126
6.36.3	Resource type	126
6.36.4	OpenAPI 2.0 definition.....	126
6.36.5	Property definition.....	128
6.36.6	CRUDN behaviour.....	128
6.37	Generic Sensor	128
6.37.1	Introduction	128
6.37.2	Example URI.....	128
6.37.3	Resource type	129
6.37.4	OpenAPI 2.0 definition.....	129
6.37.5	Property definition.....	130
6.37.6	CRUDN behaviour.....	131
6.38	Glass Break Sensor	131
6.38.1	Introduction	131

6.38.2	Example URI.....	131
6.38.3	Resource type.....	131
6.38.4	OpenAPI 2.0 definition.....	131
6.38.5	Property definition.....	133
6.38.6	CRUDN behaviour.....	133
6.39	Heart Rate Zone	133
6.39.1	Introduction	133
6.39.2	Example URI.....	133
6.39.3	Resource type.....	133
6.39.4	OpenAPI 2.0 definition.....	134
6.39.5	Property definition.....	135
6.39.6	CRUDN behaviour.....	135
6.40	Illuminance Sensor	136
6.40.1	Introduction	136
6.40.2	Example URI.....	136
6.40.3	Resource type.....	136
6.40.4	OpenAPI 2.0 definition.....	136
6.40.5	Property definition.....	137
6.40.6	CRUDN behaviour.....	138
6.41	Magnetic Field Direction Sensor	138
6.41.1	Introduction	138
6.41.2	Example URI.....	138
6.41.3	Resource type.....	138
6.41.4	OpenAPI 2.0 definition.....	138
6.41.5	Property definition.....	140
6.41.6	CRUDN behaviour.....	140
6.42	Media	140
6.42.1	Introduction	140
6.42.2	Example URI.....	140
6.42.3	Resource type.....	141
6.42.4	OpenAPI 2.0 definition.....	141
6.42.5	Property definition.....	143
6.42.6	CRUDN behaviour.....	143
6.43	Media Source	144
6.43.1	Introduction	144
6.43.2	Example URI.....	144
6.43.3	Resource type.....	144
6.43.4	OpenAPI 2.0 definition.....	144
6.43.5	Property definition.....	146
6.43.6	CRUDN behaviour.....	147
6.44	Media Source List	147
6.44.1	Introduction	147
6.44.2	Example URI.....	147
6.44.3	Resource type.....	147
6.44.4	OpenAPI 2.0 definition.....	147
6.44.5	Property definition.....	150
6.44.6	CRUDN behaviour.....	150

6.45	Media Source Input	150
6.45.1	Introduction	150
6.45.2	Example URI.....	150
6.45.3	Resource type	150
6.45.4	OpenAPI 2.0 definition.....	151
6.45.5	Property definition.....	153
6.45.6	CRUDN behaviour	153
6.46	Media Source Output	154
6.46.1	Introduction	154
6.46.2	Example URI.....	154
6.46.3	Resource type	154
6.46.4	OpenAPI 2.0 definition.....	154
6.46.5	Property definition.....	156
6.46.6	CRUDN behaviour	157
6.47	Motion Sensor	157
6.47.1	Introduction	157
6.47.2	Example URI.....	157
6.47.3	Resource type	157
6.47.4	OpenAPI 2.0 definition.....	157
6.47.5	Property definition.....	159
6.47.6	CRUDN behaviour	159
6.48	Night Mode	159
6.48.1	Introduction	159
6.48.2	Example URI.....	159
6.48.3	Resource type	159
6.48.4	OpenAPI 2.0 definition.....	160
6.48.5	Property definition.....	161
6.48.6	CRUDN behaviour	162
6.49	Presence Sensor	162
6.49.1	Introduction	162
6.49.2	Example URI.....	162
6.49.3	Resource type	162
6.49.4	OpenAPI 2.0 definition.....	162
6.49.5	Property definition.....	163
6.49.6	CRUDN behaviour	164
6.50	Pan Tilt Zoom Movement	164
6.50.1	Introduction	164
6.50.2	Example URI.....	164
6.50.3	Resource type	165
6.50.4	OpenAPI 2.0 definition.....	165
6.50.5	Property definition.....	167
6.50.6	CRUDN behaviour	168
6.51	Signal Strength	168
6.51.1	Introduction	168
6.51.2	Example URI.....	168
6.51.3	Resource type	168
6.51.4	OpenAPI 2.0 definition.....	168
6.51.5	Property definition.....	170

6.51.6	CRUDN behaviour	170
6.52	Speech Synthesis-TTS	170
6.52.1	Introduction	170
6.52.2	Example URI	171
6.52.3	Resource type	171
6.52.4	OpenAPI 2.0 definition	171
6.52.5	Property definition	173
6.52.6	CRUDN behaviour	174
6.53	Touch Sensor	174
6.53.1	Introduction	174
6.53.2	Example URI	174
6.53.3	Resource type	174
6.53.4	OpenAPI 2.0 definition	174
6.53.5	Property definition	176
6.53.6	CRUDN behaviour	176
6.54	UV Radiation	176
6.54.1	Introduction	176
6.54.2	Example URI	176
6.54.3	Resource type	176
6.54.4	OpenAPI 2.0 definition	176
6.54.5	Property definition	178
6.54.6	CRUDN behaviour	178
6.55	Water Sensor	178
6.55.1	Introduction	178
6.55.2	Example URI	178
6.55.3	Resource type	179
6.55.4	OpenAPI 2.0 definition	179
6.55.5	Property definition	180
6.55.6	CRUDN behaviour	181
6.56	Acceleration Sensor	181
6.56.1	Introduction	181
6.56.2	Example URI	181
6.56.3	Resource type	181
6.56.4	OpenAPI 2.0 definition	181
6.56.5	Property definition	183
6.56.6	CRUDN behaviour	183
6.57	Movement	184
6.57.1	Introduction	184
6.57.2	Example URI	184
6.57.3	Resource type	184
6.57.4	OpenAPI 2.0 definition	184
6.57.5	Property definition	186
6.57.6	CRUDN behaviour	186
6.58	Sleep Sensor	187
6.58.1	Introduction	187
6.58.2	Example URI	187
6.58.3	Resource type	187
6.58.4	OpenAPI 2.0 definition	187

6.58.5	Property definition.....	188
6.58.6	CRUDN behaviour.....	189
6.59	Smoke Sensor.....	189
6.59.1	Introduction.....	189
6.59.2	Example URI.....	189
6.59.3	Resource type.....	189
6.59.4	OpenAPI 2.0 definition.....	189
6.59.5	Property definition.....	191
6.59.6	CRUDN behaviour.....	191
6.60	Three Axis Sensor.....	191
6.60.1	Introduction.....	191
6.60.2	Example URI.....	192
6.60.3	Resource type.....	192
6.60.4	OpenAPI 2.0 definition.....	192
6.60.5	Property definition.....	193
6.60.6	CRUDN behaviour.....	193
6.61	Altimeter.....	194
6.61.1	Introduction.....	194
6.61.2	Example URI.....	194
6.61.3	Resource type.....	194
6.61.4	OpenAPI 2.0 definition.....	194
6.61.5	Property definition.....	196
6.61.6	CRUDN behaviour.....	196
6.62	Clock.....	196
6.62.1	Introduction.....	196
6.62.2	Example URI.....	196
6.62.3	Resource type.....	196
6.62.4	OpenAPI 2.0 definition.....	197
6.62.5	Property definition.....	199
6.62.6	CRUDN behaviour.....	199
6.63	Geolocation.....	199
6.63.1	Introduction.....	199
6.63.2	Example URI.....	199
6.63.3	Resource type.....	199
6.63.4	OpenAPI 2.0 definition.....	200
6.63.5	Property definition.....	201
6.63.6	CRUDN behaviour.....	202
6.64	Height.....	202
6.64.1	Introduction.....	202
6.64.2	Example URI.....	203
6.64.3	Resource type.....	203
6.64.4	OpenAPI 2.0 definition.....	203
6.64.5	Property definition.....	205
6.64.6	CRUDN behaviour.....	206
6.65	Weight.....	206
6.65.1	Introduction.....	206
6.65.2	Example URI.....	206
6.65.3	Resource type.....	206

6.65.4	OpenAPI 2.0 definition.....	206
6.65.5	Property definition.....	209
6.65.6	CRUDN behaviour.....	209
6.66	Air Quality	210
6.66.1	Introduction	210
6.66.2	Example URI.....	210
6.66.3	Resource type.....	210
6.66.4	OpenAPI 2.0 definition.....	210
6.66.5	Property definition.....	212
6.66.6	CRUDN behaviour.....	212
6.67	Air Quality Collection	213
6.67.1	Introduction	213
6.67.2	Example URI.....	213
6.67.3	Resource type.....	213
6.67.4	OpenAPI 2.0 definition.....	213
6.67.5	Property definition.....	217
6.67.6	CRUDN behaviour.....	218
6.68	Consumable	218
6.68.1	Introduction	218
6.68.2	Example URI.....	218
6.68.3	Resource type.....	218
6.68.4	OpenAPI 2.0 definition.....	218
6.68.5	Property definition.....	220
6.68.6	CRUDN behaviour.....	221
6.69	Consumables	221
6.69.1	Introduction	221
6.69.2	Example URI.....	221
6.69.3	Resource type.....	221
6.69.4	OpenAPI 2.0 definition.....	221
6.69.5	Property definition.....	225
6.69.6	CRUDN behaviour.....	226
6.70	Delay Defrost.....	226
6.70.1	Introduction	226
6.70.2	Example URI.....	227
6.70.3	Resource type.....	227
6.70.4	OpenAPI 2.0 definition.....	227
6.70.5	Property definition.....	229
6.70.6	CRUDN behaviour.....	230
6.71	Eco Mode.....	230
6.71.1	Introduction	230
6.71.2	Example URI.....	230
6.71.3	Resource type.....	230
6.71.4	OpenAPI 2.0 definition.....	230
6.71.5	Property definition.....	232
6.71.6	CRUDN behaviour.....	233
6.72	Heating Zone	233
6.72.1	Introduction	233
6.72.2	Example URI.....	233

6.72.3	Resource type	233
6.72.4	OpenAPI 2.0 definition.....	233
6.72.5	Property definition.....	235
6.72.6	CRUDN behaviour	235
6.73	Heating Zone Collection	235
6.73.1	Introduction	235
6.73.2	Example URI.....	235
6.73.3	Resource type	236
6.73.4	OpenAPI 2.0 definition.....	236
6.73.5	Property definition.....	240
6.73.6	CRUDN behaviour	240
6.74	Selectable Levels	241
6.74.1	Introduction	241
6.74.2	Example URI.....	241
6.74.3	Resource type	241
6.74.4	OpenAPI 2.0 definition.....	241
6.74.5	Property definition.....	243
6.74.6	CRUDN behaviour	243
6.75	Value Conditional.....	244
6.75.1	Introduction	244
6.75.2	Example URI.....	244
6.75.3	Resource type	244
6.75.4	OpenAPI 2.0 definition.....	244
6.75.5	Property definition.....	246
6.75.6	CRUDN behaviour	247
6.76	Colour Space Coordinates	247
6.76.1	Introduction	247
6.76.2	Example URI.....	247
6.76.3	Resource type	247
6.76.4	OpenAPI 2.0 definition.....	247
6.76.5	Property definition.....	249
6.76.6	CRUDN behaviour	250
6.77	Colour Temperature	250
6.77.1	Introduction	250
6.77.2	Example URI.....	250
6.77.3	Resource type	250
6.77.4	OpenAPI 2.0 definition.....	250
6.77.5	Property definition.....	252
6.77.6	CRUDN behaviour	253
6.78	Colour Hue and Saturation	253
6.78.1	Introduction	253
6.78.2	Example URI.....	253
6.78.3	Resource type	253
6.78.4	OpenAPI 2.0 definition.....	253
6.78.5	Property definition.....	255
6.78.6	CRUDN behaviour	256
6.79	Battery Material.....	256
6.79.1	Introduction	256