

First edition
2017-06

AMENDMENT 1
2023-02

**Microbiology of the food chain —
Horizontal method for the
determination of *Vibrio* spp. —**

Part 1:
**Detection of potentially
enteropathogenic *Vibrio*
parahaemolyticus, *Vibrio cholerae*
and *Vibrio vulnificus***

**AMENDMENT 1: Inclusion of
performance testing of culture media
and reagents**

*Microbiologie de la chaîne alimentaire — Méthode horizontale pour
la détermination des *Vibrio* spp. —*

*Partie 1: Recherche des espèces de *Vibrio parahaemolyticus*, *Vibrio
cholerae* et *Vibrio vulnificus* potentiellement entéro-pathogènes*

*AMENDEMENT 1: Inclusion des essais de performance des milieux de
culture et réactifs*



Reference number
ISO 21872-1:2017/Amd.1:2023(E)

© ISO 2023

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 21872-1:2017/Amd 1:2023

<https://standards.iteh.ai/catalog/standards/sist/ca308cd0-89ac-4a69-acc1-4a1e68ea4771/iso-21872-1-2017-amd-1-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee TC 34, *Food products*, Subcommittee SC 9, *Microbiology*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 463, *Microbiology of the food chain*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Microbiology of the food chain — Horizontal method for the determination of *Vibrio* spp. —

Part 1:

Detection of potentially enteropathogenic *Vibrio parahaemolyticus*, *Vibrio cholerae* and *Vibrio vulnificus*

AMENDMENT 1: Inclusion of performance testing of culture media and reagents

Clause 5

Replace the third paragraph with the following:

For performance testing of culture media and reagents, follow the procedures in accordance with ISO 11133 and Clause B.12.

5.2.1

Delete the second sentence and Table 1.

<https://standards.iteh.ai/catalog/standards/sist/ca308cd0-89ac-4a69-acc1-4a1e68ea4771/iso-21872-1-2017-amd-1-2023>

Annex B

Add the following text to the end of the annex.

B.12 Performance testing

The definition of selectivity and productivity is specified in ISO 11133. In general, follow the procedures for performance testing described in ISO 11133. Performance testing details are given in Table B.1 and Table B.2.

Table B.1 — Performance testing for the quality assurance of the culture media

Medium	Function	Incubation	Control strains	WDCM number ^a	Method of control	Criteria ^c
Alkaline saline peptone water (ASPW)	Productivity	41,5 °C ± 1 °C for 6 h ± 1 h	<i>Vibrio parahaemolyticus</i> ^d <i>Vibrio cholerae</i> ^d non-O1/non-O139 ^e	00185 00203 ^f	Qualitative	> 10 colonies on TCBS
		37 °C ± 1 °C for 6 h ± 1 h	<i>Vibrio vulnificus</i> ^d	00139 00187		
Thiosulfate-citrate-bile salts (TCBS) sucrose agar	Productivity	37 °C ± 1 °C for 24 h ± 3 h	<i>Vibrio parahaemolyticus</i> <i>Vibrio furnissii</i> <i>Vibrio cholerae</i> non-O1/non-O139 ^e	00185 ^b 00186 ^b 00203 ^f	Qualitative	Good growth of green colonies (2) Good growth of yellow colonies (2) Good growth of yellow colonies (2)
	Selectivity	37 °C ± 1 °C for 24 h ± 3 h	<i>Escherichia coli</i> ^d	00012 00013 00090		Total inhibition (0)
Saline nutrient agar (SNA)	Productivity	37 °C ± 1 °C for 24 h ± 3 h	<i>Vibrio parahaemolyticus</i> <i>Vibrio cholerae</i> non-O1/non-O139 ^e <i>Vibrio vulnificus</i> ^d	00185 ^b 00203 ^f 00139 00187	Qualitative	Good growth (2)

^a World Data Centre for Microorganisms (WDCM) strain catalogue, available from: <https://refs.wdcm.org/>.

^b Strain to be used as a minimum (see ISO 11133).

^c Growth is categorized as 0: no growth, 1: weak growth (partial inhibition) and 2: good growth (see ISO 11133).

^d Strain free of choice; one of the strains has to be used as a minimum (see ISO 11133).

^e The use, storage and transport of *V. cholerae* can be limited by some national restrictions and directions.

^f An appropriate sucrose-positive *Vibrio* species other than *V. cholerae* WDCM 00203 can also be used.

Table B.2 — Performance testing of confirmation media and reagents

Medium/reagent	Function	Control strains ^a	WDCM ^b numbers	Characteristic reactions	
Arginine dihydrolase saline medium	Detection of L-Arginine dihydrolase	<i>Vibrio fluvialis</i>	00137	Positive reaction: Turbidity and violet/purple colour	
		<i>Vibrio parahaemolyticus</i>	00037 00185	Negative reaction: Yellow colour	
Tryptone/tryptophan saline medium with indole reagent (Kovacs reagent)	Detection of indole formation from tryptophan	<i>Escherichia coli</i>	00012	Positive reaction: Formation of a red ring within 10 min	
			00013		
			00090		
		<i>Vibrio parahaemolyticus</i>	00179		
			00037		
<i>Vibrio cholerae</i> non-O1/non-O139 ^d	00138				
	00185				
<i>Vibrio vulnificus</i>	00203 ^e 00139				
Lysine decarboxylase saline medium	Detection of L-Lysine decarboxylase (LDC)	<i>Enterobacter aerogenes</i>	00175	Negative reaction: Yellow/brown ring within 10 min	
		<i>Citrobacter freundii</i>	00006		
		<i>Salmonella enterica</i> serovar Typhimurium ^c	00031		
		<i>Salmonella enterica</i> serovar Enteritidis ^c	00030		
Lysine decarboxylase saline medium	Detection of L-Lysine decarboxylase (LDC)	<i>Enterobacter aerogenes</i>	00175	Positive reaction: Medium remains purple after incubation and is turbid	
		<i>Vibrio parahaemolyticus</i>	00185		
		<i>Proteus mirabilis</i>	00023		
		<i>Citrobacter freundii</i>	00006		
		<i>Cronobacter sakazakii</i>	00214		
		<i>Cronobacter muytjensis</i>	00213		
		<i>Escherichia coli</i>	00012		Negative reaction: Medium changes from purple to yellow
			00013		
00090					
			00179		

^a Strain free of choice; one of the strains has to be used as a minimum. The user may choose any of the strains cited for positive and negative reactions (see ISO 11133).

^b Refer to the reference strain catalogue available on <http://www.wfcc.info> for information on culture collection strain numbers and contact details.^[20]

^c Some national restrictions and directions require the use of a different serovar. Refer to national requirements relating to the choice of *Salmonella* serovars.

^d The use, storage and transport of *V. cholerae* can be limited by some national restrictions and directions.

^e An appropriate sucrose-positive *Vibrio* species other than *V. cholerae* WDCM 00203 can also be used.

Table B.2 (continued)

Medium/reagent	Function	Control strains ^a	WDCM ^b numbers	Characteristic reactions		
Oxidase reagent	Detection of cytochrome oxidase	<i>Pseudomonas aeruginosa</i>	00024 00025 00026	Positive reaction: Mauve, violet, purple or dark blue colour in the reaction time		
		<i>Pseudomonas fluorescens</i>	00115			
		<i>Vibrio parahaemolyticus</i>	00185			
				<i>Escherichia coli</i>	00012 00013 00090	Negative reaction: No colour change in the reaction time
				<i>Cronobacter sakazakii</i>	00179	
				<i>Cronobacter muytjensis</i>	00214	
				<i>Cronobacter muytjensis</i>	00213	
<i>Brochothrix thermosphacta</i>	00071					
Peptone waters with different NaCl concentration: 0 %, 6 %, 10 %	Detection of halotolerance 0 % NaCl	<i>Vibrio cholerae</i> non-O1/non-O139 ^d	00203 ^e	Positive reaction: Growth (turbidity)		
		<i>Vibrio parahaemolyticus</i>	00185	Negative reaction: No growth (no turbidity)		
	Detection of halotolerance 6 % NaCl	<i>Vibrio parahaemolyticus</i>	00037 00138	Positive reaction: Growth (turbidity)		
		<i>Vibrio vulnificus</i>	00185 00139			
		<i>Vibrio cholerae</i> non-O1/non-O139 ^d	00203 ^e		Negative reaction: No growth (no turbidity)	
	Detection of halotolerance 10 % NaCl	<i>Staphylococcus aureus</i>	00032 00034	Positive reaction: Growth (turbidity)		
		<i>Vibrio cholerae</i> non-O1/non-O139 ^d	00203 ^e			
		<i>Vibrio parahaemolyticus</i>	00037 00138		Negative reaction: No growth (no turbidity)	
		<i>Vibrio vulnificus</i>	00185 00139			
	Saline solution with toluene and β-Galactosidase reagent	Detection of β-Galactosidase	<i>Escherichia coli</i>	00012 00013 00090 00179	Positive reaction: Yellow colour	
<i>Proteus mirabilis</i>			00023	Negative reaction: No colour change		
<i>Vibrio parahaemolyticus</i>			00185			

^a Strain free of choice; one of the strains has to be used as a minimum. The user may choose any of the strains cited for positive and negative reactions (see ISO 11133).

^b Refer to the reference strain catalogue available on <http://www.wfcc.info> for information on culture collection strain numbers and contact details.^[20]

^c Some national restrictions and directions require the use of a different serovar. Refer to national requirements relating to the choice of *Salmonella* serovars.

^d The use, storage and transport of *V. cholerae* can be limited by some national restrictions and directions.

^e An appropriate sucrose-positive *Vibrio* species other than *V. cholerae* WDCM 00203 can also be used.

Bibliography

Delete the entries for References [16], [17] and [18] and renumber the Bibliography accordingly.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 21872-1:2017/Amd 1:2023

<https://standards.iteh.ai/catalog/standards/sist/ca308cd0-89ac-4a69-acc1-4a1e68ea4771/iso-21872-1-2017-amd-1-2023>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 21872-1:2017/Amd 1:2023

<https://standards.iteh.ai/catalog/standards/sist/ca308cd0-89ac-4a69-acc1-4a1e68ea4771/iso-21872-1-2017-amd-1-2023>