

SLOVENSKI STANDARD SIST ETS 300 918 E5:2005

01-februar-2005

8][]hUb] WY] b] 'hY Y_ca i b]_UW]/g_] 'g]ghYa 'fZUhU'&ŽŁ'! 'Gd`cýbc 'c 'Xcdc`b]`b]\ ghcf]hj U\ 'fl, GA '\$&'\$(z̃fUh`]]WU) "+'(z̃]nXU'U'% - *Ł

Digital cellular telecommunications system (Phase 2+) (GSM); General on supplementary services (GSM 02.04 version 5.7.4 Release 1996)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z: ETS 300 918 Edition 5 18 Edition

d997436c2b19/sist-ets-300-918-e5-2005

ICS:

33.070.01 Mobilni servisi na splošno Mobile services in general

SIST ETS 300 918 E5:2005 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 918 E5:2005

https://standards.iteh.ai/catalog/standards/sist/23274f73-d553-492b-9875-d997436c2b19/sist-ets-300-918-e5-2005



EUROPEAN TELECOMMUNICATION

ETS 300 918

December 1999

Fifth Edition

Source: SMG Reference: RE/SMG-010204QR7

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM)



iTeh STANDARD PREVIEW
Digital cellular telecommunications system (Phase 2+);

General on supplementary services

htt(GSMd02.04 versions 5.7/443 Release 1996) d997436c2b19/sist-ets-300-918-e5-2005

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

Internet: secretariat@etsi.fr - http://www.etsi.org

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

Page 2

ETS 300 918 (GSM 02.04 version 5.7.4 Release 1996): December 1999

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 918 E5:2005 https://standards.iteh.ai/catalog/standards/sist/23274f73-d553-492b-9875-d997436c2b19/sist-ets-300-918-e5-2005

ETS 300 918 (GSM 02.04 version 5.7.4 Release 1996): December 1999

Contents

Intel	lectual Pi	operty Righ	hts	5	
Fore	word			5	
1	Scope				
			Ces		
	1.2		ations		
2	Genera				
	2.1 Supplen		nentary service	8	
	2.2	Concept	s associated with supplementary services	8	
3	Categories and framework of supplementary services				
	3.1		ork for the description of supplementary services		
	3.2 Categories of supplementary services				
4	Supported supplementary services				
	4.1		of Line identity services		
	4.2	Support	of Name identity services	16	
5	Use of a password option in relation to supplementary services			16	
	5.1	Definition	eh STANDARD PREVIEW	16	
	5.2		ion		
	5.3	_	ment - normal procedures and successful outcome		
		5.3.1	Provision of password option		
		5.3.2	Withdrawal of the password option	10	
		5.3.3 _https://sta	Registration of password 5:2005 andar Erasure of password sist/23274f73-d553-492b-9875-	۱۵	
		5.3.5	Password checkingts-300-918-e5-2005	17 17	
	5.4		ment - exceptional procedures or unsuccessful outcome	1 <i>7</i> 17	
0		_			
6	Not use	ea		17	
7	Processing of supplementary service operations				
•	7.1		ing of operations containing basic service information		
	7.2 Processing of operations involving multiple Supplementary Services				
	7.3	Compati	ibility Information and Supplementary Services	19	
8	Format of description		19		
Anne	ex A (nor	mative):	Applicability of Supplementary Services to Telecommunication Services	21	
Anne	ex B (info	rmative):	Change history	22	
Hicto	orv.			23	

Page 4

ETS 300 918 (GSM 02.04 version 5.7.4 Release 1996): December 1999

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 918 E5:2005

https://standards.iteh.ai/catalog/standards/sist/23274f73-d553-492b-9875-d997436c2b19/sist-ets-300-918-e5-2005

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Telecommunication Standard (ETS) has been produced by the Special Mobile Group (SMG) of the European Telecommunications Standards Institute (ETSI).

This ETS defines a recommended set of supplementary services to the Teleservices and Bearer services which will be supported within the digital cellular telecommunications system (Phase 2/Phase 2+).

The contents of this ETS is subject to continuing work within SMG and may change following formal SMG approval. Should SMG modify the contents of this ETS, it will be resubmitted for OAP by ETSI with an identifying change of release date and an increase in version number as follows:

Version 5.x.y

where: iTeh STANDARD PREVIEW

- 5 Indicates GSM Phase 21 Release 1996 teh. ai)
- x the second digit is incremented for all other types of changes, i.e. technical enhancements, corrections, updates, etc. https://standards.iten.avcatalog/standards/sist/23274f73-d553-492b-9875-
- y the third digit is incremented when editorial only changes have been incorporated in the specification.

Transposition dates	
Date of adoption of this ETS:	17 December 1999
Date of latest announcement of this ETS (doa):	31 March 2000
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	30 September 2000
Date of withdrawal of any conflicting National Standard (dow):	30 September 2000

Page 6

ETS 300 918 (GSM 02.04 version 5.7.4 Release 1996): December 1999

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 918 E5:2005

https://standards.iteh.ai/catalog/standards/sist/23274f73-d553-492b-9875-d997436c2b19/sist-ets-300-918-e5-2005

1 Scope

The purpose of this European Telecommunication Standard (ETS) is to define a recommended set of supplementary services to the Teleservices and Bearer services which will be supported by a GSM PLMN in connection with other networks as a basis for the definition of the network capabilities required.

The descriptions of the different supplementary services are contained in the GSM 02.80 series.

Supplementary services not covered in GSM 02.04 or GSM 02.80 series cannot be introduced unilaterally in any GSM PLMN if they require modification of the GSM signalling Specifications.

Technical realization of supplementary services is described in GSM 03.11 and 04.10.

1.1 References

[9]

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- For this Release 1996 document, references to GSM documents are for Release 1996 versions (version 5.x.y).

	(Standards.item.ar)
[1] https://st	GSM 01.04 (ETR 350): "Digital cellular telecommunication system (Phase 2+); Abbreviations and acronyms," Abbreviations and acronyms, and ards. steh. avcatalog/standards/sist/23274f73-d553-492b-9875-
[2]	GSM 02.01: "Digital cellular telecommunication system (Phase 2+); Principles of telecommunication services supported by a GSM Public Land Mobile Network (PLMN)".
[3]	GSM 02.02 (ETS 300 904): "Digital cellular telecommunication system (Phase 2+); Bearer Services (BS) supported by a GSM Public Land Mobile Network (PLMN)".
[4]	GSM 02.03 (ETS 300 905): "Digital cellular telecommunication system (Phase 2+); Teleservices supported by a GSM Public Land Mobile Network (PLMN)".
[5]	GSM 02.30 (ETS 300 907): "Digital cellular telecommunication system (Phase 2+); Man-Machine Interface (MMI) of the Mobile Station (MS)".
[6]	GSM 02.67 (ETS 300 924): "Digital cellular telecommunication system (Phase 2+); enhanced Multi-Level Precedence and Pre-emption service (eMLPP) - Stage 1".
[7]	GSM 02.81: "Digital cellular telecommunication system (Phase 2+; Line identification supplementary services - Stage 1".
[8]	GSM 02.82: "Digital cellular telecommunication system (Phase 2+; Call Forwarding (CF) supplementary services - Stage 1".

GSM 02.83: "Digital cellular telecommunication system (Phase 2+; Call Waiting

(CW) and Call Hold (HOLD) supplementary services - Stage 1".

Page 8

ETS 300 918 (GSM 02.04 version 5.7.4 Release 1996): December 1999

[10]	GSM 02.84: "Digital cellular telecommunication system (Phase 2+; MultiParty (MPTY) supplementary services - Stage 1".
[11]	GSM 02.85: "Digital cellular telecommunication system (Phase 2+; Closed User Group (CUG) supplementary services - Stage 1".
[12]	GSM 02.86: "Digital cellular telecommunication system (Phase 2+; Advice of Charge (AoC) supplementary services - Stage 1".
[13]	GSM 02.88: "Digital cellular telecommunication system (Phase 2+; Call Barring (CB) supplementary services - Stage 1".
[14]	GSM 03.11 (ETS 300 928): "Digital cellular telecommunication system (Phase 2+; Technical realization of supplementary services".
[15]	GSM 04.10 (ETS 300 941): "Digital cellular telecommunication system (Phase 2+); Mobile radio interface layer 3 Supplementary services specification General aspects".
[16]	GSM 04.80 (ETS 300 950): "Digital cellular telecommunication system (Phase 2+); Mobile radio interface layer 3 supplementary services specification Formats and coding".
[17]	CCITT Recommendation I.210: "Principles of telecommunication services supported by an ISDN and the means to describe them".

1.2 Abbreviations

Abbreviations and acronyms used in this ETS are listed in GSM 01.04.

(standards.iteh.ai)

2 General

2.1 Supplementary service SIST ETS 300 918 E5:2005

https://standards.iteh.ai/catalog/standards/sist/23274f73-d553-492b-9875-

A supplementary service modifies or supplements a basic Telecommunication service.

NOTE 1: Provision of supplementary services by PLMN operators may be considered as essential (E) or additional (A). E-supplementary services shall be made available in all GSM PLMNs. A-supplementary services may be offered by GSM PLMN operators for national service and can be made available internationally on the basis of bilateral agreement.

NOTE 2: Offered supplementary services may be used by subscribers/users at their discretion.

2.2 Concepts associated with supplementary services

For the purpose of this ETS the following terms are defined:

Provision

An action to make a service available to a subscriber. The provision may be:

- general: where the service is made available to all subscribers (subject to

compatibility restrictions enforced) without prior arrangements being

made with the service provider.

- pre-arranged: where the service is made available to an individual subscriber only after

the necessary arrangements have been made with the service provider.

ETS 300 918 (GSM 02.04 version 5.7.4 Release 1996): December 1999

Withdrawal

An action taken by the service provider to remove an available service from a subscriber's access. The withdrawal may be:

general: where the service is removed from all subscribers provided with the

service.

specific: where the service is removed on an individual basis from subscribers

provided with the service.

Registration

The programming by the service provider or subscriber of information to enable subsequent operation of a service. The programming action involves input of specific supplementary information. For certain services the registration procedure may cause activation whilst for others the service may already be in the action phase.

Erasure

The deletion by the service provider, the subscriber or the system of information stored against a particular service by a previous registration(s).

Activation

An action taken by either the service provider, the subscriber or the system to enable a process to run as and when required by the service concerned, resulting in the active phase. Some services can be either "operative" or "quiescent" (not operative) during the active phase according to whether or not the system would be able to invoke or use the service.

Deactivation

An action taken by either the service provider, the subscriber or the system to terminate the process started at the activation. STANDARD PREVIEW

Invocation

An action to invoke the service required, taken by the subscriber (e.g. pressing a specific button) or automatically by the network or terminal as a result of a particular condition (e.g. calling number identification for each incoming call). TS 300 918 E5:2005

https://standards.iteh.ai/catalog/standards/sist/23274f73-d553-492b-9875-

Normal operation with successful outcome_ets-300-918-e5-2005

Description of the normal operation of the service, the normal served subscriber's actions and the system response. Decision points, timing and call progress signals would be some of the aspects defined for the service if they can be perceived by the subscriber.

Interrogation

The request by the subscriber to the PLMN to provide information about a specific supplementary service. This information can be requested by a:

status check;

The following values can be returned by the PLMN:

- not supported
- active and operative
- active and quiescent
- not active

Not all values are applicable to all supplementary services.

data check;

This interrogation function compares the data input by the subscriber during an interrogation procedure with the information stored in the PLMN. The PLMN signals an appropriate indication (e.g. "check is positive" or "check is negative").

data request;

This interrogation function enables the subscriber to obtain confirmation of her input data. The PLMN signals an appropriate indication (e.g. "the forwarded-to number is etc."). The response to a data request may comprise the status of the service (e.g. not active).