

Designation: D7265 - 06 D7265 - 12

Standard Specification for Hydrogen Thermophysical Property Tables¹

This standard is issued under the fixed designation D7265; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 The thermophysical property tables for normal hydrogen are for use in the calculation of the pressure-volume-temperature (PVT), thermodynamic, and transport properties of hydrogen for process design and operations, particularly as they relate to hydrogen fuel cell applications. Tables are provided for gaseous hydrogen at temperatures between 50 K and 500 K at pressures to 50 MPa. These tables were developed by the National Institute of Standards and Technology from a Standard Reference Database product REFPROP, version 7.0.9.0.

2. Applicability

2.1 These tables apply directly only to pure gaseous hydrogen. However, it is expected that they may find substantial use in mathematical models and tables for the thermophysical properties of mixtures containing hydrogen.

3. Tables

- 3.1 The tabulated thermophysical properties are:
- , molar density $(\text{mol-l}(\text{mol}\cdot\text{L}^{-1}))$
- V, molar volume (L⁻¹·mol)
- H, molar enthalpy (J·mol⁻¹)
- S, molar entropy $(J \cdot K^{-1} \cdot \text{mol}^{-1})$ C_{ν} , constant volume molar heat capacity $(J \cdot K^{-1} \cdot \text{mol}^{-1})$
- C_p , constant pressure molar heat capacity (J·K⁻¹·mol⁻¹)
- c, speed of sound (m·s⁻¹)
- , viscosity (µPa·s)
- , thermal conductivity (mW·m⁻¹·K⁻¹)
- 3.2 These tables were produced by equations from a computer package, "NIST Standard Reference Database 23; Reference Fluid Thermodynamic and Transport Properties Database (REFPROP): Version 7-0."9.0." A wide selection of units (SI units, engineering units, chemical units) is available with this program.

4. Additional Information

4.1 A comprehensive equation of state for normal hydrogen is not available at this time. The properties in the table were calculated from individual equations for normal hydrogen and para-hydrogen. For example, to calculate the heat capacity of normal hydrogen, an equation for the heat capacity of normal hydrogen at zero pressure was combined with an integration of PVT equation for para-hydrogen to obtain the heat capacity of normal hydrogen at non-zero pressure. Additional information is available in the REFPROP package.hydrogen.

5. Keywords

5.1 hydrogen fuel cell; hydrogen gas tables; thermodynamic properties of hydrogen

¹ This specification is under the jurisdiction of ASTM Committee D03 on Gaseous Fuels and is the direct responsibility of Subcommittee D03.08 on Thermophysical Properties.

Current edition approved June 1, 2006Nov. 1, 2012. Published July 2006December 2012. Originally approved in 2006. Last previous edition approved in 2006 as D7265 - 06. DOI: 10.1520/D7265-06.10.1520/D7265-12.

∰ D7265 – 12

TABLE 1 Hydrogen Thermophysical Property Tables

			IABLE	1 Hydrogen The	or mopny stout	i i roperty rab	100		
T		Н	S	C_{ν}	C_p	С	_		
K	mol-l ⁻¹	J-mol -1	J-mol ⁻¹ ·K ⁻¹	J-mol ⁻¹ ·K ⁻¹	J-mol ⁻¹ ·K ⁻¹	m⋅s -1	µPa⋅s	mW-m -1⋅K-1	
				Press	ure = 0.1 MPa				_
50.	0.24255	1545.8	64.246	12.53	21.12	584.7	2.472	38.39	
55.	0.22003	1651.3	66.258	12.57	21.11	613.4	2.673	41.52	
60.	0.20139	1756.9	68.095	12.64	21.14	640.4	2.865	44.60	
65.	0.18568	1862.8	69.789	12.74	21.21	665.8	3.050	47.68	
70.	0.17227	1969.1	71.365	12.87	21.32	689.7	3.228	50.78	
75.	0.16068	2076.0	72.840	13.04	21.47	712.3	3.400	53.61	
80.	0.15056	2183.8	74.231	13.24	21.65	733.6	3.566	56.47	
85.	0.14164	2292.6	75.550	13.46	21.86	753.8	3.728	59.35	
90.	0.13373	2402.5	76.807	13.71	22.10	773.0	3.886	62.17	
95.	0.12666	2513.6	78.009	13.98	22.36	791.3	4.039	65.25	
100.	0.12030	2626.1	79.163	14.26	22.64	808.9	4.190	68.33	
105.	0.11455	2740.0	80.274	14.55	22.92	825.9	4.337	71.65	
110.	0.10933	2855.4	81.347	14.85	23.21	842.2	4.481	74.97	
115.	0.10456	2972.1	82.385	15.15	23.50	858.1	4.623	78.22	
120.	0.10020	3090.4	83.392	15.44	23.80	873.6	4.763	81.48	
125.	0.096180	3210.1	84.369	15.73	24.08	888. 7	4.900	84.78	
130.	0.092475	3331.2	85.319	16.02	24.37	903.5	5.036	88.09	
135.	0.089046	3453.8	86.244	16.30	24.64	918.0	5.170	91.35	
140.	0.085862	3577.6	87.145	16.57	24.91	932.3	5.301	94.62	
145.	0.082898	3702.8	88.023	16.82	25.16	946.3	5.432	97.79	
150.	0.080132	3829.3	88.881	17.07	25.41	960.2	5.561	101.0	
155.	0.077546	3956.9	89.718	17.31	25.65	973.8	5.688	104.2	
160.	0.075121	4085.7	90.536	17.54	25.87	987.3	5.814	107.5	
165.	0.072844	4215.6	91.335	17.75	26.09	1000.6	5.939	110.7	
170.	0.070700	4346.5	92.117	17.96	26.29	1013.8	6.062	114.0	
175.	0.068680	4478.5	92.882	18.15	26.48	1026.9	6.184	117.1	
180.	0.066772	4611.3	93.630	18.33	26.66	1039.8	6.306	120.3	
185.	0.064967	4745.1	94.363	18.51	26.83	1052.6	6.426	123.3	
190.	0.063257	4879.7	95.081	18.67	27.00	1065.3	6.545	126.4	
195.	0.061635	5015.0	95.784	18.82	27.15	1077.8	6.663	129.4	
200.	0.060094	5151.1	96.473	18.97	27.29	1090.3	6.780	132.4	
205.	0.058628	5287.9	97.149	19.10	27.43	1102.6	6.896	135.4	
210.	0.057233	5425.4	97.811	19.23	27.55	1114.8	7.011	138.3	
215.	0.055902	5563.4	98.461	19.35	27.67	1126.9	7.125	141.2	
220.	0.054632	5702.1	99.098	19.46	27.78	1139.0	7.239	144.1	
225.	0.053418	5841.3	99.724	19.57	27.89	1150.9	7.351	146.9	
230.	0.052257	5980.9	100.34	19.67	27.99	1162.7	7.463	149.7	
235.	0.051145	6121.1	100.94	19.76	28.08	1174.4	7.574	152.5	
240.	0.050080	6261.7	101.53	19.85	28.17	1186.1	7.684	155.2	
245.	0.049058	6402.8	102.11	19.93	28.25	2 1197.6	7.794	157.9	
250.	0.048077	6544.2	102.69	20.00	28.32	1209.1	7.903	160.6	
255.	0.047135	6686.0	103.25	ards/ 20.07	29 0 28.39 00	-482 1220.5	e-000 8.011 / 5		
260.	0.046229	6828.1	103.80	20.14	28.46	1231.8	8.118	165.8	
265.	0.045357	6970.6	104.34	20.20	28.52	1243.0	8.224	168.4	
270.	0.044517	7113.3	104.88	20.26	28.58	1254.1	8.330	171.0	
275.	0.043708	7256.4	105.40	20.32	28.63	1265.2	8.436	173.5	
280.	0.042928	7399.7	105.92	20.37	28.68	1276.1	8.540	176.0	
285.	0.042175	7543.2	106.43	20.41	28.73	1287.0	8.645	178.5	
290.	0.041448	7687.0	106.93	20.46	28.77	1297.9	8.748	181.0	
295.	0.040746	7831.0	107.42	20.50	28.81	1308.6	8.851	183.4	
300.	0.040067	7975.1	107.90	20.53	28.85	1319.3	8.953	185.8	
310.	0.038775	8264.0	108.85	20.60	28.92	1340.5	9.156	190.6	
320.	0.037564	8553.5	109.77	20.66	28.97	1361.4	9.357	195.2	
330.	0.036426	8843.4	110.66	20.70	29.02	1382.0	9.555	200.3	
340.	0.035355	9133.8	111.53	20.74	29.06	1402.4	9.752	205.3	
350.	0.034345	9424.6	112.37	20.78	29.09	1422.5	9.946	210.3	
360.	0.033392	9715.7	113.19	20.80	29.12	1442.4	10.14	215.3	
370.	0.032490	10007.	113.99	20.82	29.14	1462.1	10.33	219.9	
380.	0.031635	10298.	114.77	20.84	29.16	1481.5	10.52	224.7	
390.	0.030824	10590.	115.52	20.85	29.17	1500.7	10.71	229.4	
400.	0.030054	10882.	116.26	20.86	29.18	1519.7	10.89	234.1	
410.	0.029321	11174.	116.98	20.87	29.19	1538.4	11.08	238.2	
420.	0.028623	11466.	117.69	20.88	29.20	1557.0	11.26	242.9	
430.	0.027958	11758.	118.37	20.89	29.20	1575.3	11.44	247.6	
430. 440.			119.04		29.20 29.21	1575.3 1593.5			
	0.027323	12050.		20.89	29.21 29.22		11.62	252.3	
450.	0.026716	12342. 12634	119.70	20.90 20.91		1611.4 1620.1	11.80	256.9 261.6	
460.	0.026135	12634.	120.34		29.22	1629.1	11.98	261.6	
470.	0.025580	12926.	120.97	20.92	29.23	1646.6	12.15	266.4	
480.	0.025047	13219.	121.59	20.92	29.24	1663.9	12.33	271.1	
490.	0.024536	13511.	122.19	20.93	29.25	1681.1	12.50	275.8	
500.	0.024045	13803.	122.78	20.94	29.25	1698.0	12.67	280.5	



T		Н	S	C_{v}	C_p	С	_	
K	mol-l ⁻¹	J-mol ⁻¹	J⋅mol -1⋅K-1	J⋅mol -¹-K-1	J∙mol ⁻¹⋅K⁻¹	m-s -1	µPa⋅s	mW-m -1⋅K-1
					sure = 0.2 MPa			
F0	0.40046	1505 F	E0 244			E00.7	0.405	20.74
50.	0.48916	1535.5	58.344	12.54	21.42	583.7	2.485	38.74
55.	0.44279	1642.4	60.382	12.58	21.35	612.9	2.686	41.83
60.	0.40463	1749.1	62.239	12.65	21.34	640.2	2.877	44.89
65.	0.37265	1855.8	63.948	12.75	21.38	665.9	3.061	47.94
70.	0.34543	1962.9	65.535	12.88	21.46	690.0	3.238	51.02
75.	0.32197	2070.5	67.020	13.05	21.59	712.7	3.409	53.85
80.	0.30153	2178.9	68.419	13.25	21.76	734.2	3.575	56.72
85.	0.28356	2288.2	69.744	13.47	21.96	754.5	3.736	59.62
90.	0.26763	2398.5	71.005	13.72	22.19	773.7	3.893	62.43
95.	0.25341	2510.1	72.212	13.99	22.44	792.1	4.047	65.50
100.	0.24064	2623.0	73.369	14.27	22.71	809.8	4.197	68.57
105.	0.22910	2737.2			22.98	826.7		
			74.484	14.56			4.344	71.87
110.	0.21863	2852.8	75.560	14.86	23.27	843.1	4.488	75.18
115.	0.20907	2969.9	76.600	15.15	23.56	859.1	4.630	78.43
120.	0.20032	3088.4	77.609	15.45	23.84	874.5	4.769	81.67
125.	0.19228	3208.3	78.588	15.74	24.13	889.7	4.906	84.97
130.	0.18486	3329.6	79.540	16.03	24.41	904.5	5.041	88.28
135.	0.17800	3452.3	80.466	16.30	24.68	919.0	5.175	91.53
140.	0.17163	3576.4	81.368	16.57	24.94	933.3	5.307	94.79
1 45.	0.16570	3701.7	82.248	16.83	25.20	947.3	5.437	97.96
1 40. 150.	0.16016	3828.3	83.106	17.08	25.44	961.2	5.565	101.1
155.	0.15499	3956.1	83.944	17.32	25.67	974.8	5.693	104.4
160.	0.15014	4085.0	84.763	17.54	25.90	988.3	5.819	107.7
165.	0.14559	4215.0	85.563	17.76	26.11	1001.6	5.943	110.9
170.	0.14130	4346.1	86.345	17.96	26.31	1014.8	6.066	114.1
175.	0.13726	4478.1	87.111	18.15	26.50	1027.9	6.189	117.3
180.	0.13345	4611.1	87.860	18.34	26.68	1040.8	6.310	120.4
185.	0.12984	4744.9	88.593	18.51	26.85	1053.6	6.430	123.5
190.	0.12642	4879.6	89.311	18.67	27.01	1066.2	6.548	126.6
195.	0.12318	5015.0	90.015	18.83	27.16	1078.8	6.666	129.6
200.	0.12010	5151.2	90.705	18.97	27.31	1091.2	6.783	132.6
205.	0.11717	5288.1	91.380	19.10	27.44	1103.6	6.899	135.5
210.	0.11438	5425.6	92.043	19.23	27.57	1115.8	7.014	138.5
215.	0.11172	5563.7	92.693	19.35	27.68	1127.9	7.129	141.3
220.	0.10919	5702.4	93.331	19.46	27.80	1139.9	7.242	144.2
225.	0.10676	5841.7	93.957	19.57	27.90	1151.8	7.355	147.0
230.	0.10444	5981.4	94.571	19.67	28.00	1163.6	7.466	149.8
235.	0.10222	6121.6	95.174	19.76	28.09	1175.4	7.577	152.6
240.	0.10009	6262.3	95.767	19.85	28.18	1187.0	7.687	155.3
245.	0.098050	6403.4	96.348	19.93	28.26	1198.6	7.797	158.0
250.	0.096090	6544.8	96.920	20.01	28.33	1130.0 1210.0	7.905	160.7
255.	0.094207	S. 16686.7	talo 97.482 dai	ds/s 20.08 48	129e 28.40 ee	-4a2 1221.4 8e	-6c6 8.013 /5	4ad/a 163.3 -d/265-
260.	0.092397	6828.9	98.034	20.14	28.47	1232.7	8.121	165.9
265.	0.090655	6971.4	98.577	20.21	28.53	1243.9	8.227	168.5
270.	0.088977	7114.2	99.111	20.26	28.59	1255.0	8.333	171.1
275.	0.087361	7257.2	99.636	20.32	28.64	1266.1	8.438	173.6
280.	0.085802	7400.6	100.15	20.37	28.69	1277.0	8.543	176.1
285.	0.084298	7544.1	100.66	20.42	28.74	1287.9	8.647	178.6
290.	0.082845	7687.9	101.16	20.46	28.78	1298.7	8.750	181.1
295.	0.081442	7831.9	101.65	20.50	28.82	1309.5	8.853	183.5
300.	0.081442	7976.1	102.14	20.54	28.86	1320.2	8.955	185.9
310.	0.077505	8265.0	103.08	20.60	28.92	1341.3	9.158	190.7
320.	0.075084	8554.6	104.00	20.66	28.98	1362.2	9.359	195.3
330.	0.072811	8844.6	104.90	20.71	29.03	1382.8	9.557	200.4
340.	0.070671	9135.0	105.76	20.75	29.06	1403.2	9.754	205.4
350.	0.068654	9425.8	106.61	20.78	29.10	1423.3	9.948	210.4
360.	0.066748	9716.9	107.43	20.80	29.12	1443.2	10.14	215.3
370.	0.064946	10008.	108.22	20.82	29.14	1462.8	10.33	220.0
	0.063238	10300.	109.00	20.84	29.16	1482.3	10.52	224.8
380.	0.000200			20.86	29.17	1501.5	10.71	229.5
380.			1()9 76		_0.17			
380. 390.	0.061618	10591.	109.76 110.50		20.19	1600 A		
380. 390. 400.	0.061618 0.060079	10591. 10883.	110.50	20.87	29.18	1520.4	10.89	234.1
380. 390. 400. 410.	0.061618 0.060079 0.058615	10591. 10883. 11175.	110.50 111.22	20.87 20.88	29.19	1539.2	11.08	238.3
380. 390. 400. 410. 420.	0.061618 0.060079 0.058615 0.057220	10591. 10883. 11175. 11467.	110.50 111.22 111.92	20.87 20.88 20.88	29.19 29.20	1539.2 1557.7	11.08 11.26	238.3 243.0
380. 390. 400. 410. 420. 430.	0.061618 0.060079 0.058615 0.057220 0.055891	10591. 10883. 11175. 11467. 11759.	110.50 111.22 111.92 112.61	20.87 20.88 20.88 20.89	29.19 29.20 29.21	1539.2 1557.7 1576.1	11.08 11.26 11.44	238.3 243.0 247.6
380. 390. 400. 410. 420.	0.061618 0.060079 0.058615 0.057220	10591. 10883. 11175. 11467.	110.50 111.22 111.92	20.87 20.88 20.88	29.19 29.20 29.21 29.21	1539.2 1557.7 1576.1 1594.2	11.08 11.26	238.3 243.0
380. 390. 400. 410. 420. 430.	0.061618 0.060079 0.058615 0.057220 0.055891	10591. 10883. 11175. 11467. 11759.	110.50 111.22 111.92 112.61	20.87 20.88 20.88 20.89	29.19 29.20 29.21	1539.2 1557.7 1576.1	11.08 11.26 11.44	238.3 243.0 247.6
380. 390. 400. 410. 420. 430. 440.	0.061618 0.060079 0.058615 0.057220 0.055891 0.054621	10591. 10883. 11175. 11467. 11759. 12051. 12343.	110.50 111.22 111.92 112.61 113.28	20.87 20.88 20.88 20.89 20.90	29.19 29.20 29.21 29.21	1539.2 1557.7 1576.1 1594.2 1612.1	11.08 11.26 11.44 11.62 11.80	238.3 243.0 247.6 252.3
380. 390. 400. 410. 420. 430. 440. 450.	0.061618 0.060079 0.058615 0.057220 0.055891 0.054621 0.053409 0.052248	10591. 10883. 11175. 11467. 11759. 12051. 12343. 12635.	110.50 111.22 111.92 112.61 113.28 113.94 114.58	20.87 20.88 20.88 20.89 20.90 20.90 20.91	29.19 29.20 29.21 29.21 29.22 29.22	1539.2 1557.7 1576.1 1594.2 1612.1 1629.8	11.08 11.26 11.44 11.62 11.80 11.98	238.3 243.0 247.6 252.3 257.0 261.7
380. 390. 400. 410. 420. 430. 440. 450. 460. 470.	0.061618 0.060079 0.058615 0.057220 0.055891 0.054621 0.053409 0.052248 0.051138	10591. 10883. 11175. 11467. 11759. 12051. 12343. 12635. 12928.	110.50 111.22 111.92 112.61 113.28 113.94 114.58 115.21	20.87 20.88 20.88 20.89 20.90 20.90 20.91 20.92	29.19 29.20 29.21 29.21 29.22 29.22 29.23	1539.2 1557.7 1576.1 1594.2 1612.1 1629.8 1647.3	11.08 11.26 11.44 11.62 11.80 11.98 12.15	238.3 243.0 247.6 252.3 257.0 261.7 266.4
380. 390. 400. 410. 420. 430. 440. 450.	0.061618 0.060079 0.058615 0.057220 0.055891 0.054621 0.053409 0.052248	10591. 10883. 11175. 11467. 11759. 12051. 12343. 12635.	110.50 111.22 111.92 112.61 113.28 113.94 114.58	20.87 20.88 20.88 20.89 20.90 20.90 20.91	29.19 29.20 29.21 29.21 29.22 29.22	1539.2 1557.7 1576.1 1594.2 1612.1 1629.8	11.08 11.26 11.44 11.62 11.80 11.98	238.3 243.0 247.6 252.3 257.0 261.7

				IADLE					
T		Н	S	C_{ν}	C_p	С	_		
K	mol-l ⁻¹	J-mol -1	J-mol ⁻¹ -K ⁻¹	J-mol -1-K-1	J∙mol -1 ·K-1	m-s ⁻¹	μPα⋅s	mW⋅m -1⋅K-1	
				Proce	ure = 0.5 MPa				
50.	1.2544	1504.1	50.304	12.59	22.40	580.8	2.528	39.86	
55.	1.1277	1615.3	52.424	12.62	22.12	611.5	2.724	42.82	
	1.0256		54.341		21.96	639.9	2.724 2.913	45.78	
60.		1725.5		12.68					
65.	0.94119	1835.1	56.096	12.78	21.89	666.4	3.094	48.75	
70.	0.87016	1944.5	57.718	12.91	21.90	691.1	3.269	51.76	
75.	0.80944	2054.2	59.231	13.07	21.97	714.3	3.438	54.59	
80.	0.75689	2164.3	60.653	13.27	22.09	736.1	3.602	57.48	
85.	0.71091	2275.1	61.996	13.50	22.25	756.6	3.762	60.43	
90.	0.67033	2386.8	63.273	13.75	22.44	776.1	3.917	63.21	
95.	0.63423	2499.6	64.493	14.01	22.67	794.6	4.070	66.23	
100.	0.60189	2613.5	65.661	14.29	22.91	812.4	4.218	69.26	
105.	0.57274	2728.7	66.785	14.58	23.17	829.5	4.364	72.53	
110.	0.54633	2845.2	67.869	14.88	23.43	845.9	4.508	75.81	
115.	0.52228	2963.1	68.917	15.17	23.71	861.9	4.648	79.02	
120.	0.50029	3082.3	69.932	15.47	23.98	877.5	4.787	82.25	
125.	0.48010	3202.9	70.916	15.76	24.25	892.6	4.923	85.52	
130.	0.46149	3324.8	71.872	16.04	24.52	907.4	5.058	88.81	
135.	0.44428	3448.1	72.803	16.32	24.78	922.0	5.191	92.04	
140.	0.42833	3572.6	73.709	16.59	25.04	936.3	5.322	95.29	
145.	0.41349	3698.4	74.592	16.85	25.29	950.3	5.452	98.44	
150.	0.39965	3825.5	75.453	17.09	25.52	964.2	5.580	101.6	
155.	0.38671	3953.7	76.294	17.33	25.75	977.8	5.707	104.8	
160.	0.37459	4083.0	77.115	17.56	25.97	991.3	5.832	108.1	
165.	0.36322	4213.4	77.917	17.77	26.18	1004.6	5.956	111.3	
170.	0.35252	4344.7	78.702	17.98	26.37	1017.8	6.079	114.5	
175.	0.34243	4477.1	79.469	18.17	26.56	1030.9	6.201	117.7	
180.	0.33291	4610.3	80.220	18.35	26.74	1043.8	6.322	120.8	
185.	0.32391	4744.4	80.954	18.52	26.90	1056.5	6.441	123.9	
190.	0.31538	4879.4	81.674	18.68	27.06	1069.2	6.560	126.9	
195.	0.30729	5015.0	82.379	18.84	27.21	1081.7	6.677	129.9	
200.	0.29961	5151.4	83.070	18.98	27.35	1094.1	6.794	132.9	
205.	0.29231	5288.5	83.747	/ / 19.12	27.48	1106.4	6.910	135.9	
210.	0.28535	5426.3	84.410	19.24	27.61	1118.7	7.025	138.8	
215.	0.27872	5564.6	85.061	19.36	27.72	1130.8	7.139	141.7	
220.	0.27239	5703.5	85.700	19.47	27.83	1142.7	7.252	144.5	
225.	0.26634	5842.9	86.327	19.58	27.93	1154.6	7.262 7.364	147.3	
230.	0.26056	5982.8	86.942	19.68	28.03	1166.5	7.476	150.1	
235.	0.25502	6123.2	87.545	19.77	28.12	1178.2	7.586	152.9	
						1189.8			
240.	0.24972	6264.0	88.138	19.86	28.20		7.696	155.6	
245.	0.24463	6405.2	88.721	19.94	1 28.28 1	2 1201.3	7.805	158.3	
250.	0.23974	6546.8	89.293	20.01	28.36	1212.7	7.914	161.0	
255.	0.23505	6688.8	talo 89.855 dai	ds/s 20.09 48	29 28.43 ee	-4a2 1224.1 8e	-6c6 8.022 /5		
260.	0.23054	6831.1	90.408	20.15	28.49	1235.4	8.129	166.2	
265.	0.22619	6973.7	90.951	20.21	28.55	1246.6	8.235	168.8	
270.	0.22201	7116.6	91.485	20.27	28.61	1257.7	8.341	171.4	
275.	0.21798	7259.8	92.011	20.33	28.66	1268.7	8.446	173.9	
280.	0.21410	7403.2	92.528	20.38	28.71	1279.7	8.551	176.4	
285.	0.21035	7546.9	93.036	20.42	28.76	1290.5	8.655	178.8	
290.	0.20673	7690.8	93.537	20.47	28.80	1301.3	8.758	181.3	
295.	0.20323	7834.9	94.029	20.51	28.84	1312.1	8.861	183.7	
300.	0.19985	7979.1	94.514	20.54	28.87	1322.7	8.963	186.1	
310.	0.19342	8268.2	95.462	20.61	28.94	1343.8	9.165	190.9	
320.	0.18739	8557.9	96.382	20.66	28.99	1364.7	9.366	195.5	
330.	0.18172	8848.0	97.275	20.71	29.04	1385.3	9.564	200.6	
340.	0.17639	9138.6	98.142	20.75	29.08	1405.6	9.760	205.6	
350.	0.17136	9429.5	98.985	20.78	29.11	1425.7	9.954	210.6	
360.	0.16661	9720.7	99.806	20.81	29.13	1445.5	10.15	215.6	
370.	0.16211	10012.	100.60	20.83	29.15	1465.2	10.34	220.2	
380.	0.15786	10304.	101.38	20.85	29.17	1484.6	10.53	225.0	
390.	0.15382	10596.	102.14	20.86	29.18	1503.7	10.71	229.7	
400.	0.14998	10887.	102.88	20.87	29.19	1522.7	10.90	234.3	
410.	0.14633	11179.	103.60	20.88	29.20	1541.4	11.08	238.5	
420.	0.14285	11471.	104.30	20.89	29.21	1559.9	11.27	243.2	
430.	0.13954	11763.	104.99	20.89	29.21	1578.2	11.45	247.8	
440.	0.13637	12056.	105.66	20.90	29.22	1596.3	11.63	252.5	
440. 450.	0.13337 0.13335	12348.	106.32	20.90 20.91	29.22 29.22	1614.2		257.2	
							11.80		
460.	0.13045	12640.	106.96	20.91	29.23	1631.9	11.98	261.9	
470.	0.12768	12932.	107.59	20.92	29.24	1649.4	12.16	266.6	
480.	0.12503	13225.	108.21	20.93	29.24 29.25	1666.6	12.33	271.3	
	11.7.7.7.18	13517.	108.81		20.26	1693 /	17.61	276.0	
490. 500.	0.12248 0.12004	13810.	109.40	20.94 20.94	29.26	1683.7 1700.7	12.51 12.68	280.7	

T ₭	mol-l ⁻¹	H J-mol ⁻¹	S J-mol ⁻¹ -K ⁻¹	C_{ν} J-mol ⁻¹ -K ⁻¹	C_p J-mol ⁻¹ ·K ⁻¹	C m⋅s -1	− µPa-s	mW⋅m -¹⋅K-¹	
11	morr	Jinot	J-m oi •N			ਰਾਜ	pr a-S	יוי לוויעעווו	-
50	2 6204	1/150 2	42 007		ssure = 1.0 MPa	E77 A	2 600	40 44	
50.	2.6201	1450.3	43.807	12.67	24.28	577.4	2.608	42.11	
55.	2.3263	1569.7	46.083	12.68	23.52	610.4	2.795	44.75	
60.	2.0978	1686.1	48.108	12.73	23.06	640.4	2.976	47.47	
65.	1.9137	1800.6	49.943	12.83	22.79	668.0	3.151	50.26	
70.	1.7615	1914.2	51.626	12.95	22.65	693.6	3.322	53.12	
75.	1.6332	2027.3	53.186	13.12	22.60	717.4	3.487	55.91	
80.	1.5233	2140.4	54.646	13.31	22.64	739.6	3.648	58.79	
85.	1.4280	2253.7	56.021	13.54	22.73	760.6	3.805	61.80	
90.	1.3444	2367.7	57.323	13.79	22.87	780.3	3.958	64.50	
95.	1.2704	2482.5	58.564	14.05	23.04	799.1	4.108	67.46	
100.	1.2044	2598.2	59.751	14.33	23.24	817.0	4.255	70.41	
105.	1.1452	2714.9	60.891	14.62	23.47	834.2	4.399	73.62	
110.	1.0917	2832.9	61.988	14.91	23.71	850.8	4.541	76.84	
115.	1.0431	2952.0	63.047	15.21	23.95	866.8	4.680	80.01	
120.	.99871	3072.4	64.072	15.50	24.21	882.4	4.817	83.19	
125.	.95806	3194.1	65.065	15.79	24.46	897.6	4.952	86.43	
130.	.92065	3317.0	66.029	16.07	24.71	912.5	5.086	89.68	
135.	.88612	3441.2	66.966	16.35	24.96	927.0	5.217	92.89	
140.	.85413	3566.6	67.879	16.62	25.20	941.3	5.348	96.10	
145.	.82441	3693.2	68.767	16.87	25.44	955.4	5.476	99.22	
150.	.79672	3820.9	69.633	17.12	25.66	969.2	5.604	102.3	
155.	.77085	3949.8	70.478	17.36	25.88	982.9	5.730	105.6	
160.	.74664	4079.7	71.303	17.58	26.09	996.4	5.854	108.8	
165.	.72392	4210.7	72.109	17.79	26.29	1009.7	5.978	112.0	
170.	.70256	4342.6	72.897	18.00	26.48	1022.8	6.100	115.2	
175.	.68243	4475.4	73.667	18.19	26.66	1035.8	6.221	118.3	
180.	.66344	4609.2	74.420	18.37	26.83	1048.7	6.341	121.4	
185.	.64549	4743.7	75.158	18.54	26.99	1061.5	6.461	124.5	
190.	.62850	4879.1	75.880 =	18.70	27.14	1074.1	6.579	127.6	
195.	.61238	5015.2	76.587	18.86	27.29	1086.6	6.696	130.5	
200.	.59708	5151.9	77.279	19.00	27.42	1099.0	6.812	133.5	
205.	.58253	5289.4	77.958	19.00	27.55	1111.3	6.927	136.4	
210.	.56867	5427.4	78.623	19.26	27.67	1123.5	7.042	139.4	
							7.155		
215.	.55547	5566.1	79.276	19.38	27.78	1135.5		142.2	
220.	.54287	5705.3	79.916	19.49	27.89	1147.5	7.268	145.0	
225.	.53083	5845.0	80.544 81.160	19.60	27.99	1159.4	7.380	147.8	
230.	.51932	5985.1	81.160	19.69	28.08	1171.1	7.491	150.6	
235.	.50830	6125.8	81.765	19.79	28.17	1182.8	7.602	153.4	
240.	.49774	6266.8	82.359	19.87	28.25	1194.4	7.711	156.1	
245.	.48761	6408.3	82.942	19.95	28.33	1205.9	7.820	158.8	
250.	.47788	6550.1	83.515	20.03	28.40	1217.3	7.928	161.5	
255.	ps:/ .46854 dar	rds.1 6692.3 /ca	talo 84.078 da	ards/s 20.10 4	81290 28.47 00	e-4a2 1228.6 8	e-6c6 8.036	/54ad/a 164.1 -d/	
260.	.45956	6834.8	84.632	20.17	28.53	1239.9	8.143	166.7	
265.	.45092	6977.6	85.176	20.23	28.59	1251.0	8.249	169.3	
270.	.44260	7120.7	85.711	20.28	28.65	1262.1	8.354	171.8	
275.	.43458	7264.1	86.237	20.34	28.70	1273.1	8.459	174.3	
280.	.42685	7407.7	86.754	20.39	28.74	1284.0	8.563	176.8	
285.	.41939	7551.5	87.263	20.43	28.79	1294.9	8.667	179.3	
290.	.41219	7695.5	87.764	20.48	28.83	1305.7	8.770	181.7	
295.	.40523	7839.8	88.257	20.52	28.87	1316.4	8.873	184.1	
300.	.39850	7984.2	88.743	20.55	28.90	1327.0	8.975	186.5	
310.	.38570	8273.5	89.692	20.62	28.96	1348.0	9.177	191.3	
320.	.37370	8563.4	90.612	20.68	29.02	1368.8	9.377	195.9	
330.	.36242	8853.8	91.506	20.72	29.06	1389.4	9.575	201.0	
340.	.35180	9144.6	92.374	20.76	29.10	1409.6	9.771	206.0	
350.	.34179	9435.7	93.218	20.79	29.13	1429.7	9.964	211.0	
360.	.33234	9727.1	94.038	20.82	29.15	1449.5	10.16	215.9	
370.	.32339	10019.	94.837	20.84	29.17	1469.0	10.35	220.5	
380.	.31492	10310.	95.615	20.85	29.18	1488.4	10.54	225.4	
390.	.30688	10602.	96.374	20.87	29.19	1507.5	10.72	230.0	
400.	.29924	10894.	97.113	20.88	29.20	1526.4	10.91	234.7	
410.	.29197	11186.	97.834	20.89	29.21	1545.1	11.09	238.8	
420.	.28505	11479.	98.538	20.89	29.22	1563.6	11.27	243.5	
430.	.27844	11771.	99.226	20.90	29.22	1581.8	11.45	248.1	
440.	.27214	12063.	99.897	20.91	29.23	1599.9	11.63	252.8	
450.	.26612	12355.	100.55	20.91	29.23	1617.7	11.81	257.5	
460.	.26035	12648.	101.20	20.92	29.24	1635.3	11.99	262.2	
-100.	.25484					1652.8			
470	. 	12940.	101.83	20.93	29.24 29.25	1652.8 1670.0	12.16 12.34	266.9 271.6	
		4222						// 1 h	
480.	.24955	13233.	102.44	20.93					
470. 480. 490. 500.		13233. 13525. 13818.	102.44 103.04 103.64	20.93 20.94 20.95	29.26 29.27	1687.1 1704.0	12.54 12.51 12.68	276.3 281.0	

Т		и	S		C CONTINUE		_		
K	mol-l ⁻¹	<i>H</i> J∙mol ⁻¹	S J·mol ⁻¹·K⁻¹	C _v J-mol ⁻¹⋅K⁻¹	C_p J-mol ⁻¹ ·K ⁻¹	C m·s -1	– μ Pa⋅s	mW⋅m -1⋅K-1	
11	11101-1	J-11101	5 mor 40			111.3	μι α.3	111. AA-111 - AZ	_
50.	5.7320	1337.3	36.460	12.88	sure = 1.0 MPa 29.30	577.8	2.829	48.32	
50. 55.	5.7320 4.9428	1337.3 1477.0	36.460 39.125	12.88 12.81	29.30 26.85	577.8 613.7	2.829 2.970	48.32 49.73	
60.	4.3773	1607.6	41.398	12.84	25.50	645.8	3.124	51.65	
65.	3.9449	1733.0	43.405	12.92	24.69	674.8	3.281	53.88	
70.	3.6000	1855.1	45.215	13.04	24.19	701.4	3.438	56.32	
75.	3.3168	1975.2	46.872	13.20	23.89	725.9	3.593	58.88	
80.	3.0789	2094.2	48.408	13.39	23.73	748.7	3.745	61.66	
85.	2.8757	2212.6	49.845	13.61	23.67	770.1	3.895	64.66	
90.	2.6997	2331.0	51.198	13.86	23.69	790.1	4.043	67.21	
95.	2.5454	2449.6	52.481	14.12	23.77	809.1	4.187	69.98	
100.	2.4089	2568.8	53.703	14.40	23.89	827.2	4.330	72.78	
105.	2.2871	2688.6	54.872	14.69	24.05	844.5	4.470	75.83	
110.	2.1777	2809.3	55.995	14.98	24.23	861.2	4.608	78.93	
115.	2.0788	2931.0	57.077	15.27	24.43	877.3	4.744	82.00	
120.	1.9888	3053.7	58.121	15.56	24.64	892.9	4.878	85.10	
125.	1.9067	3177.4	59.131	15.85	24.86	908.1	5.011	88.26	
130. 135.	1.8313 1.7619	3302.2 3428.2	60.110 61.061	16.13 16.40	25.08 25.30	923.0 937.5	5.142 5.271	91.43 94.57	
130. 140.	1.7619 1.6977	3428.2 3555.2	61.985	16.67	25.50 25.51	951.8	5.399	94.57 97.73	
140. 145.	1.6382	3683.3	62.884	16.93	25.72	965.8	5.526	97.73 100.8	
150.	1.5829	3812.4	63.759	17.17	25.72 25.93	979.6	5.652	103.9	
155.	1.5312	3942.6	64.613	17.40	26.13	993.2	5.776	103.9 107.1	
160.	1.4829	4073.7	65.446	17.63	26.32	1006.6	5.899	110.2	
165.	1.4376	4205.8	66.258	17.84	26.51	1019.9	6.021	113.4	
170.	1.3951	4338.8	67.052	18.04	26.68	1033.0	6.142	116.6	
175.	1.3551	4472.6	67.828	18.23	26.85	1046.0	6.262	119.6	
180.	1.3173	4607.2	68.587	18.41	27.01	1058.8	6.381	122.7	
185.	1.2817	4742.7	69.329	18.58	27.16	1071.5	6.499	125.7	
190.	1.2479	4878.8	70.055	18.74	27.30	1084.0	6.616	128.8	
195.	1.2160	5015.7	70.766	18.89	27.44	1096.5	6.732	131.7	
200.	1.1856	5153.2	71.462	19.04	27.56	1108.8	6.848	134.6	
205.	1.1567	5291.3	72.145	19.17	27.68	1121.0	6.962	137.6	
210.	1.1293	5430.0	72.813	19.29	27.80	1133.1	7.076	140.5	
215.	1.1031	5569.3	73.468	19.41	27.90	1145.1	7.188	143.3	
220.	1.0781	5709.1	74.111	19.52	28.00	1157.0	7.300	146.1	
225. 220.	1.0543 1.0315	5849.3 5990.0	74.741	19.63 19.72	28.10 28.19	1168.8 1180.5	7.412 7.522	148.9 151.6	
230. 235.	1.0096	5990.0 6131.2	75.360 75.967	19.72 19.82	28.19 28.27	1180.5 1192.2	7.632 7.632	151.6 154.4	
235. 240.	1.0096 0.98872	6131.2 6272.7	75.967 76.563	19.82 19.90	28.35	1192.2 1203.7	7.032 7.741	154.4 157.1	
240. 245.	0.96867	6414.6	70.303 77.148	19.98	20.33 / \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7 1215.1	7.741 7.849	157.1 159.8	
250.	0.94941	6556.9	77.723	20.06	28.49	1215.1 1226.5	7.957	162.4	
255.	0.93092	6699.4	talo 78.288 da	rds/s 20.13 48	129e 28.55 ee	-4a2 1237.7 8	e-6c6 8.064 75	54ad/2 <mark>165.0</mark> -d7	
260.	0.91314	6842.3	78.843	20.19	28.61	1248.9	8.170	167.6	
265.	0.89603	6985.5	79.388	20.25	28.66	1260.0	8.276	170.1	
270.	0.87956	7129.0	79.924	20.31	28.72	1271.0	8.381	172.7	
275.	0.86368	7272.7	80.452	20.36	28.76	1281.9	8.485	175.2	
280.	0.84837	7416.6	80.970	20.41	28.81	1292.8	8.589	177.6	
285.	0.83360	7560.7	81.481	20.46	28.85	1303.6	8.692	180.1	
290.	0.81934	7705.1	81.983	20.50	28.89	1314.3	8.795	182.6	
295.	0.80557	7849.6	82.477	20.54	28.92	1324.9	8.897	184.9	
300.	0.79225	7994.3	82.963	20.58	28.96	1335.5	8.998	187.3	
310.	0.76689	8284.2	83.914	20.64	29.01	1356.4	9.200	192.1	
320.	0.74312	8574.6	84.836	20.70	29.06	1377.1	9.399 0.506	196.6	
330.	0.72079	8865.4	85.731	20.74	29.10	1397.5	9.596	201.7 206.7	
340.	0.69976	9156.6	86.600	20.78	29.14	1417.7 1427.6	9.791	206.7	
350. 360.	0.67994 0.66121	9448.1 9739.8	87.445 88.267	20.81 20.83	29.16 29.18	1437.6 1457.3	9.985 10.18	211.7 216.6	
300. 370.	0.64348	9739.6 10032.	89.067	20.85	29.16 29.20	1457.3 1476.8	10.18 10.37	210.6 221.2	
380.	0.62669	10324.	89.845	20.87	29.21	1496.0	10.55	226.0	
390.	0.61075	10616.	90.604	20.88	29.22	1515.1	10.74	230.6	
400.	0.59561	10908.	91.344	20.89	29.23	1533.9	10.93	235.3	
410.	0.58120	11201.	92.066	20.90	29.23	1552.5	11.11	239.4	
420.	0.56748	11493.	92.771	20.91	29.24	1570.8	11.29	244.1	
4 30.	0.55438	11785.	93.459	20.91	29.24	1589.0	11.47	248.7	
440.	0.54189	12078.	94.131	20.92	29.25	1607.0	11.65	253.4	
450.	0.52994	12370.	94.788	20.93	29.25	1624.7	11.83	258.1	
460.	0.51851	12663.	95.431	20.93	29.26	1642.3	12.00	262.7	
470.	0.50756	12955.	96.061	20.94	29.26	1659.6	12.18	267.4	
480.	0.49707	13248.	96.677	20.94	29.27	1676.8	12.35	272.1	
490.	0.48700	13541.	97.280	20.95	29.27	1693.8	12.53	276.8	
500.	0.47733	13833.	97.872	20.96	29.28	1710.6	12.70	281.5	

				IABLE	: 1 Continued	'		
Т		Н	S	C_{ν}	C_{p}	С	_	
K	mol-l ⁻¹	J-mol⁻¹	J-mol ⁻¹ -K ⁻¹	J-mol ⁻¹ -K ⁻¹	J⋅mol -1·K-1	m-s ⁻¹	μPa⋅s	mW⋅m -1⋅K-1
				Press	ure = 5.0 MPa			
50.	16.715	1032.3	24.513	13.24	41.19	695.6	4.338	79.70
55.	13.798	1225.7	28.203	13.13	36.24	695.8	4.048	73.76
60.	11.811	1397.0	31.186	13.10	32.51	711.0	3.939	70.53
65.	10.389	1552.9	33.684	13.14	30.06	731.0	3.924	69.26
70.	9.3170	1698.9	35.848	13.25	28.45	752.0	3.964	69.26
75.	8.4746	1838.3	37.772	13.40	27.38	772.9	4.037	70.10
80.	7.7915	1973.3	39.515	13.59	26.67	793.2	4.130	72.07
85.	7.2238	2105.4	41.116	13.81	26.19	812.6	4.236	74.31
90.	6.7429	2235.5	42.604	14.05	25.88	831.1	4.349	76.20
95.	6.3290	2364.4	43.998	14.31	25.70	848.9	4.467	78.24
100.	5.9683	2492.7	45.314	14.58	25.61	865.9	4.587	80.40
100. 105.	5.6505	2620.7	46.563	14.87	25.59	882.4	4.709	82.90
110.	5.3679	2748.7	47.754	15.15	25.63	898.3	4.831	85.53
115.	5.1147	2877.0	48.894	15.44	25.70	913.7	4.953	88.26
120.	4.8863	3005.7	49.990	15.73	25.80	928.7	5.076	91.05
125.	4.6789	3135.0	51.045	16.01	25.92	943.3	5.198	93.93
130.	4.4897	3264.9	52.064	16.29	26.05	9 57.7	5.320	96.86
135.	4.3163	3395.5	53.050	16.56	26.20	971.8	5.441	99.78
140.	4.1567	3526.9	54.006	16.82	26.35	985.6	5.561	102.7
145.	4.0091	3659.0	54.933	17.07	26.50	999.2	5.681	105.6
150.	3.8723	3791.8	55.834	17.31	26.65	1012.6	5.801	108.5
155.	3.7450	3925.5	56.710	17.54	26.80	1025.9	5.920	111.5
160.	3.6263	4059.9	57.564	17.76	26.95	1038.9	6.038	114.6
165.	3.5152	4195.0	58.395	17.97	27.10	1051.9	6.155	117.6
170.	3.4110	4330.8	59.206	18.17	27.24	1064.7	6.271	120.6
175.	3.3132	4467.3	59.998	18.35	27.37	1077.3	6.387	123.6
180.	3.2210	4604.5	60.770	18.53	27.50	1089.8	6.502	126.5
185.	3.1340	4742.3	61.526	18.70	27.62	1102.2	6.617	129.5
190.	3.0518	4880.7	62.264	18.85	27.74	1114.5	6.730	132.4
195.	2.9739	5019.7	62.986	19.00	27.85	1126.7	6.843	135.3
200.	2.9000	5159.2	63.692	19.14	27.95	1138.7	6.956	138.1
205.	2.8299	5299.2	64.384	/ / 19.27	28.05	1150.7	7.067	140.9
210.	2.7631	5439.7	65.061	19.39	28.15	1162.5	7.178	143.8
215.	2.6996	5580.7	65.724	19.51	28.24	1174.3	7.288	146.5
220.	2.6390	5722.1	66.374	19.62	28.32	1186.0	7.398	149.2
225.	2.5811	5863.9	67.012	19.72	28.40	1197.5	7.507	152.0
220. 230.	2.5257	6006.1	67.637	19.72	28.47	1209.0	7.615	154.7
230. 235.				19.81 19.90		1209.0 1220.4		154.7 157.3
	2.4728 2.4221	6148.6	68.250		28.54	1220.4 1231.7	7.723	
240. 245		6291.5	68.851	19.99	28.61		7.830	160.0
245. 250.	2.3734	6434.7 6578 1	69.442	20.06	28.67 28.72	2 1242.9	7.936	162.6 165.2
250.	2.3268	6578.1	70.022	20.14	28.72	1254.0	8.042	165.2 4 o d / 167.7 d 77.65 1 1
255.	2.2819 dan	6721.9	70.591 dai	20.20 48	29 28.78 ee	-4a2 1265.0 8e	-6c6 8.147 /5	4ad/ a167.7 -d/265-12
260.	2.2388	6865.9	71.150	20.27	28.83	1276.0	8.252	170.3
265.	2.1973	7010.1	71.700	20.33	28.87	1286.9	8.356	172.8
270.	2.1574	7154.6	72.240	20.38	28.91	1297.7	8.459	175.3
275.	2.1189	7299.3	72.771	20.43	28.95	1308.4	8.562	177.7
280.	2.0818	7444.1	73.293	20.48	28.99	1319.1	8.665	180.1
285.	2.0460	7589.2	73.806	20.53	29.02	1329.7	8.767	182.6
290.	2.0114	7734.4	74.311	20.57	29.06	1340.2	8.868	185.0
295.	1.9780	7879.7	74.808	20.60	29.08	1350.7	8.969	187.3
300.	1.9457	8025.2	75.297	20.64	29.11	1361.0	9.069	189.7
310.	1.8842	8316.6	76.252	20.70	29.16	1381.6	9.268	194.4
320.	1.8265	8608.3	77.179	20.75	29.19	1401.9	9.465	198.9
330.	1.7723	8900.4	78.078	20.80	29.22	1422.0	9.660	203.9
340.	1.7212	9192.8	78.950	20.83	29.25	1441.8	9.854	208.8
350.	1.6731	9485.4	79.798	20.86	29.27	1461.4	10.05	213.7
360.	1.6276	9778.1	80.623	20.88	29.28	1480.8	10.24	218.6
370.	1.5845	10071.	81.426	20.90	29.29	1500.0	10.42	223.1
380.	1.5436	10364.	82.207	20.92	29.30	1518.9	10.61	227.9
390.	1.5049	10657.	82.968	20.93	29.30	1537.6	10.80	232.5
400.	1.4680	10950.	83.710	20.94	29.30	1556.2	10.98	237.1
410.	1.4329	11243.	84.433	20.94	29.30	1574.5	11.16	241.2
420.	1.3995	11536.	85.140	20.95	29.30	1592.6	11.34	245.8
420. 430.	1.3676	11829.	85.829	20.95	29.30 29.30	1610.5	11.52	250.4
440. 450	1.3371	12122.	86.503	20.96	29.30	1628.2	11.70	255.1
450.	1.3080	12415.	87.161	20.96	29.30	1645.7	11.88	259.7
460.	1.2801	12708.	87.805	20.97	29.31	1663.0	12.05	264.3
470.	1.2534	13001.	88.436	20.97	29.31	1680.1	12.23	269.0
480.	1.2278	13294.	89.053	20.98	29.31	1697.1	12.40	273.7
		10500	00.057	20.00	20.24	47420	12.57	278.3
4 90. 500.	1.2032 1.1795	13588. 13881.	89.657 90.249	20.99 20.99	29.31 29.32	1713.8 1730.4	12.74	283.0

T ₭	mol-l ⁻¹	<i>H</i> J∙mol ⁻¹	S J-mol ⁻¹ -K ⁻¹	C_{ν} J-mol ⁻¹ ·K ⁻¹	C_p J-mol ⁻¹ ·K ⁻¹	C m·s ⁻¹	– µPa⋅s	mW⋅m -1⋅K-1	
				Pres	sure = 10.0 MPa				
50.	26.141	919.18	17.691	13.24	31.19	1024.9	6.667	109.3	
55.	23.597	1077.7	20.712	13.27	32.06	973.6	6.029	103.9	
60.	21.273	1238.3	23.506	13.31	32.03	940.0	5.596	99.74	
65.	19.243	1397.1	26.048	13.39	31.41	921.4	5.320	96.51	
70.	17.516	1552.0	28.345	13.51	30.56	913.8	5.156	94.03	
75.	16.060	1702.7	30.425	13.67	29.72	913.6	5.069	92.15	
80.	14.830	1849.4	32.319	13.85	29.00	917.9	5.035	91.89	
85.	13.783	1992.9	34.059	14.07	28.42	925.2	5.037	92.09	
90.	12.882	2133.8	35.670	14.31	27.98	934.3	5.064	92.60	
95.	12.101	2272.8	37.173	14.57	27.65	944.5	5.110	93.24	
100.	11.417	2410.5	38.585	14.84	27.42	955.4	5.169	94.20	
105.	10.813	2547.2	39.919	15.12	27.27	966.8	5.242	95.66	
110.	10.275	2683.3	41.186	15.40	27.19	978.5	5.321	97.43	
115.	9.7923	2819.1	42.393	15.68	27.15	990.3	5.407	99.47	
120.	9.3572	2954.8	43.549	15.96	27.15	1002.2	5.497	101.7	
125.	8.9624	3090.7	44.657	16.24	27.18	1014.2	5.590	104.0	
130.	8.6024	3226.7	45.724	16.51	27.23	1026.3	5.687	106.4	
135.	8.2726	3363.0	46.753	16.78	27.30	1038.3	5.786	108.9	
140.	7.9692	3499.7	47.748	17.03	27.38	1050.3	5.887	111.5	
145.	7.6890	3636.9	48.710	17.28	27.48	1062.3	5.989	114.0	
150.	7.4294	3774.5	49.643	17.51	27.57	1074.2	6.093	116.6	
155.	7.1879	3912.6	50.549	17.74	27.67	1086.1	6.197	119.3	
160.	6.9628	4051.2	51.429	17.95	27.77	1098.0	6.302	122.1	
	6.7524					1100.0	6.002		
165.		4190.3	52.285	18.16	27.87	1109.8	6.408	124.9	
170.	6.5551	4329.9	53.119	18.35	27.97	1121.6	6.514	127.7	
175.	6.3697	4469.9	53.931	18.53	28.06	1133.3	6.620	130.4	
180.	6.1952	4610.5	54.723	18.70	28.16	1144.9	6.726	133.1	
185.	6.0306	4751.5	55.495	18.87	28.25	1156.5	6.832	135.9	
190.	5.8750	4892.9	56.250	19.02	28.33	1168.0	6.938	138.6	
195.	5.7276	5034.8	56.987	19.16	28.41	1179.4	7.044	141.3	
200.	5.5879	5177.1	57.707	19.30	28.49	1190.8	7.150	144.0	
205.	5.4552	5319.7	58.411	19.42	28.57	1202.1	7.255	146.7	
210.	5.3289	5462.7	59.101	19.54	28.64	1213.3	7.361	149.4	
215.	5.2086	5606.1	59.775	19.65	28.70	1224.4	7.466	152.0	
220.	5.0939	5749.7	60.436	19.76	28.76	1235.5	7.570	154.6	
225.	4.9843	5893.7	61.083	19.86	28.82	1246.5	7.674	157.2	
230.	4.8796	6038.0	61.717	19.95	28.88	1257.5	7.778	159.8	
235.	4.7794	6182.5	62.339	20.03	28.93	1268.4	7.882	162.4	
240.	4.6833	6327.3	62.948	20.12	28.98	1279.2	7.985	164.9	
245.	4.5912	6472.3	63.546	20.19	\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7 1289.9	8.087	167.4	
250.	4.5028	6617.5	64.133	20.26	29.06	1300.6	8.190	169.9	
						1000.0			
255.	ps: 4.4178 dar	ds.1 6762.9 /ca	talo 64.709 da	ards/s 20.33 48	3129e 29.10 ee	-4a2 1311.2 8	e-6c6 8.292		
260.	4.3361	6908.5	65.274	20.39	29.14	1321.7	8.393	174.8	
265.	4.2574	7054.3	65.830	20.44	29.17	1332.2	8.494	177.3	
270.	4.1817	7200.2	66.375	20.50	29.20	1342.6	8.595	179.7	
275.	4.1087	7346.3	66.911	20.54	29.23	1352.9	8.695	182.0	
280.	4.0382	7492.6	67.438	20.59	29.26	1363.2	8.795	184.4	
285.	3.9702	7638.9	67.957	20.63	29.28	1373.4	8.894	186.7	
290.	3.9046	7785.4	68.466	20.67	29.30	1383.6	8.993	189.1	
295.	3.8411	7931.9	68.967	20.71	29.32	1393.7	9.091	191.4	
300.	3.7797	8078.6	69.460	20.74	29.34	1403.7	9.189	193.6	
310.	3.6627	8372.2	70.423	20.80	29.37	1423.6	9.384	198.2	
320.	3.5530	8666.0	71.355	20.85	29.39	1443.3	9.577	202.6	
330.	3.4497	8960.0	72.260	20.89	29.41	1462.7	9.769	207.5	
340.	3.3524	9254.2	73.138	20.92	29.42	1482.0	9.959	212.3	
350.	3.2606	9548.4	73.991	20.94	29.43	1501.0	10.15	217.2	
360.	3.1737	9842.7	74.820	20.96	29.43	1519.8	10.33	221.9	
370.	3.0914	10137.	75.627	20.98	29.43	1538.5	10.52	226.4	
380.	3.0134	10431.	76.412	20.99	29.43	1556.9	10.70	231.1	
390.	2.9392	10726.	77.176	21.00	29.42	1575.1	10.89	235.6	
400.	2.8687	11020.	77.921	21.01	29.42	1593.1	11.07	240.2	
410.	2.8015	11314.	78.647	21.01	29.41	1611.0	11.25	244.2	
420.	2.7374	11608.	79.356	21.01	29.41	1628.6	11.43	248.7	
430.	2.6762	11902.	80.048	21.02	29.40	1646.1	11.60	253.3	
440.	2.6177	12196.	80.724	21.02	29.39	1663.4	11.78	257.9	
450.	2.5618	12490.	81.384	21.02	29.39	1680.4	11.95	262.5	
	2.5082	12784.	82.030	21.03	29.39	1697.3	12.13	267.1	
460.		13078.	82.662	21.03	29.38	1714.1	12.30	271.7	
470.	2.4568							070.0	
470. 480.	2.4075	13372.	83.281	21.03	29.38	1730.6	12.47	276.3	
470.			83.281 83.886	21.03 21.04	29.38 29.38	1730.6 1747.0	12.47 12.64	276.3 280.9	

					LE I COMMINUE				
T		Н	S	C_{ν}	C_p	С	_		
K	mol·l ⁻¹	J-mol ⁻¹	J-mol ⁻¹ -K ⁻¹	J-mol ⁻¹ -K ⁻¹	J-mol⁻¹- K ⁻¹	m-s ⁻¹	µPa-s	mW⋅m -1⋅K-1	!
				Pre	ssure = 20.0 MPa	l			
50.	33.048	1019.4	13.019	13.78	25.02	1391.0	10.00	143.5	
55.	31.366	1147.0	15.451	13.84	25.99	1347.6	9.092	140.8	
60.	29.719	1278.9	17.745	13.90	26.72	1309.0	8.392	138.4	
65.	28.133	1413.8	19.905	13.97	27.23	1276.0	7.852	136.4	
70.	26.628	1550.9	21.937	14.08	27.58	1248.4	7.437	134.4	
75.	25.217	1689.4	23.848	14.22	27.79	1226.2	7.122	132.0	
80.	23.905	1828.6	25.645	14.38	27.90	1208.7	6.885	129.2	
85. 90.	22.695 21.582	1968.3	27.338	14.58	27.95 27.98	1195.5 1186.0	6.711 6.587	126.4 123.6	
95.	20.561	2108.1 2248.0	28.937 30.450	14.80 15.04	27.98	1179.6	6.503	123.0 122.5	
100.	19.625	2387.9	31.885	15.29	27.99	1175.9	6.451	121.9	
105.	18.767	2527.9	33.251	15.56	28.00	1174.3	6.432	121.9	
110.	17.979	2667.9	34.554	15.83	28.02	1174.5	6.432	122.3	
115.	17.254	2808.1	35.800	16.10	28.06	1176.3	6.448	123.0	
120.	16.586	2948.5	36.995	16.37	28.10	1179.4	6.477	124.0	
125.	15.969	3089.1	38.143	16.64	28.15	1183.5	6.516	125.2	
130.	15.398	3230.1	39.249	16.90	28.22	1188.5	6.564	126.7	
135.	14.867	3371.3	40.315	17.15	28.29	1194.2	6.619	128.3	
140.	14.374	3512.9	41.345	17.40	28.36	1200.6	6.680	130.0	
145.	13.914	3654.9	42.341	17.64	28.43	1207.5	6.745	131.8	
150.	13.484	3797.3	43.307	17.86	28.51	1214.8	6.814	133.7	
155.	13.081	3940.0	44.243	18.08	28.59	1222.6	6.887	135.7	
160.	12.703	4083.2	45.152	18.28	28.67	1230.6	6.963	137.9	
165.	12.347	4226.7	46.035	18.48	28.74	1238.9	7.041	140.2	
170.	12.012	4370.6	46.894	18.67	28.81	1247.5	7.121	142.4	
175.	11.695	4514.8	47.730	18.84	28.88	1256.2	7.202	144.7	
180.	11.396	4659.4	48.545	19.00	28.95	1265.1	7.286	147.0	
185.	11.113	4804.3	49.339	19.16	29.02	1274.2	7.371	149.4	
190.	10.844	4949.6	50.114	19.31	29.08	1283.3	7.456	151.7	
195.	10.589	5095.1	50.870	19.44	29.14	1292.6	7.543	154.1	
200.	10.346	5240.9	51.608	19.57	29.19	1301.9	7.631	156.4	
205. 210.	10.114 9.8936	5387.0 5533.3	52.330	19.69 19.81	29.24 29.29	1311.3 1320.7	7.720 7.809	158.8 161.2	
210. 215.	9.6829	5679.9	53.035 53.725	19.91	29.23 29.33	1330.2	7.899	161.2 163.5	
210. 220.	9.4814	5826.7	54.399	20.01	29.38	1339.6	7.989	165.8	
225.	9.2886	5973.6	55.060	20.10	29.41	1349.1	8.080	168.2	
230.	9.1039	6120.8	55.707	20.19	29.45	1358.6	8.171	170.5	
235.	8.9268	6268.1	56.341	20.27	29.48	1368.1	8.263	170.8	
240.	8.7568	6415.6	56.962	20.34	29.51	1377.6	8.355	175.2	
245.	8.5934	6563.2	57.570	20.41	7 29.54	19 1387.1	8.447	177.5	
250.	8.4363	6711.0	58.167	20.48	29.56	1396.6	8.539	179.8	
255.	ns 8.2852	6858.9	talo 58.753	ards/s 20.54 4	8129 29.59	e-4a2 1406.1 8	e-6c6 8.631	754ad/a 182.0 -c	
260.	8.1396	7006.9	59.328	20.60	29.61	1415.5	8.723	184.3	
265.	7.9992	7154.9	59.892	20.65	29.63	1424.9	8.815	186.6	
270.	7.8638	7303.1	60.446	20.70	29.64	1434.3	8.908	188.8	
275.	7.7332	7451.4	60.990	20.74	29.66	1443.7	9.000	191.0	
280.	7.6070	7599.7	61.524	20.78	29.67	1453.0	9.092	193.2	
285.	7.4850	7748.0	62.050	20.82	29.68	1462.3	9.184	195.4	
290.	7.3670	7896.5	62.566	20.86	29.69	1471.6	9.277	197.6	
295.	7.2528	8044.9	63.073	20.89	29.70	1480.8	9.369	199.7	
300.	7.1422	8193.4	63.573	20.92	29.70	1490.1	9.460	201.9	
310.	6.9313	8490.5	64.547	20.97	29.71	1508.4	9.644	206.2	
320.	6.7328	8787.6	65.490	21.01	29.71	1526.6	9.826	210.4	
330.	6.5458	9084.7	66.404	21.05	29.71	1544.6	10.01	215.0	
340.	6.3692	9381.7	67.291	21.07	29.70	1562.5	10.19	219.7	
350.	6.2021 6.0438	9678.7 9975.6	68.152	21.09 21.11	29.69 29.68	1580.3 1597.9	10.37 10.55	224.3 228.9	
360. 370.	6.0438 5.8936	9975.6 10272.	68.988 69.801	21.11 21.12	29.68 29.67	1597.9 1615.4	10.55 10.73	228.9 233.2	
370. 380.	5.7509	10272. 10569.	70.592	21.12 21.13	29.65	1615.4 1632.7	10.73 10.90	233.2 237.7	
390.	5.6151	10865.	70.332 71.362	21.13	29.63	1649.9	10.90 11.08	237.7 242.1	
400.	5.4857	11162.	72.112	21.13	29.62	1666.9	11.26	246.5	
400. 410.	5.3622	11458.	72.843	21.13	29.60	1683.7	11.43	250.4	
410. 420.	5.2443	11754.	73.556	21.13	29.58	1700.4	11.60	254.8	
420. 430.	5.1316	12049.	74.252	21.13	29.57	1717.0	11.78	259.2	
440.	5.0237	12345.	74.932	21.13	29.55	1733.4	11.95	263.7	
450.	4.9203	12640.	75.596	21.13	29.54	1749.6	12.12	268.1	
460.	4.8212	12936.	76.245	21.13	29.53	1765.6	12.29	272.6	
470.	4.7260	13231.	76.880	21.13	29.52	1781.6	12.46	277.1	
480.	4.6346	13526.	77.501	21.14	29.51	1797.3	12.62	281.7	
490.	4.5467	13821.	78.109	21.14	29.50	1812.9	12.79	286.2	

					: I Continued				
T		Н	S	C_{v}	C_p	С	_		
K	mol-l ⁻¹	J-mol -1	J-mol ⁻¹ -K ⁻¹	J-mol -1-K-1	J∙mol -1 ·K-1	m-s ⁻¹	µPa⋅s	mW-m ⁻¹⋅K⁻¹	
				Procei	ure = 50.0 MPa				
50.	41.635	1538.2	7.5188	14.65	20.89	1906.5	18.08	205.4	
55.	40.604	1644.8	9.5510	14.81	21.75	1880.9	16.64	207.0	
	39.570	1755.5					15.45	208.8	
60.			11.476	14.95	22.49	1857.3 1835.2			
65.	38.542	1869.6	13.303	15.08	23.15		14.44	210.6	
70.	37.530	1986.8	15.040	15.21	23.73	1814.2	13.58	211.9	
75.	36.537	2106.7	16.695	15.36	24.25	1794.2	12.85	212.0	
80.	35.569	2229.2	18.275	15.52	24.72	1775.2	12.23	209.2	
85.	34.629	2353.9	19.786	15.71	25.15	1757.1	11.70	204.8	
90.	33.719	2480.6	21.235	15.91	25.54	1740.2	11.25	198.2	
95.	32.840	2609.2	22.626	16.12	25.91	1724.5	10.86	195.1	
100.	31.993	2739.7	23.964	16.35	26.25	1710.1	10.53	192.5	
105.	31.178	2871.8	25.253	16.58	26.57	1697.0	10.28	190.5	
110.	30.395	3005.4	26.496	16.83	26.87	1685.3	10.05	188.8	
115.	29.643	3140.4	27.697	17.07	27.15	1674.8	9.866	187.4	
120.	28.922	3276.9	28.858	17.31	27.41	1665.7	9.706	186.4	
125.	28.231	3414.5	29.982	17.55	27.66	1657.8	9.572	185.6	
130.	27.569	3553.4	31.071	17.79	27.88	1651.1	9.461	185.2	
								184.9	
135.	26.933	3693.3	32.127	18.02	28.10	1645.5	9.369		
140.	26.324	3834.3	33.153	18.24	28.29	1640.9	9.296	184.9	
145.	25.740	3976.2	34.149	18.45	28.48	1637.4	9.239	185.0	
150.	25.180	4119.0	35.117	18.66	28.65	1634.7	9.195	185.3	
155.	24.643	4262.7	36.059	18.86	28.80	1632.9	9.164	185.9	
160.	24.128	4407.1	36.976	19.04	28.95	1631.8	9.144	186.7	
165.	23.632	4552.2	37.869	19.22	29.08	1631.4	9.133	187.5	
170.	23.157	4697.9	38.739	19.39	29.21	1631.7	9.132	188.5	
175.	22.700	4844.2	39.587	19.55	29.32	1632.6	9.138	189.5	
180.	22.260	4991.1	40.415	19.69	29.42	1634.0	9.151	190.7	
185.	21.837	5138.4	41.222	19.83	29.52	1636.0	9.170	191.9	
190.	21.430	5286.3	42.010	19.97	29.61	1638.3	9.19 5	193.2	
195.	21.038	5434.5	42.780	20.09	29.68	1641.1	9.225	194.5	
200.	20.660	5583.1	43.533	20.20	29.75	1644.3	9.260	195.9	
205.	20.295	5732.0	44.268	/ / 20.31	29.82	1647.8	9.299	197.3	
210.	19.944	5881.3	44.988	20.41	29.88	1651.6	9.341	198.8	
215.	19.604	6030.8	45.691	20.50	29.93	1655.8	9.387	200.3	
220.	19.277	6180.5	46.380	20.59	29.98	1660.1	9.435	201.9	
225.	18.960	6330.5	47.054	20.67	30.02	1664.7	9.487	203.4	
230.	18.653	6480.7	47.714	20.75	30.06	1669.6	9.541	205.1	
235.	18.357	6631.1	48.361	20.82	30.09	1674.6	9.597	206.7	
240.	18.070	6781.6	48.995	20.88	30.12	1679.8	9.655	208.4	
245.	17.793	6932.2	49.616	20.94	30.14	2 1685.2	9.715	210.0	
250.	17.524	7083.0	50.225	21.00	30.16	1690.7	9.777	211.7	
255.	os 17.263 an	7233.9	50.823	0 s/s 21.05 48	29 30.18 ee	-4a2 1696.4 8e	-6c6 9.841 75	4ad/ 213.3 -d7	
260.	17.010	7384.8	51.409	21.10	30.20	1702.1	9.905	215.0	
265.	16.765	7535.8	51.984	21.14	30.21	1708.0	9.971	216.7	
270.	16.526	7686.9	52.549	21.18	30.22	1714.0	10.04	218.5	
275.	16.295	7838.0	53.104	21.22	30.23	1720.1	10.11	220.1	
280.	16.070	7989.2	53.648	21.25	30.23	1726.3	10.18	221.8	
285.	15.852	8140.4	54.183	21.28	30.24	1732.6	10.25	223.6	
290.	15.640	8291.5	54.709	21.31	30.24	1738.9	10.32	225.3	
295.	15.433	8442.7	55.226	21.33	30.24	1745.3	10.32	227.0	
300.	15.232	8593.9	55.734	21.36	30.23	1751.8	10.46	228.7	
		8896.2		21.39					
310.	14.846	8896.2 9198.4	56.726 57.685		30.23 30.21	1764.9 1778.1	10.61 10.75	232.3 235.6	
320.	14.480		57.685	21.42					
330.	14.132	9500.4	58.614	21.44	30.19	1791.5	10.90	239.6	
340.	13.801	9802.2	59.515	21.46	30.17	1805.0	11.05	243.6	
350.	13.485	10104.	60.390	21.47	30.14	1818.6	11.20	247.6	
360.	13.184	10405.	61.238	21.47	30.11	1832.3	11.35	251.6	
370.	12.897	10706.	62.063	21.47	30.08	1846.0	11.51	255.3	
380.	12.622	11007.	62.865	21.47	30.05	1859.7	11.66	259.3	
390.	12.359	11307.	63.645	21.46	30.02	1873.5	11.81	263.2	
400.	12.107	11607.	64.404	21.46	29.99	1887.2	11.97	267.1	
410.	11.866	11907.	65.144	21.45	29.95	1901.0	12.12	270.6	
420.	11.634	12206.	65.866	21.44	29.92	1914.6	12.27	274.5	
4 30.	11.411	12505.	66.570	21.43	29.89	1928.3	12.42	278.6	
440.	11.197	12804.	67.257	21.42	29.86	1941.9	12.58	282.6	
450.	10.991	13102.	67.927	21.42	29.84	1955.4	12.73	286.7	
460.	10.793	13401.	68.583	21.41	29.81	1968.9	12.88	290.9	
470.	10.601	13699.	69.224	21.40	29.79	1982.3	13.04	295.0	
	10.417	13997.	69.851	21.40	29.77	1995.7	13.19	299.2	
480.	40.000								
4 80. 4 90. 5 00.	10.239 10.067	14294. 14592.	70.465 71.065	21.39 21.39	29.75 29.74	2009.0 2022.2	13.34 13.49	303.4 307.7	