



SLOVENSKI STANDARD

SIST EN 28673:1996

01-april-1996

Šestrobe matice, tip 1, z metriskim drobnim navojem - Razreda izdelave A in B

Hexagon nuts, style 1, with metric fine pitch thread - Product grades A and B (ISO 8673:1988)

Sechskantmuttern, Typ 1, mit metrischem Feingewinde - Produktklassen A und B (ISO 8673:1988)

iTeh STANDARD PREVIEW

(standards.itteh.ai)
Ecrous hexagonaux, style 1, à filetage métrique à pas fin - Grades A et B (ISO 8673:1988)

[SIST EN 28673:1996](https://standards.itteh.ai/catalog/standards/sist/4f2fbd8-cccd-4ab7-8033-74ba36491e5c/sist-en-28673-1996)

Ta slovenski standard je istoveten z: **EN 28673:1991**

ICS:

21.040.10	Metriski navoji	Metric screw threads
21.060.20	Matice	Nuts

SIST EN 28673:1996

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 28673:1996

<https://standards.iteh.ai/catalog/standards/sist/4f2fcbd8-cccd-4ab7-8033-74ba36491e5c/sist-en-28673-1996>

EUROPEAN STANDARD

EN 28673:1991

NORME EUROPEENNE

EUROPAISCHE NORM

October 1991

UDC 621.882.31

Descriptors : Fasteners, nuts : fasteners, double hexagonal nuts, screw threads, specifications, dimensions, designation

English version

Hexagon nuts, style 1, with metric fine pitch thread - Product grades A and B (ISO 8673:1988)

Ecrous hexagonaux, style 1, à filetage métrique à pas fin - Grades A et B (ISO 8673:1988) Sechskantmuttern, Typ 1, mit metrischem Feingewinde - Produktklassen A und B (ISO 8673:1988)

This European Standard was approved by CEN on 1991-10-10 and is identical to the ISO standard as referred to.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

(c) CEN 1991 Copyright reserved to all CEN members

Ref. No. EN 28673:1991 E

Page 2
EN 28673:1991

FOREWORD

In 1990, ISO 8673:1988 was submitted to the CEN P.Q.-procedure.

Following the positive result of the P.Q., CEN/BT agreed to submit ISO 8673:1988 with the following modifications to Formal Vote.

In the French version, replace :

- "boulon" by "vis partiellement filetée",
- "vis" by "vis entièrement filetée".

In accordance with the Common CEN/CENELEC Rules, the following countries are bound to implement this European Standard :

Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of the International Standard ISO 8673:1988 was approved by CEN as a European Standard with agreed common modifications as given above.

<https://standards.iteh.ai/catalog/standards/sist/4121c6d8-cccc-4ab7-8033-74ba36491e5c/sist-en-28673-1996>

INTERNATIONAL STANDARD

ISO
8673

First edition
1988-04-15



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION
ORGANISATION INTERNATIONALE DE NORMALISATION
МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

**Hexagon nuts, style 1, with metric fine pitch thread —
Product grades A and B**

Écrous hexagonaux, style 1, à filetage métrique à pas fin — Grades A et B

ITeH STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 28673:1996

<https://standards.iteh.ai/catalog/standards/sist/4f2fcbd8-cccc-4ab7-8033-74ba36491e5c/sist-en-28673-1996>

ISO 8673 : 1988 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8673 was prepared by Technical Committee ISO/TC 2, *Fasteners*.

[SIST EN 28673:1996](https://standards.iteh.ai/catalog/standards/sist/42fcbd8-cccd-4ab7-8033-40b691cc3a41/iso-8673-1988)

[https://standards.iteh.ai/catalog/standards/sist/42fcbd8-cccd-4ab7-8033-](https://standards.iteh.ai/catalog/standards/sist/42fcbd8-cccd-4ab7-8033-40b691cc3a41/iso-8673-1988)

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

Hexagon nuts, style 1, with metric fine pitch thread — Product grades A and B

0 Introduction

This International Standard is part of the complete ISO product standard series on hexagon drive fasteners. The series comprises:

- a) hexagon head bolts (ISO 4014, ISO 4015, ISO 4016 and ISO 8765);
- b) hexagon head screws (ISO 4017, ISO 4018 and ISO 8676);
- c) hexagon nuts (ISO 4032, ISO 4033, ISO 4034, ISO 4035, ISO 4036, ISO 8673, ISO 8674 and ISO 8675);
- d) hexagon flanged bolts (ISO 4162 and ISO 8102);
- e) hexagon flanged screws;¹⁾
- f) hexagon flanged nuts (ISO 4161, ISO 7043 and ISO 7044);
- g) structural bolting (ISO 4775 and ISO 7411 to ISO 7417).

1 Scope and field of application

This International Standard gives specifications for hexagon nuts, style 1, with metric fine pitch thread with nominal thread diameters d from 8 mm up to and including 64 mm, with product grade A for sizes d up to and including 16 mm and product grade B for sizes d over 16 mm.

If, in special cases, specifications other than those listed in this International Standard are required, they should be selected from existing International Standards, for example ISO 261, ISO 898-6, ISO 965-2, ISO 3506, ISO 4759-1.

Coarse thread hexagon nuts, style 1, according to ISO 4032 should be the first choice.

NOTE — For hexagon nuts, style 2, with fine pitch thread, see ISO 8674.

2 References


- ISO 225, *Fasteners — Bolts, screws and nuts — Symbols and designations of dimensions.*
- ISO 261, *ISO general purpose metric screw threads — General plan.*
- ISO 898-6, *Mechanical properties of fasteners — Part 6: Nuts with specified proof load values — Fine pitch thread.*
- ISO 965-2, *ISO general purpose metric screw threads — Tolerances — Part 2 : Limits of sizes for general purpose bolt and nut threads — Medium quality.*
- ISO 3269, *Fasteners — Acceptance inspection.*
- ISO 3506, *Corrosion-resistant stainless steel fasteners — Specifications.*
- ISO 4032, *Hexagon nuts, style 1 — Product grades A and B.*
- ISO 4042, *Threaded components — Electroplated coatings.²⁾*
- ISO 4759-1, *Tolerances for fasteners — Part 1: Bolts, screws and nuts with thread diameters > 1,6 and < 150 mm and product grades A, B and C.*
- ISO 8674, *Hexagon nuts, style 2, with metric fine pitch thread — Product grades A and B.*
- ISO 8839, *Mechanical properties of fasteners — Bolts, screws, studs and nuts made of non-ferrous metals.*
- ISO 8992, *Fasteners — General requirements for bolts, screws and nuts.*

1) These will form the subjects of future International Standards.

2) At present at the stage of draft.

3 Dimensions

NOTE — Symbols and designations of dimensions are specified in ISO 225.



Dimensions in millimetres

Thread, $d \times P$	Preferred threads											
	M8 x 1	M10 x 1	M12 x 1,5	M16 x 1,5	M20 x 1,5	M24 x 2	M30 x 2	M36 x 3	M42 x 3	M48 x 3	M56 x 4	M64 x 4
c	max.	0,6	0,6	0,8	0,8	0,8	0,8	0,8	1	1	1	1
	min.	0,15	0,15	0,15	0,2	0,2	0,2	0,2	0,3	0,3	0,3	0,3
d_a	min.	8	10	12	16	20	24	30	42	48	56	64
	max.	8,75	10,8	13	17,3	21,6	25,9	32,4	45,4	51,8	60,5	69,1
d_w	min.	11,63	14,63	16,63	22,49	27,7	33,25	42,75	59,95	69,45	78,66	88,16
	min.	14,38	17,77	20,03	26,75	32,95	39,55	50,85	71,3	82,6	93,56	104,86
e	min.	6,8	8,4	10,8	14,8	18	21,5	25,6	34	38	45	51
	max.	6,44	8,04	10,37	14,1	16,9	20,2	24,3	32,4	36,4	43,4	49,1
m'	min.	5,15	6,43	8,3	11,28	13,52	16,16	19,44	25,92	29,12	34,72	39,28
	min.	4,51	5,63	7,26	9,87	11,83	14,14	17,01	22,68	25,48	30,38	34,37
s	nom. = max.	13	16	18	24	30	36	46	65	75	85	95
	min.	12,73	15,73	17,73	23,67	29,16	35	45	63,1	73,1	82,8	92,8

Table 1 — Preferred threads

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 28673:1996
<https://standards.iteh.ai/catalog/standards/sist/4f27b1e5-c445-4485-7331-74ba36491e5c/sist-en-28673-1996>

Dimensions in millimetres

Table 2 — Non-preferred threads

Thread, $d \times P$	Dimensions in millimetres											
	M10 x 1,25	M12 x 1,25	M14 x 1,5	M18 x 1,5	M20 x 2	M22 x 1,5	M27 x 2	M33 x 2	M39 x 3	M45 x 3	M52 x 4	M60 x 4
c	max.	0,6	0,6	0,8	0,8	0,8	0,8	0,8	1	1	1	1
	min.	0,15	0,15	0,2	0,2	0,2	0,2	0,2	0,3	0,3	0,3	0,3
d_a	min.	10	12	14	18	20	27	33	39	45	52	60
	max.	10,8	13	15,1	19,5	21,6	29,1	35,6	42,1	48,6	56,2	64,8
d_w	min.	14,63	16,63	19,64	24,85	27,7	38	46,55	55,86	64,7	74,2	83,41
	min.	17,77	20,03	23,36	29,56	32,96	45,2	55,37	66,44	76,95	88,25	99,21
m	max.	8,4	10,8	12,8	15,8	18	23,8	28,7	33,4	36	42	48
	min.	8,04	10,37	12,1	15,1	16,9	22,5	27,4	31,8	34,4	40,4	46,4
m'	min.	6,43	8,3	9,68	12,08	13,52	18	21,92	25,44	27,52	32,32	37,12
	min.	5,63	7,26	8,47	10,57	11,83	15,75	19,18	22,26	24,08	28,28	32,48
s	nom. = max.	16	18	21	27	30	41	50	60	70	80	90
	min.	15,73	17,73	20,67	26,16	29,16	40	49	58,8	68,1	78,1	87,8

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 https://standards.iteh.ai/catalog/standards/sist/en-28673-1996/iso-8673-1988
 SIST EN 28673:1996