

FDIS stage

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC/IEEE FDIS 24748-9

https://standards.iteh.ai/catalog/standards/sist/be46e0fc-1f68-4b20-8cbc-e0f78ee30758/isoiec-ieee-fdis-24748-9

© ISO/IEC/IEEE 20222023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO or IEEE at the respective address below or ISO's member body in the country of the requester.

ISO copyright office—Institute of Electrical and Electronics Engineers, Inc CP 401 • Ch. de Blandonnet 8 3 Park Avenue CH-1214 Vernier, Geneva—<u>New York, NY 10016-5997, USA</u> Phone: + 41 22 749 01 11

Fax: +41 22 749 09 47

Email: E-mail: copyright@iso.org Website: www.iso.org

Published in Switzerland

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC/IEEE FDIS 24748-9

https://standards.iteh.ai/catalog/standards/sist/be46e0fc-1f68-4b20-8cbc-e0f78ee30758/isoiec-ieee-fdis-24748-9

© ISO/IEC/IEEE 2023 – All rights reserved © ISO /IEC 2022 – All rights reserved © IEEE 2022 – All rights reserved

iii

ISO/IEC/IEEE FDIS 24748-9:20222023(E) Contents

Forew	ordvii	
Introd	uctionviii	
	Application of system and software life cycle processes in epidemic prevention and control ns	
1	Scope	
2	Normative references	
3	Terms, definitions, and abbreviated terms1	
3.1	Terms and definitions	
3.2	Abbreviated terms2	
4	Conformance	
4.1	Intended usage	
4.2	Full conformance	
4.2.1	Full conformance to outcomes	
4.2.2	Full conformance to tasks	
4.3	Tailored conformance	
5	Key concepts and application	
5.1	General	
5.2	System concepts	
5.2.1	System	
5.2.2	Characteristics of systems for epidemic emergency	
5.2.3	System structure	
5.2.4	Interfacing, enabling, and interoperating systems	
5.2.5	Concepts related to the system solution context	
5.2.6	Product line engineering (PLE)	
5.3	Organization and project concepts	
5.3.1	Organizations	
5.3.2	Organization and project-level adoption	
5.3.3	Organization and collaborative activities	
5.4	Life cycle concepts	
5.4.1	System life cycle model	
5.4.2	System life cycle stages	
5.5	Process concepts	
5.5.1	Criteria for processes	
5.5.2	Description of processes	
5.5.3	General characteristics of processes	
5.5.4	Characteristics of life cycle processes for epidemic emergency systems	
5.6	Processes in this document	
5.6.1	General	
5.6.2	Agreement processes	
5.6.3	Organizational project-enabling processes	
iv iv	© ISO/IEC 2022 – All rights reserved © IEEE 2022 – All rights reserved © ISO/IEC/IEEE 2023 – All rights reserved	

	ISO/IEC/IEEE FDIS 24748-9: 2022 2023(E)		
5.6.4	Technical management processes		
5.6.5	Technical processes		
5.7	System-of-interest concepts		
5.7.1	General		
5.7.2	Relationships between software and system		
5.8	System of systems concepts		
5.8.1	General		
5.8.2	Differences between systems and SoS	12	
5.8.3	Managerial and operational independence		
5.8.4	Taxonomy of SoS	12	
5.8.5	SoS considerations in life cycle stages of a system	12	
5.8.6	Epidemic prevention and control system as an SoS	12	
5.9	Process application		
5.9.1	Overview	13	
5.9.2	Process iteration, recursion, and concurrency	14	
5.9.3	Process views	14	
5.10	Concept and system definition		
5.11	Assurance and quality characteristics		
5.12	Process reference model		
6	System life cycle processes		
6.1	Agreement processes		
6.1.1	Acquisition process		
6.1.2	Supply process	15	
6.2	Organizational project-enabling processes		
6.2.1	Life cycle model management process		
6.2.2	Infrastructure management process		
6.2.3	Portfolio management process		
6.2.4	Human resource management process		
6.2.5	Quality management process		
6.2.6	Knowledge management process		
6.3	Technical management processes		
6.3.1	Project planning processes		
6.3.2	Project assessment and control process		
6.3.3	Decision management process		
6.3.4	Risk management process		
6.3.5	Configuration management process		
6.3.6	Information management process		
6.3.7	Measurement process		
6.3.7	Quality assurance process		
6.4 6.4 1	Technical processes		
© ISO	Business or mission analysis process	23 7	
⊌ IEEI	3 2022 – All rights reserved	I	

ISO/IEC/IEEE FDIS 24748-9: 2022<mark>2023</mark>(E)				
6.4.2 Stakeholder needs and requirements definition process				
6.4.3 System requirements definition process				
6.4.4 Architecture definition process				
6.4.5 Design definition process				
6.4.6 System analysis process				
6.4.7 Implementation process				
6.4.8 Integration process				
6.4.9 Verification process				
6.4.10 Transition process				
6.4.11 Validation process				
6.4.12 Operation process				
6.4.13 Maintenance process				
6.4.14 Disposal process				
Annex A (informative) Issues and concerns of stakeholders in the application of lifecycle processes to epidemic prevention and control systems				
Bibliography				
IEEE notices and abstract				

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC/IEEE FDIS 24748-9

https://standards.iteh.ai/catalog/standards/sist/be46e0fc-1f68-4b20-8<mark>cbc-e0f78ee30758/iso-</mark> iec-ieee-fdis-24748-9

> © ISO/IEC 2022 – All rights reserved © IEEE 2022 – All rights reserved © ISO/IEC/IEEE 2023 – All rights reserved

vivi

I

ISO/IEC/IEEE FDIS 24748-9:20222023(E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

ISO/IEC/IEEE 24748-9 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*, in cooperation with the Systems and Software Engineering Standards Committee of the IEEE Computer Society, under the Partner Standards Development Organization cooperation agreement between ISO and IEEE.

A list of all parts in the ISO/IEC/IEEE 24748 series can be found on the ISO and IEC website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u> and <u>www.iec.ch/national-committees</u>.

vii

Field Code Changed

ISO/IEC/IEEE FDIS 24748-9:20222023(E) Introduction

Many areas have adopted information-based prevention and control measures during an epidemic and have developed numerous epidemic prevention and control systems and software. Most of the processes in the entire life cycle of the epidemic prevention and control systems are likely to be completed in the event of an epidemic. Compared with the normal state, there can be special situations such as poor communication, caused by the need for personnel to maintain a safe distance, and limited transportation and logistics services. The result can be insufficient infrastructure protection, short delivery cycles, frequent iterative upgrades, and special requirements such as accuracy, disaster tolerance, degradation capability, safety, user capacity and stress testing, and rapid demand capture. In the development process of epidemic prevention and control systems, the application of the life cycle processes specified in ISO/IEC/IEEE 15288 and ISO/IEC/IEEE 12207 can effectively help guide the process management and application of epidemic prevention and control systems.

However, for effective and efficient application of system and software life cycle processes on epidemic prevention and control systems, additional application requirements are needed. Requirements specific to the use of the epidemic prevention and control systems that facilitate effective implementation depend on the nature and severity of the epidemic and are not detailed in this document.

This document is consistent with life cycle processes of ISO/IEC/IEEE 15288 or ISO/IEC/IEEE 12207 for application on epidemic prevention and control systems, to help ensure the correct application of stakeholders' requirements for epidemic prevention and control systems. This document includes the required outputs and associated attributes.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC/IEEE FDIS 24748-9

https://standards.iteh.ai/catalog/standards/sist/be46e0fc-1f68-4b20-8cbc-e0f78ee30758/isoiec-ieee-fdis-24748-9

viiiviii

© ISO/IEC 2022 – All rights reserved © IEEE 2022 – All rights reserved © ISO/IEC/IEEE 2023 – All rights reserved

Systems and software engineering— Life cycle management-

_

Part 9: Application of system and software life cycle processes in epidemic prevention and control systems

1 Scope

This document provides requirements and guidance on the application of system and software engineering processes to systems for epidemic prevention and control.

This document provides guidance that can be employed for adopting and applying system and software life cycle processes within an organization or a project in an epidemic emergency. It includes system of systems considerations in the context of epidemic emergency.

This document applies to acquisition, supply, development, operation, maintenance, and disposal (whether performed internally or externally to an organization) of system or system of systems in an epidemic emergency.

Many of the requirements and recommendations in this document are also applicable to other systems developed rapidly to respond to emergency conditions affecting the public.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC/IEEE 12207:2017, Systems and software engineering — Software life cycle processes 8-4b20-8 cbc-c0178ee30758/iso-

ISO/IEC/IEEE 15289, Systems and software engineering — Content of life-cycle information items (documentation)

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO, IEC, and IEEE maintain terminology databases for use in standardization at the following addresses:

— — ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>

— — IEC Electropedia: available at <u>https://www.electropedia.org/</u>

— IEEE Standards Dictionary Online: available at: <u>https://dictionary.ieee.org</u>

NOTE For additional terms and definitions in the field of systems and software engineering, see ISO/IEC/IEEE 24765, which is published periodically as a "snapshot" of the SEVOCAB (Systems and software Engineering Vocabulary) database, and which is publicly accessible at www.computer.org/sevocab.

4

Field Code Changed



¹ Under preparation.

[©] ISO/IEC 2022- All rights reserved

[©] IEEE 2022 – All rights reserved

3.1.1 constituent system CS

independent system (3.1.3(3.1.3)) that forms part of a system of systems (SoS) (3.1.5(3.1.5))

Note 1 to entry: Constituent systems can be part of one or more SoS. Each constituent system is a useful system by itself, having its own development, management, utilization, goals, and resources, but interacts within the SoS to provide the unique capability of the SoS.

[SOURCE: ISO/IEC/IEEE 21839:2019, 3.1.1, modified — The abbreviated term "CS" has been added.]

3.1.2

emergency

serious, unexpected, and often dangerous situation requiring immediate action

3.1.3

system

arrangement of parts or elements that together exhibit a stated behaviour or meaning that the individual constituents do not

[SOURCE: ISO/IEC/IEEE 15288:-, 3.47]

3.1.4

system-of-interest

Sol system (3.1.3(3.1.3) whose life cycle is under consideration [SOURCE: ISO/IEC/IEEE 15288:-, 3.49]

3.1.5

system of systems SoS

set of systems (3.1.3) and system elements that interact to provide a unique capability that none of the constituent systems (3.1.1(3.1.2)) can accomplish on its own

Note 1 to entry: System elements can be necessary to facilitate interaction of the constituent systems in the system of systems.

[SOURCE: ISO/IEC/IEEE 21839:2019, 3.1.4]

3.2 Abbreviated terms

API	application program interface
CWBS	contract work breakdown structure
DT&E	developmental test and evaluation
ESOH	environment, safety, and occupational health
EVM	earned value management
FMECA	failure mode, effects, and criticality analysis
IMP	integrated main plan
IMS	integrated main schedule
IVS	intelligent vision systems
OpsCon	operational concept
2	

2 2

© ISO/IEC 2022- All rights reserved © IEEE 2022 - All rights reserved © ISO/IEC/IEEE 2023 - All rights reserved

PSA	product support analysis
<u>QA</u>	<u>quality assurance</u>
QPS	queries per second
RT	response time
SEMP	systems engineering management plan
SEP	systems engineering plan
SIP	system integration plan
TPS	transactions per second

4 Conformance

4.1 Intended usage

ISO/IEC/IEEE 15288:--, 4.1 or ISO/IEC/IEEE 12207:2017, 4.1 shall apply.

4.2 Full conformance

4.2.1 Full conformance to outcomes

ISO/IEC/IEEE 15288:—, 4.2.1 or ISO/IEC/IEEE 12207:2017, 4.2.1 shall apply with additional outcomes specified in <u>Clause 6-clause 6-.</u>

4.2.2 Full conformance to tasks

ISO/IEC/IEEE 15288:—, 4.2.2 or ISO/IEC/IEEE 12207:2017, 4.2.2 shall apply with additional tasks specified in <u>Clause 6</u>-

4.3 Tailored conformance

ISO/IEC/IEEE 15288:—, 4.3 or ISO/IEC/IEEE 12207:2017, 4.3 shall apply. FDIS 24748-9

In the case of an epidemic, due to the rapid and serious development of the epidemic, the epidemic sector 78ee30758/iso-prevention and control system project should adopt a tailoring process.

5 Key concepts and application

5.1 General

ISO/IEC/IEEE 15288:--, 5.1 or ISO/IEC/IEEE 12207:2017, 5.1 shall apply with the following addition:

For epidemic prevention and control systems, more attention should be paid to the system and process characteristics in the context of an epidemic.

If the epidemic prevention and control system has many constituent systems (CS) and is complex enough to be regarded as a system of systems (SoS) or more than one SoS, then SoS considerations described in ISO/IEC/IEEE 21840 should be taken into account for system life cycle processes.

5.2 System concepts

5.2.1 System

This document refers specifically to systems that are developed, adapted, or deployed during epidemic emergencies, such as pandemics. The systems considered in this document are epidemic prevention and control physical systems, created and utilized to provide products or services in epidemic environments for the prevention and control of epidemics. <u>Annex AAnnex A</u> includes examples of typical epidemic prevention and control systems. These systems can include the following system elements: hardware,

© ISO/IEC/IEEE 2023 – All rights reserved

© ISO/IEC 2022– All rights reserved © IEEE 2022 – All rights reserved

software, data, humans, processes (e.g. processes for providing service to users), procedures (e.g. operator instructions), facilities, services, materials and naturally occurring entities. As viewed by the user, they are thought of as products or services. The systems can be considered as SoS. <u>Clause 6</u>-Clause 6 explains the specific tasks in processes, covering their development, augmentation, implementation, and other stages.

5.2.2 Characteristics of systems for epidemic emergency

5.2.2.1 Joint missions

To bring additional resources to system development, to meet the needs of multiple stakeholders, and to improve interoperability and information sharing, multiple organizations often engage in joint missions during an epidemic emergency. Joint missions can perform system conceptualization, development, implementation, and operation. The goal of joint missions is to share knowledge on epidemic response and preparedness measures implemented in infected regions or countries and to generate recommendations for adjusting epidemic containment and response measures. The system architecture and requirements for components such as database, data sharing, information exchange, system docking using API for external calls, and programming languages should be considered in this context.

EXAMPLE The systems can allow multiple hospitals to share their patient condition status and remaining acceptable capabilities for patients' infectious disease data, used to determine hospital vehicles and patients requiring appropriate care.

5.2.2.2 Infrastructure protection

Infrastructure and facilities are the essential basis for system operation, especially in the context of an epidemic emergency. However, due to the need for epidemic containment, people can suffer social activity limitations and constraints. Thus, transportation and logistics of the supply chain do not work normally, which results in insufficient facilities supply and inadequate infrastructure protection. In this case, the availability and reliable performance related to the epidemic prevention and control system can be greatly affected. An emergency mechanism and solution should be clarified and established.

5.2.2.3 Strengthened data analysis and visualization functions

Systems and methods for visualization of data analysis are valuable to support rapid decision-making based on evidence. In data analysis, generation of descriptive statistics, exploratory data analysis, and confirmatory data analysis methods are utilized. A method comprises accessing a database, analysing the database to identify clusters of data, and generating an interactive visualization, which is used for better risk assessment and decision-making.

In the context of an epidemic emergency, the data analysis of the epidemic prevention and control system and visualization methods should be strengthened, to better present the comprehensive and different dimensions of the epidemic, support epidemic prevention, and control decision-making.

NOTE The D7-R4 method can be applied in case of IVS related processes. D7-R4 stands for a software development life cycle model with seven stages (i.e., discover, dig, describe, design, develop, demonstrate, and deploy) and reviews from four different perspectives (i.e., quality, user/agent experience, ethics, and security).

5.2.2.4 Adequate performance efficiency consideration

4

For an epidemic prevention and control system, performance efficiency requirements should be considered. Some scenarios can require real-time response. For example, consistent with data privacy regulations, health QR code applications can be used to start an application; biometric recognition such as facial recognition can be used for user authentication for the doctors; infrared temperature measurement can be used for the clients. For load-balancing in an epidemic emergency, a capacity planning process is developed, in which the full-scale stress test is key to ensuring smooth operations. The process stage includes pre-system machine capacity estimation, full-scale stress testing, and traffic control. During the tests, consideration of the parameters should be taken, for instance, TPS, QPS, RT and the number of concurrent users.

© ISO/IEC 2022 – All rights reserved © IEEE 2022 – All rights reserved © ISO/IEC/IEEE 2023 – All rights reserved cbc-e0f78ee30758/iso-

NOTE Performance efficiency can be identified as a quality characteristic, including time efficiency and resource efficiency, which are prescribed in ISO/IEC 25010.

5.2.2.5 System resilience capabilities

The system should be capable of working in an unstable environment during an epidemic emergency. In this case, a system resilience plan should be considered in the concept stage. The system should achieve the following capabilities for system resilience \div_1

- In case that internet is not available, the communication should work through other available systems or even through manual ways.
- — Key information should be displayed as a priority during poor internet connection.
- Data should be transmitted by other protocols, e.g. Bluetooth.

5.2.2.6 Disaster recovery capacity

Along with a disaster recovery system, preventive measures should be implemented to avoid crisis situations that have the potential to cause irreparable damage and close down operations indefinitely. Disaster recovery is normally achieved through procedures that backup and restore data, systems, and applications from different locations.

During an epidemic emergency, the systems should be able to function in a decentralized manner, without one central owner. Instead, they use multiple central owners, each of which usually stores a copy of the resources which users can access. For instance, a local health QR code is capable of accessing service by decentralized systems.

5.2.2.7 Balancing trade-offs between privacy protection or security and information transparency

Epidemics have created opportunities for greater transparency through the proactive release of information which can help the containment of disease. However, release of information is contradictory to and imposes risk to the public's data privacy and security.

For protecting data privacy, back deduction by algorithm to personal identification and encryption keys **selected** (7886) (758/180is not allowed. In practice, the real-time infected data should not be provided to the general public.

Data security refers to the process of protecting data from unauthorized access and data corruption throughout the system life cycle. Data security includes data encryption, hashing, tokenization, and key management practices that protect data across all applications and platforms. During an epidemic emergency, sensitive information, for instance personal information, motion trajectory, or close contact, should be handled properly with a firewall security module and multi-level permissions for developers.

5.2.2.8 Data correctness

In an emergency there can be a trade-off between timeliness of data collection and correctness (accuracy) of data. For example, infected persons may be requested to give data about private activities during the past several days, including health status parameters, living place, and visited locations. Correct personal detailed data is useful to find the possible route of infection spread. In some cases, it possibly accelerates emergent prevention actions during an infection, increasing the probability of identifying infected people including pseudo infection. However, over time more correct information should be obtained or verified, enabling users to distinguish between actual infections, non-symptomatic carriers, and increases in severity of cases.

Eventually, the verification of individual infection is based on medical evidence. When the infection data is transmitted, the coverage range and correctness should be predicted. Consideration should also be given to the accuracy and interpretation of predicted data from machine learning systems.

Compared with the value of real-time information transmission, the accuracy of information is more important.

© ISO/IEC/IEEE 2023 – All rights reserved

© ISO/IEC 2022- All rights reserved © IEEE 2022 - All rights reserved EW

NOTE Data correctness is related to data quality characteristics which are prescribed in ISO/IEC 25012.


5.2.2.9 Reduced misalignment of incentives

Misaligned incentives refer to situations where the conflicting incentives of the stakeholder, developer or practitioner involved in life cycle processes hamper achievement of a common intended goal of a system. Putting specific interests ahead of common system interests can turn planned cooperation into opposition and produce poor outcomes, including the failure of epidemic prevention and control. Two of the most common types of misaligned incentives are those in which either a system element's interests are traded off against the system's interests, or long-term interests are traded off against short-term interests.

5.2.3 System structure

ISO/IEC/IEEE 15288:--, 5.2.2 or ISO/IEC/IEEE 12207:2017, 5.2.2 shall apply with the following addition:

The epidemic prevention and control physical system is a complex Sol or SoS, a system element of which can itself be considered as a system, which can comprise the natural system, the governance system, the health system, the logistic system, and the human ecosystem, respectively. Figure 1 Figure 1 illustrates the structure of an epidemic decision system information model, which can be either an Sol or an SoS.



© ISO/IEC 2022 – All rights reserved © IEEE 2022 – All rights reserved © ISO/IEC/IEEE 2023 – All rights reserved




Figure 1 ____ Structure of epidemic decision system information model

5.2.4 Interfacing, enabling, and interoperating systems

ISO/IEC/IEEE 15288:-, 5.2.3 shall apply.

5.2.5 Concepts related to the system solution context

ISO/IEC/IEEE 15288:—, 5.2.4 shall apply.

5.2.6 Product line engineering (PLE)

ISO/IEC/IEEE 15288:—, 5.2.5 shall apply.

<u>ISO/IEC/IEEE FDIS 24748-9</u>

5.3 Organization and project concepts

iec-ieee-fdis-24748-9

5.3.1 Organizations

ISO/IEC/IEEE 15288:--, 5.3.1 or ISO/IEC/IEEE 12207:2017, 5.3.1 shall apply.

5.3.2 Organization and project-level adoption

ISO/IEC/IEEE 15288:---, 5.3.2 or ISO/IEC/IEEE 12207:2017, 5.3.2 shall apply.

5.3.3 Organization and collaborative activities

ISO/IEC/IEEE 15288:—, 5.3.3 shall apply.

5.4 Life cycle concepts

5.4.1 System life cycle model

ISO/IEC/IEEE 15288:--, 5.5.1 or ISO/IEC/IEEE 12207:2017, 5.4.2 shall apply.

5.4.2 System life cycle stages

ISO/IEC/IEEE 15288:—, 5.5.2 or ISO/IEC/IEEE 12207:2017, 5.4.1 shall apply. Figure 2Figure 2 illustrates the interrelationship of the life cycle processes described in this document.

© ISO/IEC/IEEE 2023 – All rights reserved

© ISO/IEC 2022– All rights reserved © IEEE 2022 – All rights reserved