

International Standard

ISO/IEC 33202

First edition

2024-07

Software and systems engineering — Core agile practices

Ingénierie du logiciel et des systèmes — Pratiques agiles essentielles ITeh Standards

(https://standards.iteh.ai)
Document Preview

ISO/IEC 33202:2024

https://standards.iteh.ai/catalog/standards/iso/95f2dba1-0ac6-431t-888a-666dca63cdaf/iso-iec-33202-2024

Reference number ISO/IEC 33202:2024(en)

© ISO/IEC 2024

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 33202:2024

https://standards.iteh.ai/catalog/standards/iso/95f2dba1-0ac6-4316-888a-666dca63cdaf/iso-iec-33202-2024



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Page

Contents

Fore	eword		vii i
Intr	oductio	on	ix
1	Scon	De	1
2	-	mative references	
3		ns and definitions	
4		formance	
	4.1 4.2	Intended usageFull conformance	
5		ceptual foundations	
	5.1 5.2	Practices and processes	
	5.2	Agile practices and concepts	
	5.4	Criteria for practices	
	5.5	Description of practices	
	5.6	Some agile concepts	
	0.0	5.6.1 Cadence	
		5.6.2 Gemba	
		5.6.3 Limiting work in progress	6
6	Core	e agile practices	7
U	6.1	Agreement practice	
	0.1	6.1.1 Purpose	
		6.1.2 Overview	
		6.1.3 Outcomes MS ST2MO2KOS ITAM 21	
	6.2	Acquisition practice	7
		6.2.1 Purpose	
		6.2.2 Overview	
		6.2.3 Outcomes	
	6.3	Supply practice ISO/IEC 33202 2024	
		Purpose Anna Anna Anna Anna Anna Anna Anna Ann	
		6.3.2 Overview	
	6.4	6.3.3 Outcomes Cross-functional team practice	
	0.4	6.4.1 Purpose	
		6.4.2 Overview	
		6.4.3 Outcomes	
	6.5	Feature team practice	
		6.5.1 Purpose	
		6.5.2 Overview	
		6.5.3 Outcomes	g
	6.6	Component team practice	
		6.6.1 Purpose	
		6.6.2 Overview	
		6.6.3 Outcomes	
	6.7	Co-located team practice	
		6.7.1 Purpose	
		6.7.2 Overview	
	6.8		
	0.8	Distributed team practice 6.8.1 Purpose	
		6.8.2 Overview	
		6.8.3 Outcomes	
	6.9	Collective ownership practice	
		601 Purnoca	10

	6.9.2 Overview	10
	6.9.3 Outcomes	11
6.10	Release planning practice	11
	6.10.1 Purpose	
	6.10.2 Overview	
	6.10.3 Outcomes	
6.11	Deployment planning practice	
0.11	6.11.1 Purpose	
	6.11.2 Overview	
	6.11.3 Outcomes	
6.12	Iteration planning practice	
0.12		
	6.12.1 Purpose	
	6.12.2 Overview	
(12	6.12.3 Outcomes	
6.13	Synchronized iteration practice	
	6.13.1 Purpose	
	6.13.2 Overview	
	6.13.3 Outcomes	
6.14	Daily synchronization meeting practice	
	6.14.1 Purpose	
	6.14.2 Overview	
	6.14.3 Outcomes	13
6.15	Cross-team synchronization meeting practice	13
	6.15.1 Purpose	13
	6.15.2 Overview	13
	6.15.3 Outcomes	13
6.16	Product owner synchronization meeting practice	
	6.16.1 Purpose	14
	6.16.1 Purpose 6.16.2 Overview	14
	6.16.3 Outcomes	14
6.17	Value stream mapping practice	14
0.1.	Value stream mapping practice	14
	6.17.2 Overview	14
	6.17.3 Outcomes ISO/IEC 23200-2024	
6.18	Release review practice	
Statica	6.18.1 Purpose	
	6.18.2 Overview	
	6.18.3 Outcomes	
6.19	Iteration review practice	
0.19	1	
	6.19.1 Purpose	
	6.19.2 Overview	
(20	6.19.3 Outcomes	
6.20	Team retrospective practice	
	6.20.1 Purpose	
	6.20.2 Overview	
	6.20.3 Outcomes	
6.21	Program retrospective review practice	
	6.21.1 Purpose	
	6.21.2 Overview	
	6.21.3 Outcomes	
6.22	Program board governance practice	
	6.22.1 Purpose	
	6.22.2 Overview	
	6.22.3 Outcomes	17
6.23	Agile adoption improvement practice	17
	6.23.1 Purpose	
	6.23.2 Overview	
	6.23.3 Outcomes	
6.24	Visual management practice	
		_

	6.24.1 Purpose	18
	6.24.2 Overview	
6 D.F	6.24.3 Outcomes	
6.25	Distributed agile governance practice	
	6.25.1 Purpose	
	6.25.2 Overview	
	6.25.3 Outcomes	
6.26	User stories practice	
	6.26.1 Purpose	
	6.26.2 Overview	
. o=	6.26.3 Outcomes	
6.27	Product backlog elicitation practice	
	6.27.1 Purpose	
	6.27.2 Overview	
6.20	6.27.3 Outcomes	
6.28	Product backlog refinement practice	
	6.28.1 Purpose	
	6.28.2 Overview	
(20	6.28.3 Outcomes	
6.29	User story mapping practice	
	6.29.1 Purpose	
	6.29.2 Overview	
(20	6.29.3 Outcomes	
6.30	Relative estimation practice	
	6.30.1 Purpose	
	6.30.2 Overview	
6 21	6.30.3 Outcomes	
6.31	Active stakeholder participation practice	
	6.31.1 Purpose	
	6.31.2 Overview	
6.32	6.31.3 Outcomes Initial architecture practice	
0.32	6.32.1 Purpose	21
	6.32.2 Overview	21
	6.32.3 Outcomes	
6.33	Intentional architecture practice	
0.55	6.33.1 Purpose	
	6.33.2 Overview	72
	6.33.3 Outcomes	
6.34	Architecture description practice	
0.51	6.34.1 Purpose	
	6.34.2 Overview	
	6.34.3 Outcomes	
6.35	Incremental architecture practice	
0.00	6.35.1 Purpose	
	6.35.2 Overview	
	6.35.3 Outcomes	
6.36	Simple design practice	
	6.36.1 Purpose	
	6.36.2 Overview	
	6.36.3 Outcomes	
6.37	Test-driven development practice	
	6.37.1 Purpose	
	6.37.2 Overview	
	6.37.3 Outcomes	
6.38	Acceptance test-driven development practice	
	6.38.1 Purpose	
	6.38.2 Overview	
	6.38.3 Outcomes	

6.3		26
	6.39.1 Purpose	
	6.39.2 Overview	26
	6.39.3 Outcomes	26
6.40	O Feature-driven development practice	26
	6.40.1 Purpose	
	6.40.2 Overview	
	6.40.3 Outcomes	
6.42		
0.1.	6.41.1 Purpose	
	6.41.2 Overview	
	6.41.3 Outcomes	
6.42		
0.47	6.42.1 Dymogo	
	6.42.1 Purpose	
	6.42.2 Overview	
6.41	6.42.3 Outcomes	
6.43	1 7 1	
	6.43.1 Purpose	
	6.43.2 Overview	
	6.43.3 Outcomes	
6.4	· · · · · · · · · · · · · · · · · ·	
	6.44.1 Purpose	
	6.44.2 Overview	
	6.44.3 Outcomes	28
6.4	5 Continuous documentation practice	29
	6.45.1 Purpose	
	6.45.2 Overview	29
	6.45.3 Outcomes	
6.4		
	6.46.1 Purpose	29
	6.46.2 Overview	29
	6.46.3 Outcomes	29
6.47		30
0.1	6.47.1 Purpose ISO/IEC 33202:2024	30
	6.47.2 Overview	
	6.47.3 Outcomes	
6.49	8 Refactoring practice	
0.40		
	6.48.1 Purpose	
	6.48.2 Overview	
6.44	6.48.3 Outcomes	
6.49	65 1	
	6.49.1 Purpose	
	6.49.2 Overview	
	6.49.3 Outcomes	
6.5	5 01	
	6.50.1 Purpose	
	6.50.2 Overview	31
	6.50.3 Outcomes	31
6.5	1 Feature testing practice	32
	6.51.1 Purpose	32
	6.51.2 Overview	
	6.51.3 Outcomes	
6.5		
0.0	6.52.1 Purpose	
	6.52.2 Overview	
	6.52.3 Outcomes	
6.5		
0.5	6.53.1 Purpose	
	6.53.2 Overview	
	0.33.4	

6.53.3 Outcomes	33
Annex A (Informative) Summary of core agile practices	34
Annex B (informative) Relationship with other standards	35
Annex C (informative) Manifesto for agile software development	39
Annex D (Informative) Application of agile in ISO/IEC/IEEE 12207	41
Bibliography	42

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 33202:2024

https://standards.iteh.ai/catalog/standards/iso/95f2dba1-0ac6-4316-888a-666dca63cdaf/iso-iec-33202-2024

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iso.org/directives<

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and https://patents.iec.ch. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iso.org/members.html</a

Introduction

Many organizations in the software development industry are adopting agile life cycle to adapt to rapidly changing and evolving marketplaces. "Agile" is derived from the Agile Manifesto $^{[10]}$, which was designed to 'uncover better ways of developing software by doing it and helping others do it'. It emerged as an alternative to documentation-driven, heavyweight software development processes. The Agile Manifesto $^{[10]}$ and related values and principles (Annex C) have served as reference for agile practices across many organizations.

Agile development is relative to how each organization interprets the agile values and principles (See <u>Annex C</u>). The agile practices discussed in this document offer a lightweight, adaptive and collaborative development approach based on empiricism with the focus on rapid business-value delivery.

Agile standardization refers to adopting agile practices and concepts across an organization or project for software suppliers, software acquirers, software service providers, large delivery and maintenance projects and system integration engagements having software components.

Standardization of agile practices is useful for the following reasons:

- a) for suppliers: it provides a basis for delivering meaningful products and services;
- b) for acquirers: it provides a basis to differentiate between different suppliers and provides guidance on their role in the development.

The purpose of this document is to catalogue the core agile practices (see Annex A) and concepts demonstrated by organizations or projects. These practices and concepts enable the application of agile in acquisition, supply, development, operation, maintenance and disposal of software systems, products and services.

This document can be used by acquirers, suppliers, developers, integrators, operators, maintainers, managers, quality assurers and users of software systems, products and services, for a range of situations and contexts.

ocument Preview

ISO/IEC 33202:2024

https://standards.iteh.ai/catalog/standards/iso/95f2dba1-0ac6-4316-888a-666dca63cdaf/iso-iec-33202-2024

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 33202:2024

https://standards.iteh.ai/catalog/standards/iso/95f2dba1-0ac6-4316-888a-666dca63cdaf/iso-jec-33202-2024

Software and systems engineering — Core agile practices

1 Scope

This document defines a set of core practices and concepts that have wide acceptance in organizations and industries using agile practices and concepts. This document defines a set of core practices that are present in agile methodologies.

The practices and concepts defined in this document are applicable to a single agile team, as well as to multiple agile teams. These practices and concepts are applicable throughout the life cycle of software systems, products and services.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

acceptance criteria

criteria that a system or component must satisfy in order to be accepted by a user, customer, or other authorized entity

[SOURCE: ISO/IEC/IEEE 24765:2017, 3.32, definition 1]

3.2

agile

approach to development, delivery and maintenance of products and services by enabling rapid response to feedback

Note 1 to entry: The need specification for the software under development is elaborated with specific requirements only when the work is started. This lean principle is meant to avoid waste of work and to provide $agile\ team\ (3.6)$ with means of prioritizing their work.

3.3

agile concept

fundamental building blocks of agile (3.2)

3.4

agile development

software development approach based on iterative development, frequent inspection and adaptation, and incremental deliveries, in which requirements and solutions evolve through collaboration in cross-functional teams and through continuous stakeholder feedback

[SOURCE: ISO/IEC/IEEE 24765:2017, 3.119]

3.5

agile environment

organizational culture, infrastructure, and methodologies that support *agile development* (3.4)

[SOURCE: ISO/IEC/IEEE 26515:2018, 3.2]

3.6

agile team

organization or team using agile development (3.4) methods and approaches

[SOURCE: ISO/IEC/IEEE 26515:2018, 3.3, modified — Note 1 to entry has been removed.]

3.7

architecture

fundamental concepts or properties of an entity in its environment and governing principles for the realization and evolution of this entity and its related life cycle *processes* (3.21)

[SOURCE: ISO/IEC/IEEE 42010:2022, 3.2]

3.8

architecture description

work product used to express an architecture (3.7)

[SOURCE: ISO/IEC/IEEE 42010:2022, 3.3, modified — The abbreviated term and notes to entry have been removed.]

3.9

backlog

collection of features or stories of both functional and non-functional requirements that are typically sorted in an order based on value priority

Note 1 to entry: Backlog traditionally means things that are not completed.

3.10

continuous delivery

software engineering *practices* (3.20) that allow for frequent releases of new systems (including software) to staging or various test environments through the use of automated tools

[SOURCE: ISO/IEC/IEEE 32675:2022, 3.1]

3.11

continuous deployment

automated *process* (3.21) of deploying changes to production by verifying intended features and validations to reduce risk

[SOURCE: ISO/IEC/IEEE 32675:2022, 3.1]

3 12

continuous improvement

ongoing cycle of identification, implementation and evaluation of changes to how *practices* (3.20) are used that strengthen the ability of an organization or project to meet its objectives

3.13

definition of done

DoD

statement on the required quality attributes that work meets before the work completes a specified life cycle activity or task and is ready for use

3.14

definition of ready

statement on the required quality attributes a backlog (3.9) item or other work product meets before it starts a specified activity or task

3.15

gemba

observation of work processes (3.21) actually in use

3.16

improvement backlog

intentional, emergent, ordered list of items of how to make improvements

3.17

increment

tested, deliverable version of a software product that provides new or modified capabilities

3.18

iteration

short time frame in which a set of software features is developed, leading to a working product that can be demonstrated to stakeholders

Note 1 to entry: Some agile (3.2) methodologies are not based on iterations.

[SOURCE: ISO/IEC/IEEE 26515:2018, 3.10, modified — The original note 1 to entry has been removed; note 2 to entry has been renumbered as note 1 to entry.]

3.19

iteration backlog

subset of a *backlog* (3.9) chosen for inclusion in the current *iteration* (3.18)

3.20

practice

way of consistently performing activities that contributes to achieving a specific purpose

3.21

process

set of interrelated or interacting activities that transforms inputs into outputs

[SOURCE: ISO/IEC/IEEE 12207:2017, 3.1.33]

3.22

product backlog teh.ai/catalog/standards/iso/95f2dba1-0ac6-4316-888a-666dca63cdaf/iso-iec-33202-2024

prioritized listing of product requirements

3.23

product owner

designated stakeholder accountable for defining and accepting outcomes of the work and managing backlog (3.9), while aligning with the stakeholder needs

3.24

release backlog

subset of *product backlog* (3.22) planned for the next release

3.25

statement of work

statement of the expected outcomes and outline of the work required to achieve the outcomes

Note 1 to entry: Statement of work is unique and distinct for each project and often provides a measurable definition of done (3.13). It is usually a contractual document prepared during project initiation and planning that describes what outcomes are expected and outlines the work required to achieve these outcomes.

3.26

testing pyramid

graduated series of tests which includes many simple and automated tests (unit tests) with less frequent integration tests and few lengthy end-to-end or manual tests

3.27

user story

brief description of desired functionality

Note 1 to entry: User story can describe the stakeholder roles, goals, benefits, and motivation

Note 2 to entry: Work in backlog can be referred in other ways like epics, features

3.28

working agreement

statement of the expected working relationship between two or more parties in an agile environment

EXAMPLE Between members of an *agile team* (3.6), between acquirer and supplier, or between multiple agile teams.

4 Conformance

4.1 Intended usage

The requirements in this document are contained in <u>Clause 6</u>. This document provides requirements for agile practices suitable for usage by an organization or project. Particular projects or organizations may need only some of the practices provided by this document. Therefore, implementation of this document typically involves selecting and declaring a set of practices suitable to the organization or project. Claiming full conformance asserts that all of the required outcomes of the declared set of practices are achieved.

NOTE An organization (e.g. national or industrial association or company) imposing this document as a condition of trade can specify and make public the minimum set of required practices, and outcomes which constitute suppliers' compliance with the conditions of trade.

4.2 Full conformance (https://standards.iteh.ai)

A claim of full conformance declares the set of practices for which conformance is claimed. Full conformance to outcomes is achieved by demonstrating that all of the outcomes of the declared set of practices have been achieved.

ISO/IEC 33202:2024

5 ps**Conceptual foundations** ndards/iso/95f2dba1-0ac6-4316-888a-666dca63cdaf/iso-iec-33202-2024

5.1 Practices and processes

Processes are often considered as a high-level view of the organization or project's activities. These activities require the allocation of resources such as people, tools and materials. Every process has a clearly identified input and output. Such inputs and intended outputs can be tangible or intangible.

Practices are pragmatic actions that are repeatable, regular and recognizable in a context. They describe what really happens rather than what is expected to happen. A practice can be considered as a sound way of working on a problem so that a certain specified quality results in the solution. A practice is a way of consistently performing activities that contributes to achieving a specific purpose. The specifics of the practice are left to the individual or team who make the practice work based on their knowledge and skills.

<u>Figure 1</u> depicts key concepts pertaining to practices and processes.