

Technical Specification

ISO/IEC TS 7339

Information technology — Cloud computing — Overview of platform capabilities type and platform as a service Teh Standards

Technologies de l'information — Informatique en nuage — Vue d'ensemble des types de ressources et des services de plateformes à la demande

First edition 2024-12

iteh.ai)

ISO/IEC TS 7339:2024

https://standards.iteh.ai/catalog/standards/iso/03b52aa8-0ffa-4e69-b3f4-7d9080da0539/iso-iec-ts-7339-2024

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC TS 7339:2024

https://standards.iteh.ai/catalog/standards/iso/03b52aa8-0ffa-4e69-b3f4-7d9080da0539/iso-iec-ts-7339-2024



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents				
Fore	word		vi	
Intro	duction	n	vii	
1	Scope	e	1	
2	-	native references		
		ns and definitions		
3				
4		eviated terms		
5		view of platform capabilities type		
	5.1 5.2	General Evaporation of conclusions		
	5.2	Examples of capabilitiesCapabilities not included in the platform capabilities type		
	5.4	The legal status of CSC-provided code as customer data		
	5.5	Intellectual property considerations		
	5.6	Cloud service agreement elements for the platform capabilities type		
6	The c	cloud service developer sub-role (CSD)	7	
	6.1	The definition of cloud service developer	7	
	6.2	CSD activities	7	
	6.3	CSDs and the CSC application code lifecycle		
7	Platfo	orm as a Service (PaaS) concepts	8	
	7.1	PaaS as a cloud service category		
	7.2	Benefits of choosing PaaS	88	
		7.2.1 General 7.2.2 Reduced maintenance 7.2.2		
		7.2.3 Scalability		
		7.2.4 Access to advanced features		
	7.3	The "fuzzy" boundaries between IaaS, PaaS, and SaaS		
		7.3.1 General		
		7.3.2 IaaS vs PaaS		
		7.3.5 Relevance of the boundaries		
		7.3.6 Selective use of the boundaries		
		7.3.7 Implications		
	7.4	Common functions included within a PaaS		
		7.4.1 General Documentation of CSP-provided interfaces		
		7.4.2 Documentation of CSP-provided interfaces 7.4.3 CSC-provided code lifecycle management		
		7.4.4 Identity and access management (IAM)		
		7.4.5 Message queuing		
		7.4.6 Load balancing		
	7.5	Life-cycle of a CSC application on PaaS		
		7.5.1 General 7.5.2 Conceptualisation 7.5.2		
		7.5.2 Conceptualisation		
		7.5.4 Code development		
		7.5.5 Application integration		
		7.5.6 Staging and Deployment of an application on PaaS	15	
		7.5.7 Operation of an application on PaaS		
		7.5.8 Scaling of an application on PaaS		
		7.5.9 Maintenance of an application running on PaaS7.5.10 Disposal of an application running on PaaS		
		7.5.10 Disposar of an application running on Faas		
	7.6	Evolution of a PaaS cloud service implementation over time		

	7.7	The use of PaaS to build SaaS offerings for others	17	
8	Architectures for PaaS			
	8.1	PaaS as a category of pure platform cloud service	17	
		8.1.1 General		
		8.1.2 General layering	18	
		8.1.3 Generic architecture for PaaS cloud services		
		8.1.4 Example illustration of the generic PaaS architecture using Kubernetes	19	
	8.2	Microservice architectures	20	
	8.3	Native PaaS		
	8.4	PaaS over an IaaS		
	8.5	PaaS within a SaaS		
	8.6	PaaS linked with a SaaS		
	8.7	User interfaces for PaaS	21	
9	Serverless architectures			
	9.1	General		
	9.2	Function as a Service (FaaS)		
	9.3	Stateless functions	22	
10	Applications that leverage cloud native computing			
	10.1	Background	23	
	10.2	Intended Advantages		
	10.3	Orchestration		
	10.4	Architecture	23	
11	General considerations for platform capabilities and PaaS			
	11.1	General General		
	11.2	Auditability		
	11.3	Availability	24	
	11.4	Governance Attack Attack and a real and a re	24	
	11.5	Interoperability	24	
	11.6	Maintenance and Versioning	25	
	11.7	Performance Pocument Fileview	25	
	11.8	Portability		
	11.9	Protection of PII (privacy)		
	11.10	11X 119:11 31/103131100/X1311013110X1X0/UADAAAA-UHA-44EDA-DAT4- /113UAUNAUAAAAAAA		
	11.11	Resiliency	25	
		Reversibility		
	11.13	Security		
		11.13.1 General		
		11.13.2 Malware avoidance		
	11 11	11.13.3 Code access to resources		
		Service levels and service level agreements Sustainability		
		, and the second		
12	Portability between PaaS Cloud services			
	12.1	General		
	12.2	Endpoint identification		
	12.3	Portability-ready development		
	12.4	Addressing "Exit strategy" requirements		
	12.5 Portability through container orchestration			
13		ed technologies and platform capabilities type		
	13.1	General		
	13.2	Artificial Intelligence (AI)		
	13.3	PaaS and generative AI		
	13.4	Quantum Computing (QC)	30	
14	Other	cloud services exhibiting the platform capabilities type		
	14.1	General	31	
	14.2	Table of examples	31	

15	Recommendations for CSPs and CSCs		31
	15.1		
	15.2	Performance reporting	
		Security reporting	
		Accessibility of CSD-created user interfaces	
Annex	A (In	formative) Platform as a Service in a multiple CSP environment	33
Annex B (Informative) Example of cloud native computing using Docker and Kubernetes			36
Biblio	granh	V	38

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC TS 7339:2024

https://standards.iteh.ai/catalog/standards/iso/03b52aa8-0ffa-4e69-b3f4-7d9080da0539/iso-iec-ts-7339-2024

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iso.org/directives<

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and https://patents.iec.ch. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 38, *Cloud computing and distributed platforms*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iso.org/members.html</a

Introduction

Many cloud services allow a cloud service customer (CSC) to develop, upload, and execute their own code, rather than uploading a complete virtual machine image, or being confined to software provided by the cloud service provider.

This ability to write and execute their own code allows CSCs and others to develop or customise their own applications without having to run their own private datacentres, and without having to install, patch and manage operating systems and other elements typically required in legacy IaaS services. This approach allows the CSC to concentrate on the code that directly meets their business need rather than having to create a lot of peripheral code just to make things work.

While some cloud services are specifically designed as Platform as a Service (PaaS) wherein the execution of CSC-provided code is the primary purpose of the cloud service, others include a greater or lesser amount of "platform capabilities type" as a feature or supplement to the main function of the cloud service. These platform capabilities can be as basic as telephone call routing scripts or database stored procedures or can be as extensive as large function libraries or microservices for use in other applications. The full range of possibilities is too extensive to list exhaustively and is constantly growing as new ideas emerge.

In addition, the world of cloud computing is seeing wholly new developments and technologies added all the time. Many of these include the execution of CSC-provided code, or its equivalent for a different paradigm. For example, Artificial Intelligence (AI) services (e.g. machine learning) can be deployed as cloud services, and in this case the "CSC-provided code" can include both training data and procedural code. As another example, the world is preparing for the availability of Quantum Computing (QC) technology which (like AI) will probably be exposed to CSCs as various forms of cloud services. Both AI and QC technologies appear as services that can be incorporated within more traditional application designs, thus contributing their specialised and unique capabilities.

It is therefore useful to describe both the purpose-built PaaS concept, and the more general "platform capabilities type" as it appears in other cloud services beyond PaaS. This document explains the differences between PaaS and other services, the types of CSC-provided code that such platforms can support, the general approaches to development of code for such services, common platform architectural approaches, and how cloud computing platforms can support new technology paradigms such as AI and QC in a consistent manner.

In particular, this document provides an introduction to the "cloud native computing" concept as a pattern of platform capabilities type, providing an architectural pattern that is focused on cloud-first development and that offers greater flexibility and modularity than many older software design patterns.

It is also important to define some general recommendations to promote good practice in the provision and use of digital technology platforms of these kinds especially with respect to transparency of platform service offerings to existing and potential CSCs.

Throughout this document, unless otherwise explicitly stated, the term "platform" is always used in the engineering sense, specifically referring to the "digital technology platform" in accordance with ISO/IEC TS 5928 as implemented in cloud services, edge services, mobile services, and other distributed platforms.

The common engineering usage of "digital technology platform" includes:

- operating systems,
- "platform as a service" cloud services in accordance with ISO/IEC 22123-1,
- other cloud services that exhibit "platform capabilities type" in accordance with ISO/IEC 22123-2.

As such, this usage of platform refers to cloud services that enable a CSC to create and maintain their own hosted application, rather than using digital technology for the creation of a multi-sided market as typically used by economists and competition regulators.

However, as described in ISO/IEC TS 5928, some types of cloud services (typically various forms of SaaS) that are implemented on top of the digital technology platform can also exhibit the characteristics of

a digital economic platform by creating a multi-sided market. Such SaaS implementations by CSCs of the digital technology platform are generally outside the control and responsibility of the digital technology platform service operator.

The intended audience for this document is:

- businesses considering the use of technology platform capabilities for new cloud applications (both as CSDs and as purchasers of installable cloud software)
- for those seeking to understand or describe the various cloud application development options available
- for those seeking to clearly describe digital technology platform services that they offer to CSCs
- for those developing governmental or procurement policies covering CSC-provided cloud applications
- those developing other standards that need to reference cloud technology platform capabilities and approaches.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC TS 7339:2024

https://standards.iteh.ai/catalog/standards/iso/03b52aa8-0ffa-4e69-b3f4-7d9080da0539/iso-iec-ts-7339-2024

Information technology — Cloud computing — Overview of platform capabilities type and platform as a service

1 Scope

Within the context of digital technology platforms as defined in ISO/IEC TS 5928, this document provides:

- a description of the concepts of the platform capabilities type as it appears in various cloud service categories;
- a description of the specific cloud service category of platform as a service (PaaS);
- descriptions of common technology platform architectures, development approaches, and life cycles of elements of technology platform services, including a high-level description of the popular cloud native computing concept;
- recommendations for cloud services that include platform capabilities, including but not limited to PaaS.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

 ${\tt ISO/IEC~22123-1}, \textit{Information technology} - \textit{Cloud computing} - \textit{Part~1: Vocabulary}$

ISO/IEC/TS 5928, Taxonomy for digital platforms

3 ps Terms and definitions tandards/iso/03b52aa8-0ffa-4e69-b3f4-7d9080da0539/iso-iec-ts-7339-2024

For the purposes of this document, the terms and definitions given in ISO/IEC 22123-1, ISO/IEC/TS 5928 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

platform capabilities type

cloud capabilities type in which the cloud service customer can deploy, manage and run customer-created or customer-acquired applications using one or more programming languages and one or more execution environments supported by the cloud service provider

Note 1 to entry: In this context "applications" can include programs, software components (such as containers, code, function libraries, and microservices, etc.), unfinished or incomplete programs (such as test versions or prototypes), and other forms of source code or executable software code artefacts, with or without a user interface being included.

Note 2 to entry: This does not include any minimal scripting capability internal to a single application, such as simple macros within a spreadsheet.

[SOURCE: ISO/IEC 22123-1:2023, 3.5.4, modified — Notes 1 and 2 to entry have been added.]

3.2

CSC-provided code

software code artefacts created by CSDs acting on the CSC's behalf, that are designed to execute within a cloud service to meet the needs of the CSC

Note 1 to entry: Such code artefacts can be supplemented by data or metadata.

Note 2 to entry: The CSDs creating the code can be employees or contractors of the CSC, or of another organization such as a vendor, partner, or contractor to the CSC.

3.3

metadata

data that defines and describes other data

Note 1 to entry: Metadata can include many different kinds of attributes of the data it describes. Some metadata fields are almost universal, such as date of creation and last change, type of file or object, permissions, and ownership. Other metadata can be specific to the type of object, such as the camera settings of a digital image, the author's name for a document, the version of a code artefact, etc.

Note 2 to entry: Some metadata may be directly attached to (or embedded within) the data to which it relates and will always move with it. Other metadata may be stored separately and associated with the data by reference or other means.

[SOURCE: ISO/IEC 11179-3:2022, 3.2.30, modified — The notes to entry have been added.]

3.4

cloud native

cloud native computing

approach and practices for developing, deploying, and running applications and services in cloud computing systems with specific **platform capabilities type** which offer features such as functional decomposition, containerization, orchestration, microservices for applications, automation, monitoring and logging, and continuous operation

Note 1 to entry: Additional tools and technologies that support these capabilities include DevOps, CI-CD tools, automation of orchestration etc., which individually and collectively, enable autoscaling, resilience, superior performance, ease of portability and interoperability and ease of maintenance among other benefits.

Note 3 to entry: This approach contrasts with more traditional virtualisation-based approaches based largely on customer-managed Virtual Machines.

Note 4 to entry: See also Clause 10.

3.5

jurisdiction

geographical or corporate area over which a cloud computing policy extends

Note 1 to entry: In a government policy context this will generally be the geographical area over which the body enacting the policy has legal authority either as government or as authorised regulator. However, in an enterprise or government agency environment, the jurisdiction of a policy might cover a business function, department, agency, or other organisational area of responsibility not tied to geography.

[SOURCE: ISO/IEC TR 22678:2019, 3.2]

3.6

cloud service developer

sub-role of the cloud service partner role, with the responsibility for designing, developing, testing and maintaining the implementation of software that is either part of a cloud service, or is designed to run on a cloud service

Note 1 to entry: The cloud service developer sub-role can be performed by any party, including CSN, CSP, and CSC.

Note 2 to entry: Normally software that is part of a cloud service will only be developed by a CSD under the control of the CSP. Software that runs on top of a cloud service can be developed by a CSD under the control of a CSC (e.g. for IaaS or PaaS).

Note 3 to entry: This definition supersedes the definition in ISO/IEC 22123-1:2023, 3.3.13.

Abbreviated terms 4

ΑI artificial intelligence

API application programming interface

CaaS communications as a service

CaaS container as a service

CDM cloud deployment model

CPU central processing unit

CSA cloud service agreement

CSC cloud service customer

CSD cloud service developer

CSN cloud service partner

cloud service provider **CSP** tps://standards.iteh.ai)

cloud service user **CSU**

database as a service **DBaaS**

DSaaS data storage as a service

FaaS /stand function as a service tandards/iso/03b52aa8-0ffa-4e69-b3f4-7d9080da0539/iso-iec-ts-7339-2024

FPGA field programmable gate array

GPU graphics processing unit

IaaS infrastructure as a service

IAM identity and access management

IDaaS identity as a service

IoT internet of things

ISV independent software vendor

LLM large language model

MI. machine learning

MLaaS machine learning as a service

NaaS network as a service

PaaS platform as a service

PII personally identifiable information

QC quantum computing

QCaaS quantum computing as a service

SaaS software as a service

SBoM software bill of materials

SQL structured query language

UI user interface

W3C World Wide Web Consortium

WCAG web content accessibility guidelines

5 Overview of platform capabilities type

5.1 General

The definition of "platform capabilities type" means supporting the execution of CSC-provided software code written in a programming language, whether the code is written by the CSC themselves or obtained from another CSD (see <u>5.6</u>), or perhaps from an open-source project. This can also include pre-compiled code provided (created or purchased) by the CSC, such as bytecode, libraries, container images, or microservices as described in ISO/IEC TS 23167.

NOTE This document considers platform capabilities in a top-down sense and shows how they fit within the bigger picture of cloud services in general. By contrast ISO/IEC/TS 23167 took a more bottom-up approach, looking at specific technologies and techniques individually rather than showing how they relate to one another or to the bigger picture. As such, ISO/IEC/TS 23167 remains a useful reference for the details of some specific technologies, though some of it has been somewhat overtaken by advances in technology and concepts since it was published. The two documents do not conflict, but they are written from different viewpoints of the topics under discussion.

5.2 Examples of capabilities dards/iso/03b52aa8-0ffa-4e69-b3f4-7d9080da0539/iso-iec-ts-7339-2024

Capabilities falling within the platform capabilities type include but are not limited to:

- a) Capabilities to write, upload, compile, execute, monitor, and debug their own programming code within the service:
- Execution of CSC-provided code that operates on cloud data storage, such as SQL stored procedures for a cloud database (DBaaS);
- c) The provision of APIs that allow CSC-provided code to access functions and capabilities offered by the cloud service. For example:
 - 1) Connection routing APIs for Network as a Service (NaaS);
 - 2) Call routing APIs for customer-support via Communication as a Service (CaaS);
- d) The provision of APIs that allow CSC-provided code to communicate with external software functions either within the same cloud service or elsewhere:
- e) The provision of APIs that allow CSC-provided code to construct and offer one or more user interfaces for communication with human users;
- f) The provision of APIs that allow CSC-provided code to construct and expose one or more CSC-defined APIs for communication with other software applications or cloud services;