

~~ISO/TC 249~~

~~Date: 2023-03-28~~

ISO/FDIS 7450:2023(E)

ISO/TC 249

Secretariat: SAC

Traditional Chinese medicine — *Pinellia ternata* tuber

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/FDIS 7450

<https://standards.iteh.ai/catalog/standards/sist/399b42d4-4899-45da-9fd6-8da184c1e5d4/iso-fdis-7450>

Edited DIS -
MUST BE USED
FOR FINAL
DRAFT

Copyright notice

~~This~~ Date: 2023-07-03

iTeh STANDARD PREVIEW (standards.itech.ai)

ISO/FDIS 7450

<https://standards.itech.ai/catalog/standards/sist/399b42d4-4899-45da-9fd6-8da184c1e5d4/iso-fdis-7450>

Edited DIS -
MUST BE USED
FOR FINAL
DRAFT

~~© ISO document is a working draft 2023.~~

~~All rights reserved. Unless otherwise specified, or committee draft and is copyright protected by ISO. While required in the reproduction context of working drafts or committee drafts in any form for use by participants in the ISO standards development process is permitted without prior permission from ISO, neither its implementation, no part of this document nor any extract from its publication may be reproduced, stored, or utilized otherwise in any form or transmitted in any form for any other purpose by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission from ISO. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.~~

~~ISO Copyright Office~~

~~CP 401 • CH-1214 Vernier, Geneva~~

~~Phone: + 41 22 749 01 11~~

~~Email: copyright@iso.org~~

~~Website: www.iso.org Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ISO's member body in the country of the requester:~~

~~[Indicate the full address, telephone number, fax number, telex number, and electronic mail address, as appropriate, of the Copyright Manger of the ISO member body responsible for the secretariat of the TC or SC within the framework of which the working document has been prepared.]~~

~~Reproduction for sales purposes may be subject to royalty payments or a licensing agreement.~~

~~Violators may be prosecuted.~~

~~Published in Switzerland.~~

ISO/FDIS 7450

<https://standards.iteh.ai/catalog/standards/sist/399b42d4-4899-45da-9fd6-8da184c1e5d4/iso-fdis-7450>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Contents	Page
Foreword.....	7
Introduction	8
1 Scope.....	1
2 Normative references	1
3 Terms and definitions.....	1
4 Description	2
5 Quality and safety requirements and recommendations.....	4
5.1 General characteristics.....	4
5.2 Morphological features of the tuber.....	4
5.2.1 Raw <i>Pinellia ternata</i> tuber.....	4
5.2.2 Licorice-lime-water-processed <i>Pinellia ternata</i> tuber	4
5.2.3 Ginger-alum-processed <i>Pinellia ternata</i> tuber	4
5.2.4 Alum-processed <i>Pinellia ternata</i> tuber	4
5.3 Microscopical characteristics.....	5
5.3.1 Raw <i>Pinellia ternata</i> tuber.....	5
5.3.2 Processed <i>Pinellia ternata</i> tuber	6
5.4 Moisture	7
5.4.1 Raw <i>Pinellia ternata</i> tuber.....	7
5.4.2 Processed <i>Pinellia ternata</i> tuber	7
5.5 Total ash.....	7
5.5.1 Raw <i>Pinellia ternata</i> tuber.....	7
5.5.2 Licorice-lime-water-processed <i>Pinellia ternata</i> tuber	7
5.5.3 Ginger-alum-processed <i>Pinellia ternata</i> tuber	7
5.5.4 Alum-processed <i>Pinellia ternata</i> tuber	7
5.6 Water-soluble extract	7
5.6.1 Raw <i>Pinellia ternata</i> tuber.....	7
5.6.2 Processed <i>Pinellia ternata</i> tuber	7
5.7 Thin-layer chromatogram identification.....	7
5.8 Alum.....	7
5.8.1 Ginger-alum-processed <i>Pinellia ternata</i> tuber	7
5.8.2 Alum-processed <i>Pinellia ternata</i> tuber	7
5.9 Heavy metal.....	7
5.10 Pesticide residue	7
5.11 Sulfur dioxide	8
5.12 Microbial contamination.....	8
5.13 Grading information.....	8
6 Sampling.....	8
7 Test methods.....	8
7.1 Macroscopic identification	8
7.2 Determination of moisture content.....	8
7.3 Determination of total ash content.....	8
7.4 Water-soluble extractives.....	8
7.5 Thin-layer chromatogram identification.....	8
7.6 Determination of alum contents.....	8
7.7 Determination of heavy metals contents.....	8
7.8 Determination of pesticide residues contents.....	8
7.9 Determination of sulfur dioxide contents	8

ISO/FDIS 7450:2023(E)

7.10	Determination of microbial contamination	8
8	Test report	9
9	Packaging, storage and transportation	9
10	Labelling	9
Annex A (informative)	Determination of water-soluble extractives	10
Annex B (informative)	Thin-layer chromatogram identification	11
Annex C (informative)	Determination of alum contents	13
Annex D (informative)	Example of traditional grades information of <i>Pinellia ternata</i> tuber	14
Annex E (informative)	Referenced values of raw and processed <i>Pinellia ternata</i> tuber in different countries and regions	15
Bibliography		17

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/FDIS 7450

<https://standards.iteh.ai/catalog/standards/sist/399b42d4-4899-45da-9fd6-8da184c1e5d4/iso-fdis-7450>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

~~Attention is drawn to the possibility that some of the elements of this document may involve the use of a patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see -).~~

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 249, *Traditional Chinese medicine*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Pinellia ternata tuber, the dried tuber of *Pinellia ternata* (Thunb.) Breit. (Fam. Araceae), has a long history of medicinal use in China, Japan, Korea and other Southeast Asian countries. *P. ternata* tuber is commonly used for drying dampness, resolving phlegm, and descending counterflow to relieve nausea and vomiting.

Owing to its effectiveness, there has recently been an increasing demand for *P. ternata* tuber in China and worldwide. According to data from ~~China~~ Chinese customs, the average annual demand for *P. ternata* tuber from 2015 to 2019 was about 1 800 tons and overseas trade counts for as much as ~~USD~~ 1 million per year. *P. ternata* tuber is ranked no. 3 in the priority list of single herbal medicines for developing standards (see ISO/TR 23975).

P. ternata tuber has a pungent taste with a numbing and irritating sensation in the gastrointestinal mucosa, throat and oral cavity. Its properties are warm, pungent and toxic. Indeed, unprocessed *P. ternata* tuber, or its insufficiently boiled decoction, causes acrid irritation of the oral and laryngopharynx mucosa when taken by mistake. The toxicity and side effects of raw *P. ternata* tuber can be reduced dramatically with proper processing and dose control. Three kinds of processed *P. ternata* tuber with different processing methods are available and traded on the market, as well as applied in clinical treatments: liquorice-limewater-processed *P. ternata* tuber, ginger-alum-processed *P. ternata* tuber and alum-processed *P. ternata* tuber. However, a unified International Standard ~~of~~ regarding the characteristics of and test methods for raw and processed *P. ternata* tuber is not yet available. The regulatory authorities in many countries have not adequately differentiated high-toxic forms of *P. ternata* tuber from less-toxic forms (or even non-toxic forms). Additionally, the quality of raw and processed *P. ternata* tuber provided from different areas varies a lot. Therefore, an International Standard for raw and processed *P. ternata* tuber in terms of quality control of this herb and its products is urgently required to ensure the safe use of these medicinal materials.

This document aims to build a systematic and practical International Standard for *P. ternata* tuber to control and supervise its stable quality, to ensure its safe and effective application in clinics, to regulate the trade in the global market and to reduce cases of Pinellia poisoning.

As national implementation can differ, national standards bodies are invited to modify the values given in 5.4, 5.5 and 5.8 in their national standards. Examples of national and regional values are given in Annex E.

Traditional Chinese medicine — *Pinellia ternata* tuber

1 Scope

This document specifies the quality and safety requirements and test methods of *Pinellia ternata* tuber, including raw and processed *Pinellia ternata* tuber [dried tuber of *Pinellia ternata* (Thunb.) Breit.].

This document does not cover processing methods of *Pinellia ternata* tuber ~~are excluded~~.

This document is applicable to raw and processed *Pinellia ternata* tuber that are sold and used as natural medicines in international trade, including Chinese materia medica (whole medicinal material) and decoction pieces derived from this plant.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 18664, *Traditional Chinese Medicine — Determination of heavy metals in herbal medicines used in Traditional Chinese Medicine*

ISO/TS 21310, *Traditional Chinese medicine — Microscopic examination of medicinal herbs*

ISO 22217, *Traditional Chinese medicine — Storage requirements for raw materials and decoction pieces*

ISO 22258, *Traditional Chinese medicine — Determination of pesticide residues in natural products by gas chromatography*

ISO 22467, *Traditional Chinese medicine — Determination of microorganisms in natural products*

ISO 22590, *Traditional Chinese medicine — Determination of sulfur dioxide in natural products by titration*

ISO 23723:2021, *Traditional Chinese medicine — General requirements for herbal raw material and materia medica*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <https://www.electropedia.org/>

3.1

raw *Pinellia ternata* tuber

dried tuber of *Pinellia ternata* (Thunb.) Breit

3.2

ISO/FDIS 7450:2023(E)

processed *Pinellia ternata* tuber

dried tuber of *Pinellia ternata* (Thunb.) Breit after traditional processing

Note 1 to entry: Commonly used varieties include liquorice-limewater-processed *Pinellia ternata* tuber, ginger-alum-processed *Pinellia ternata* tuber and alum-processed *Pinellia ternata* tuber.

3.3

liquorice-limewater-processed *Pinellia ternata* tuber

processed *Pinellia ternata* tuber in liquorice and limewater

Note 1 to entry: Liquorice-limewater-processed *Pinellia ternata* tuber is processed with the following method: soak the dried raw *Pinellia ternata* tuber in water until the tuber is fully wet, decoct proper liquorice (*Glycyrrhiza* root and rhizome) with water twice, mix the decoction solutions then pour into the limewater; add the soaked *Pinellia ternata* tuber and stir it one to two times per day, maintaining a pH value over 12,0; gradually prolong the time for processing until the colour of the longitudinal section becomes evenly yellow and tasting it leaves the tongue slightly numb; take it out then wash and dry it in the shade or an oven.

Note 2 to entry: The mass ratio of raw *Pinellia ternata* tuber, liquorice and quicklime powder is 20:3:2.

3.4

ginger-alum-processed *Pinellia ternata* tuber

processed *Pinellia ternata* tuber in ginger and alum

Note 1 to entry: Ginger-alum-processed *Pinellia ternata* tuber is processed with the following method: soak the dried raw *Pinellia ternata* tuber in water until the tuber is fully wet then remove; decoct ginger slices to prepare the ginger solution; add raw *Pinellia ternata* tuber and alum to boil thoroughly, then take it out and dry in the air or cut it into slices and then dry in the air.

Note 2 to entry: The mass ratio of raw *Pinellia ternata* tuber, ginger and alum is 8:2:1.

3.5

alum-processed *Pinellia ternata* tuber

processed *Pinellia ternata* tuber in alum



Note 1 to entry: Alum-processed *Pinellia ternata* tuber is processed with the following method: soak the dried raw *Pinellia ternata* tuber in 8 % alum solution until the tuber is fully wet and tasting it leaves the tongue slightly numb; take it out, wash it, cut into thick slices and dry in the air.

Note 2 to entry: The mass ratio of raw *Pinellia ternata* tuber and alum is 5:1.

4—Descriptions

4 Description

The features of *Pinellia ternata* (Thunb.) Breit. plant in the family of Araceae are shown in Figure 1.



- Key**
- 1 tuber
 - 2 leaf
 - 3 bulbil
 - 4 spadix