
**Electronic data interchange for
administration, commerce and
transport (EDIFACT) — Application
level syntax rules —**

Part 10:

**Syntax service directories (Syntax
version number: 4, Syntax release
number: 3)**

*Échange de données informatisé pour l'administration, le commerce
et le transport (EDIFACT) — Règles de syntaxe au niveau de
l'application —*

*Partie 10: Annuaire de syntaxe (numéro de version de syntaxe: 4,
numéro d'édition de syntaxe: 3)*



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 9735-10:2022

<https://standards.iteh.ai/catalog/standards/sist/5c0457c1-d505-4684-b682-038ee7020d61/iso-9735-10-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Conformance	2
5 Syntax service directories	2
5.1 Service segment directory.....	2
5.1.1 Service segment specification legend.....	2
5.1.2 Dependency note identifiers.....	3
5.1.3 Index of service segments by tag.....	3
5.1.4 Index of service segments by name.....	4
5.1.5 Service segment specifications.....	6
5.2 Service composite data element directory.....	27
5.2.1 Service composite data element specification legend.....	27
5.2.2 Dependency note identifiers.....	27
5.2.3 Index of service composite data elements by tag.....	28
5.2.4 Index of service composite data elements by name.....	29
5.2.5 Service composite data element specifications.....	30
5.3 Service simple data element directory.....	37
5.3.1 General.....	37
5.3.2 Service simple data element specification legend.....	37
5.3.3 Index of service simple data elements by tag.....	38
5.3.4 Index of service simple data elements by name.....	41
5.3.5 Service simple data element specifications.....	44
6 Syntax service code list directory	61
Annex A (informative) Overview of the syntax service code list directory	62
Bibliography	73

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 154, *Processes, data elements and documents in commerce, industry and administration*, in collaboration with UN/EC (Joint syntax working group).

This third edition cancels and replaces the second edition (ISO 9735-10:2014), which has been technically revised.

The main changes are as follows:

- [Annex A](#) no longer lists all codes but refers to an external source.

A list of all parts in the ISO 9735 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document includes the rules at the application level for the structuring of data in the interchange of electronic messages in an open environment, based on the requirements of either batch or interactive processing. These rules have been agreed by the United Nations Economic Commission for Europe (UN/ECE) as syntax rules for Electronic Data Interchange for Administration, Commerce and Transport (EDIFACT) and are part of the United Nations Trade Data Interchange Directory (UNTDID) which also includes both batch and interactive Message Design Guidelines.

This document can be used in any application; but messages using these rules can only be referred to as EDIFACT messages if they comply with other guidelines, rules and directories in the UNTDID. For UN/EDIFACT, batch messages comply with the message design rules for batch usage. These rules are maintained in the UNTDID.

Communications specifications and protocols are outside the scope of this document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 9735-10:2022

<https://standards.iteh.ai/catalog/standards/sist/5c0457c1-d505-4684-b682-038ee7020d61/iso-9735-10-2022>

Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules —

Part 10: Syntax service directories (Syntax version number: 4, Syntax release number: 3)

1 Scope

This document specifies the syntax service directories of all parts in the ISO 9735 series.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9735-1, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 1: Syntax rules common to all parts*

ISO 9735-2, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 2: Syntax rules specific to batch EDI*

ISO 9735-3, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 3: Syntax rules specific to interactive EDI*

ISO 9735-4, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 4: Syntax and service report message for batch EDI (message type — CONTRL)*

ISO 9735-5, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 5: Security rules for batch EDI (authenticity, integrity and non-repudiation of origin)*

ISO 9735-6, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 6: Secure authentication and acknowledgement message (message type - AUTACK)*

ISO 9735-7, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 7: Security rules for batch EDI (confidentiality)*

ISO 9735-8, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 8: Associated data in EDI*

ISO 9735-9, *Electronic data interchange for administration, commerce and transport (EDIFACT) — Application level syntax rules (Syntax version number: 4, Syntax release number: 1) — Part 9: Security key and certificate management message (message type- KEYMAN)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 9735-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Conformance

Whereas this document shall use a version number of “4” in the mandatory data element 0002 (Syntax version number), and shall use a release number of “02” in the conditional data element 0076 (Syntax release number), each of which appears in the segment UNB (Interchange header), interchanges continuing to use the syntax defined in the earlier published versions shall use the following Syntax version numbers, in order to differentiate them from each other and from this document:

- ISO 9735:1988: Syntax version number: 1
- ISO 9735:1988 (amended and reprinted in 1990): Syntax version number: 2
- ISO 9735:1988 and ISO 9735:1988/Amd 1:1992: Syntax version number: 3
- ISO 9735:1998 (all parts): Syntax version number: 4

Conformance to a standard means that all of its requirements, including all options, are supported. If all options are not supported, any claim of conformance shall include a statement to identify options to which conformance is claimed.

Data that is interchanged is in conformance if the structure and representation of the data conform to the syntax rules specified in this document.

Devices supporting this document are in conformance when they can create and/or interpret the data structured and represented in conformance with this document.

Conformance to this document shall include conformance to ISO 9735-1, ISO 9735-2, ISO 9735-3, ISO 9735-4, ISO 9735-5, ISO 9735-6, ISO 9735-7, ISO 9735-8 and ISO 9735-9.

When identified in this document, provisions defined in related standards shall form part of the conformance criteria.

5 Syntax service directories

5.1 Service segment directory

5.1.1 Service segment specification legend

Function	The function of the segment
POS	The sequential position number of the stand-alone data element or composite data element in the segment table

TAG	The tags for all service segments contained in the segment directory shall start with the letter “U”. The tags of all service composite data elements start with the letter “S”, and the tags of all service simple data elements start with the figure “0”.
Name	Name of a COMPOSITE DATA ELEMENT in capital letters Name of a STAND-ALONE DATA ELEMENT in capital letters Name of a component data element in small letters
S	The status of the stand-alone data element or composite data element in the segment, or of the components in the composite (where M = Mandatory and C = Conditional)
R	The maximum number of occurrences of a stand-alone data element or composite data element in the segment
Repr.	Data value representation of the stand-alone data element or component data elements in the composite:
	a alphabetic characters
	n numeric characters
	an alphanumeric characters
	a3 3 alphabetic characters, fixed length
	n3 3 numeric characters, fixed length
	an3 3 alphanumeric characters, fixed length
	a..3 up to 3 alphabetic characters
	n..3 up to 3 numeric characters
	an..3 up to 3 alphanumeric characters

5.1.2 Dependency note identifiers

Code	Name
D1	One and only one
D2	All or none
D3	One or more
D4	One or none
D5	If first, then all
D6	If first, then at least one more
D7	If first, then none of the others

See ISO 9735-1:2002, 11.5 for the definition of the dependency note identifiers.

5.1.3 Index of service segments by tag

Change indicators (compared with the previous edition of this document):

a plus sign (+)	for an addition
an asterisk (*)	for an amendment to structure

ISO 9735-10:2022(E)

a hash sign (#)	for changes to names
a vertical bar ()	for changes to text for descriptions, notes and functions
a minus sign (-)	for a deletion
an X sign (X)	for marked for deletion

Tag	Name
UCD	Data element error indication
UCF	Group response
UCI	Interchange response
UCM	Message/package response
UCS	Segment error indication
UGH	Anti-collision segment group header
UGT	Anti-collision segment group trailer
UIB	Interactive interchange header
UIH	Interactive message header
UIR	Interactive status
UIT	Interactive message trailer
UIZ	Interactive interchange trailer
UNB	Interchange header
UNE	Group trailer
UNG	Group header
UNH	Message header
UNO	Object header
UNP	Object trailer
UNS	Section control
UNT	Message trailer
UNZ	Interchange trailer
USA	Security algorithm
USB	Secured data identification
USC	Certificate
USD	Data encryption header
USE	Security message relation
USF	Key management function
USH	Security header
USL	Security list status
USR	Security result
UST	Security trailer
USU	Data encryption trailer
USX	Security references
USY	Security on references

5.1.4 Index of service segments by name

Change indicators (compared with the previous edition of this document):

a plus sign (+)	for an addition
an asterisk (*)	for an amendment to structure
a hash sign (#)	for changes to names
a vertical bar ()	for changes to text for descriptions, notes and functions
a minus sign (-)	for a deletion
an X sign (X)	for marked for deletion

Tag	Name
UGH	Anti-collision segment group header
UGT	Anti-collision segment group trailer
USC	Certificate
UCD	Data element error indication
USD	Data encryption header
USU	Data encryption trailer
UNG	Group header
UCF	Group response
UNE	Group trailer
UIB	Interactive interchange header
UIZ	Interactive interchange trailer
UIH	Interactive message header
UIT	Interactive message trailer
UIR	Interactive status
UNB	Interchange header
UCI	Interchange response
UNZ	Interchange trailer
USF	Key management function
UNH	Message header
UNT	Message trailer
UCM	Message/package response
UNO	Object header
UNP	Object trailer
UNS	Section control
USB	Secured data identification
USA	Security algorithm
USH	Security header
USL	Security list status
USE	Security message relation
USY	Security on references
USX	Security references
USR	Security result
UST	Security trailer
UCS	Segment error indication

5.1.5 Service segment specifications

Change indicators (compared with the previous edition of this document):

- a plus sign (+) for an addition
- an asterisk (*) for an amendment to structure
- a hash sign (#) for changes to names
- a vertical bar (|) for changes to text for descriptions, notes and functions
- a minus sign (-) for a deletion
- an X sign (X) for marked for deletion

Details of the service segments are specified in [Table 1](#) to [Table 34](#).

Table 1 — Details of UCD DATA ELEMENT ERROR INDICATION segment

UCD DATA ELEMENT ERROR INDICATION segment						
Function: To identify an erroneous stand-alone, composite or component data element, and to identify the nature of the error.						
Pos	TAG	Name	S	R	Repr.	Notes/Remarks
010	0085	SYNTAX ERROR, CODED	M	1	an..3	
020	S011	DATA ELEMENT IDENTIFICATION	M	1		
	0098	Erroneous data element position in segment	M		n..3	
	0104	Erroneous component data element position	C		n..3	
	0136	Erroneous data element occurrence	C		n..6	

Table 2 — Details of UCF GROUP RESPONSE segment

UCF GROUP RESPONSE segment						
Function: To identify a group in the subject interchange and to indicate acknowledgement or rejection (action taken) of the UNG and UNE segments, and to identify any error related to these segments. It can also identify errors related to the USA, USC, USD, USH, USR, UST, or USU security segments when they appear at the group level. Depending on the action code, it may also indicate the action taken on the messages and packages within that group.						
Pos	TAG	Name	S	R	Repr.	Notes/Remarks
010	0048	GROUP REFERENCE NUMBER	M	1	an..14	
020	S006	APPLICATION SENDER IDENTIFICATION	C	1		7
	0040	Application sender identification	M		an..35	
	0007	Identification code qualifier	C		an..4	
DEPENDENCY NOTES:						
1 D5(060, 050) If first, then all.						
2 D5(070, 060, 050) If first, then all.						
3 D5(080, 060, 050, 090) If first, then all.						
4 D5(090, 080, 060, 050) If first, then all.						
OTHER REMARKS:						
5 0135, may only contain the values UNG, UNE, USA, USC, USD, USH, USR, UST, or USU.						
6 This data element shall be present when reporting an error in a security segment.						
7 This data element shall be present if it was present in the subject interchange.						

Table 2 (continued)

UCF GROUP RESPONSE segment						
Function: To identify a group in the subject interchange and to indicate acknowledgement or rejection (action taken) of the UNG and UNE segments, and to identify any error related to these segments. It can also identify errors related to the USA, USC, USD, USH, USR, UST, or USU security segments when they appear at the group level. Depending on the action code, it may also indicate the action taken on the messages and packages within that group.						
Pos	TAG	Name	S	R	Repr.	Notes/Remarks
030	S007	APPLICATION RECIPIENT IDENTIFICATION	C	1		7
	0044	Application recipient identification	M		an..35	
	0007	Identification code qualifier	C		an..4	
040	0083	ACTION, CODED	M	1	an..3	
050	0085	SYNTAX ERROR, CODED	C	1	an..3	1,2,3,4
060	0135	SERVICE SEGMENT TAG, CODED	C	1	an..3	1,2,3,4,5
070	S011	DATA ELEMENT IDENTIFICATION	C	1		2
	0098	Erroneous data element position in segment	M		n..3	
	0104	Erroneous component data element position	C		n..3	
	0136	Erroneous data element occurrence	C		n..6	
080	0534	SECURITY REFERENCE NUMBER	C	1	an..14	3,4,6
090	0138	SECURITY SEGMENT POSITION	C	1	n..6	3,4,6
DEPENDENCY NOTES:						
1 D5(060, 050) If first, then all.						
2 D5(070, 060, 050) If first, then all.						
3 D5(080, 060, 050, 090) If first, then all.						
4 D5(090, 080, 060, 050) If first, then all.						
OTHER REMARKS:						
5 0135, may only contain the values UNG, UNE, USA, USC, USD, USH, USR, UST, or USU.						
6 This data element shall be present when reporting an error in a security segment.						
7 This data element shall be present if it was present in the subject interchange.						

Table 3 — Details of UCI INTERCHANGE RESPONSE segment:

UCI INTERCHANGE RESPONSE segment:						
Function: To identify the subject interchange, to indicate interchange receipt, to indicate acknowledgement or rejection (action taken) of the UNA, UNB and UNZ segments, and to identify any error related to these segments. It can also identify errors related to the USA, USC, USD, USH, USR, UST, or USU security segments when they appear at the interchange level. Depending on the action code, it may also indicate the action taken on the groups, messages, and packages within that interchange.						
Pos	TAG	Name	S	R	Repr.	Notes/Remarks
010	0020	INTERCHANGE CONTROL REFERENCE	M	1	an..14	
020	S002	INTERCHANGE SENDER	M	1		
DEPENDENCY NOTES:						
1 D5(060, 050) If first, then all.						
2 D5(070, 060, 050) If first, then all.						
3 D5(080, 060, 050, 090) If first, then all.						
4 D5(090, 080, 060, 050) If first, then all.						
OTHER REMARKS:						
5 0135, may only contain the values UNA, UNB, UNZ, USA, USC, USD, USH, USR, UST, or USU.						
6 This data element shall be present when reporting an error in a security segment.						

Table 3 (continued)

UCI INTERCHANGE RESPONSE segment:						
Function: To identify the subject interchange, to indicate interchange receipt, to indicate acknowledgement or rejection (action taken) of the UNA, UNB and UNZ segments, and to identify any error related to these segments. It can also identify errors related to the USA, USC, USD, USH,USR, UST, or USU security segments when they appear at the interchange level. Depending on the action code, it may also indicate the action taken on the groups, messages, and packages within that interchange.						
Pos	TAG	Name	S	R	Repr.	Notes/Remarks
	0004	Interchange sender identification	M		an..35	
	0007	Identification code qualifier	C		an..4	
	0008	Interchange sender internal identification	C		an..35	
	0042	Interchange sender internal sub-identification	C		an..35	
030	S003	INTERCHANGE RECIPIENT	M	1		
	0010	Interchange recipient identification	M		an..35	
	0007	Identification code qualifier	C		an..4	
	0014	Interchange recipient internal identification	C		an..35	
	0046	Interchange recipient internal sub-identification	C		an..35	
040	0083	ACTION, CODED	M	1	an..3	
050	0085	SYNTAX ERROR, CODED	C	1	an..3	1,2,3,4
060	0135	SERVICE SEGMENT TAG, CODED	C	1	an..3	1,2,3,4,5
070	S011	DATA ELEMENT IDENTIFICATION	C	1		2
	0098	Erroneous data element position in segment	M		n..3	
	0104	Erroneous component data element position	C		n..3	
	0136	Erroneous data element occurrence	C		n..6	
080	0534	SECURITY REFERENCE NUMBER	C	1	an..14	3,4,6
090	0138	SECURITY SEGMENT POSITION	C	1	n..6	3,4,6
DEPENDENCY NOTES:						
1 D5(060, 050) If first, then all.						
2 D5(070, 060, 050) If first, then all.						
3 D5(080, 060, 050, 090) If first, then all.						
4 D5(090, 080, 060, 050) If first, then all.						
OTHER REMARKS:						
5 0135, may only contain the values UNA, UNB, UNZ, USA, USC, USD, USH, USR, UST, or USU.						
6 This data element shall be present when reporting an error in a security segment.						

Table 4 — Details of UCM MESSAGE/PACKAGE RESPONSE segment

UCM MESSAGE/PACKAGE RESPONSE segment							
Function: To identify a message or package in the subject interchange, and to indicate that message's or package's acknowledgement or rejection (action taken), and to identify any error related to the UNH, UNT, UNO, and UNP segments. It can also identify errors related to the USA, USC, USD, USH, USR, UST, or USU security segments when they appear at the message or package level.							
Pos	TAG	Name	S	R	Repr.	Notes/Remarks	
010	0062	MESSAGE REFERENCE NUMBER	C	1	an..14	1,2	
020	S009	MESSAGE IDENTIFIER	C	1		2	
	0065	Message type	M		an..6		
	0052	Message version number	M		an..3		
	0054	Message release number	M		an..3		
	0051	Controlling agency, coded	M		an..3		
	0057	Association assigned code	C		an..6		
	0110	Code list directory version number	C		an..6		
	0113	Message type sub-function identification	C		an..6		
030	0083	ACTION, CODED	M	1	an..3		
040	0085	SYNTAX ERROR, CODED	C	1	an..3	4,5,6,7	
050	0135	SERVICE SEGMENT TAG, CODED	C	1	an..3	4,5,6,7,8	
060	S011	DATA ELEMENT IDENTIFICATION	C	1		5	
	0098	Erroneous data element position in segment	M		n..3		
	0104	Erroneous component data element position	C		n..3		
	0136	Erroneous data element occurrence	C		n..6		
070	0800	PACKAGE REFERENCE NUMBER	C	1	an..35	1,3	
080	S020	REFERENCE IDENTIFICATION	C	99		3	
	0813	Reference qualifier	M		an..3		
	0802	Reference identification number	M		an..35		
090	0534	SECURITY REFERENCE NUMBER	C	1	an..14	6,7,9	
100	0138	SECURITY SEGMENT POSITION	C	1	n..6	6,7,9	
DEPENDENCY NOTES:							
1 D1(010, 070) One and only one.							
2 D2(010, 020) All or none.							
3 D2(070, 080) All or none.							
4 D5(050, 040) If first, then all.							
5 D5(060, 050, 040) If first, then all.							
6 D5(090, 050, 040, 100) If first, then all.							
7 D5(100, 090, 050, 040) If first, then all.							
OTHER REMARKS:							
8 0135, may only contain the values UNH, UNT, UNO, UNP, USA, USC, USD, USH, USR, UST, or USU.							
9 This data element shall be present when reporting an error in a security segment.							