ISO/TC 43/SC

Secretariat: DIN

ISO TC 43/SC 3/WG

Date: 2025-03-2004-15

Underwater acoustics-_— Measurement of underwater ambient sound

Acoustique sous-marine—<u>Mesure</u>—<u>Mesurage</u> du son ambiant sous-marin

iTeh Standards (https://standards.iteh

FDIS stage

nttns://standards.iteh.ai/catalog/standards/iso/13fhaf7f-fd97-4d0a-a4a

Formatted	
Style Definition	
Style Definition	
Style Definition	
Style Definition	<u> </u>
Style Definition	
Style Definition	<u></u>
Style Definition	<u> </u>
Style Definition	[]

Style Definition
Style Definition
Style Definition
Style Definition
Style Definition

JSO/FDIS 7605:2023(E2025(en)

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 EmailE-mail: copyright@iso.org Website: www.iso.org

Published in Switzerland

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line

spacing: single

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: French (France)

Formatted: French (France)

Formatted: French (France)

iTeh Standards (https://standards.iteh.ai) Document Preview

<u> ISO/FDIS 7605</u>

https://standards.iteh.ai/catalog/standards/iso/13fbaf7f-fd97-4d0a-a4a1-500610da7d9c/iso-fdis-7605

Formatted: FooterPageRomanNumber

Contents

Forew	vord	<u></u> vii
Introd	luction	viii
1	Scope	<u></u> 1
2	Normative references	<u></u> 1
3	Terms and definitions	
3.1	Concepts and quantities: Hardware	2
3.2	Concepts and quantities: Data processing	<u></u> 19
3.3	Units	26
4	Symbols and abbreviations	<u></u> 28
5	General objectives and outputs	<u></u> 34
6	Equipment	35
6.1	Specification of required equipment performance	<u></u> 35
6.2	Calibration	<u></u> 39
7	Deployment	42
7.1	Criteria	<u></u> 42
7.2	Sources and mitigation of parasitic signals	<u></u> 42
7.3	Recommended deployment options	44
8	Data processing and calculation of sound pressure	
8.1	Initial data processing steps	<u></u> 45
8.2	Calculation of sound pressure waveform	
9	Basic processing	48
9.1	Calculation of sound pressure level (and decidecade bands)	48
9.2	Peak system-filtered sound pressure, peak system-filtered sound pressure level	<u></u> 56
10	Advanced processing	<u></u> 57
10.1	Hybrid millidecade processing ISO/FDIS 7605	<u></u> 57
10.2	Percentile levels	<u></u> 58
11	Reporting	59
11.1	Reporting purpose and scope	<u></u> 59
11.2		
11.3		
11.4		
11.5 11.6		63
	x A (informative) Examples of deployment.	
	x B (informative) Discrete Fourier transform and associated terms	
	x C (informative) Guidance on measuring system performance	
	x D (informative) List of applications and suggested frequency ranges	
Annex	x E (informative) QA check on data quality	<u></u> 84
<u>Biblio</u>	graphy	<u></u> 86
Forew	vord	6
Intro	luction	7

Formatted: Font: 11 pt, Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Left

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt,

Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space

After: 0 pt, Tab stops: Not at 17.2 cm

© ISO-2025- All rights reserved

iii

ISO/FDIS 7605:2023(E2025(en)

2	Normative references	.1
3	Terms and definitions	1
3.1	Concepts and quantities: Hardware	2
3 1 1	Acoustic measuring systems: Concepts and components	2
3 1 2	Hydrophone characteristics	4
2 1 2	Analogue acquisition system characteristics	
3 1 4	Sampling system characteristics	7
	Acquisition system characteristics	
3 1 6	Levels and other logarithmic quantities	14
3 2	Concepts and quantities: Data processing	12
221	-Temporal windows	LΩ
3.2.1	Discrete Fourier transform terms	10
	Soundscape metrics	
2 2 4	Data processing logarithmic quantities	24
2.2	Units	25
2 2 1	Units of logarithmic quantities) =
333	Units of time	26
4	Symbols and abbreviations	27
5	General objectives and outputs	22
	Equipment	
6	Equipment	33
6.1	-specification of required equipment performance	33
6.1.1	- Recommended minimum performance specification	33
6.1.2	- Key performance characteristics	54
6.2	Calibration	38
	Calibration requirements for instrumentation	ζЖ.
6.2.2	-Calibration requirements	38
6.2.3	Calibration requirements Calibrations checks in situ	38 39
6.2.3 6.2.4	Calibration requirements Calibrations checks in situ Calibration regimen	38 39 10
6.2.3 6.2.4	Calibration requirements Calibrations checks in situ Calibration regimen	38 39 10
6.2.3 6.2.4 7	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria	38 39 10 10
6.2.3 6.2.4 7	Calibration requirements Calibrations checks in situ Calibration regimen Deployment	38 39 10 10
6.2.3 6.2.4 7 7.1 7.2	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria	38 39 10 10 10
6.2.3 6.2.4 7 7.1 7.2 7.2.1	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals	38 39 10 10 10 11 11
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise	38 39 10 10 10 11 11 12
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling	38 39 10 10 11 11 11 12 12 12
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss	38 39 10 10 11 11 11 12 12 12
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options	38 39 10 10 11 11 11 11 12 12 13
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom mounted recorders	38 39 10 10 11 11 11 12 12 13 13
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3 7.3.1	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom-mounted recorders Systems cabled back to shore	38 39 10 10 11 11 11 12 12 13 13 13
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3 7.3.1	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom mounted recorders	38 39 10 10 11 11 11 12 12 13 13 13
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3.1 7.3.2 7.3.3	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom-mounted recorders Systems cabled back to shore Recovery of measurement systems	38 39 10 10 11 11 11 12 12 13 13 14
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3.1 7.3.2 7.3.3 8	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom-mounted recorders Systems cabled back to shore Recovery of measurement systems Data processing and calculation of sound pressure	38 39 10 10 11 11 11 12 12 13 13 14 14
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3.1 7.3.2 7.3.3 8	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom-mounted recorders Systems cabled back to shore Recovery of measurement systems Data processing and calculation of sound pressure Initial data processing steps	38 39 10 10 11 11 11 12 12 13 13 14 14 14
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3.1 7.3.2 7.3.3 8 8.1 8.1.1	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom mounted recorders Systems cabled back to shore Recovery of measurement systems Data processing and calculation of sound pressure Initial data processing steps Data format assumptions	38 39 10 10 11 11 11 12 12 13 13 14 14 14 14
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3.1 7.3.2 7.3.3 8 8.1 8.1.1 8.1.2	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom mounted recorders Systems cabled back to shore Recovery of measurement systems Data processing and calculation of sound pressure Initial data processing steps Data format assumptions Processing waveform data	38 39 10 10 11 11 11 12 12 13 13 14 14 14 14 14 14
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3.1 7.3.2 7.3.3 8 8.1 8.1.1 8.1.2 8.2	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom mounted recorders Systems cabled back to shore Recovery of measurement systems Data processing and calculation of sound pressure Initial data processing steps Data format assumptions Processing waveform data Calculation of sound pressure waveform	38 39 10 10 11 11 11 12 12 12 13 13 14 14 14 14 14 14 15
6.2.3 6.2.4 7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4 7.2.5 7.3.1 7.3.2 7.3.3 8 8.1 8.1.1 8.1.2 8.2	Calibration requirements Calibrations checks in situ Calibration regimen Deployment Criteria Sources and mitigation of parasitic signals Flow noise Cable strum Mechanical noise Biofouling Protection from damage or loss Recommended deployment options Bottom mounted recorders Systems cabled back to shore Recovery of measurement systems Data processing and calculation of sound pressure Initial data processing steps Data format assumptions Processing waveform data	38 39 10 10 11 11 11 12 12 12 13 13 14 14 14 14 14 14 14 14 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line

spacing: single

Formatted: FooterPageRomanNumber

© ISO 2023 All rights reserved

0 1 1	Sound pressure level 46		Formatted: HeaderCentered, Left
	Time-bandwidth product and uncertainty47		
	Calculation of mean-square sound pressure spectral density ('power spectral density').48		
	Calculation of standardized band levels		
	Peak system-filtered sound pressure, peak system-filtered sound pressure level54		
	Advanced processing		
	Hybrid millidecade processing		
10.2	Percentile levels 56		
11	Reporting56		
11.1	Reporting purpose and scope56		
11.2	General requirements		
11.2.1	Calibration and system frequency range		
	Averaging time57		
	Analysis windows57		
	File formats and scaling factors 58		
	System-filtered quantities		
	General recommendations 58		
	Frequency bands 58		
	Statistics 58		
	Formatting 58		
	Study metadata 59		
	Equipment identification		
	Calibration and analysis parameters		
	Timestamps 59		
	Geospatial coordinates 59	al	
	Navigation track 60		
	Ocean meteorological data 60	-	
	Study outcomes		
	Decidecade sound pressure level		
	Sound pressure basic statistics		
	Millidecade or 1-Hz ('Narrowband') sound pressure level 61		
11. 3.4	Narrowband sound pressure spectral density level	5004	
11.3.3 1156	Sound pressure level distribution	1+3000	
	Sound pressure spectral probability density		
11.5.7	Dataset stewardship62		
Annex	A (informative) Examples of deployment64		
A.1	Vessel mounted systems64		
	•		
A.1.1	Surface vessels 64		
A.1.2	Autonomous underwater gliders64		
۸ 2	Static bottom-tethered systems64		
	•		
A.3	Floating systems 65		Formatted: Font: 10 pt
Λ.4	Static systems cabled to shore65		
			Formatted: Font: 10 pt
A.4.1.1	1.1 Surface vessel 66		Formatted: Font: 10 pt
A.4.1.1	1.2 Bottom-tethered with surface float		Formatted: FooterCentered, Left, Space
		///	Tab stops: Not at 17.2 cm
A.4.1.1	.1.3 Bottom-tethered with acoustic release		
A.4.1.1	.1.4 Free floating array with data transmission buoy66		Formatted: Font: 11 pt
A A 1 1	.1.5 Seabed tethered array66		Formatted: FooterPageRomanNumbe
	-1.5 Scubcu tetricica array	# //	After: 0 pt. Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt, Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Left

Formatted: FooterCentered, Left, Space Before: 0 pt,

Formatted: FooterPageRomanNumber, Left, Space

After: 0 pt, Tab stops: Not at 17.2 cm

© ISO-2025- – All rights reserved

ISO/FDIS 7605:2023(E2025(en)

A.4.1.1.1.6 A bottom mounted 'cabled to shore' deployment method
Annex B (informative) Discrete Fourier transform and associated terms
Annex C (informative) Guidance on measuring system performance
C.1 System overview
C-1.1 General 73
C.1.2 Hydrophones 73
C-1.3 Amplifiers 73
C.1.4 Filters
C.1.5 Analogue-to-Digital Converter (ADC)
C.1.6 Data storage
C.2 General requirements 74
C.2.1 Frequency range, frequency response and sampling
C.2.2 System self-noise 75
C.2.2.1 Hydrophone self-noise 75
C.2.3 System sensitivity
C.2.4 Dynamic range 75
C.2.5 Directionality
C.2.6 Sampling rate 76
C.2.7 Filtering 77
Annex D (informative) List of applications and suggested frequency ranges
Annex E (informative) QA check on data quality
Bibliography 81

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line

spacing: single

https://standards.iteh.ai/catalog/standards/iso/13fbaf7f-fd97-4d0a-a4a1-500610da7d9c/iso-fdis-7605

Formatted: FooterPageRomanNumber

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents.www.iso.org/patents.. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, Acoustics, Subcommittee SC 3, Underwater acoustics.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Formatted: Font: 11 pt, Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Left

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Commented [eXtyles1]: The URL

https://www.iso.org/members.html has been redirected to http://www.iso.org/about/members. Please verify the URL

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space

After: 0 pt, Tab stops: Not at 17.2 cm

© ISO-2025 – All rights reserved