
Nuclear criticality safety — Critical values for homogeneous plutonium-uranium oxide fuel mixtures outside of reactors

AMENDMENT 1: Corrections and clarifications

iTeh STANDARD PREVIEW

Sûreté-criticité — Valeurs critiques pour oxydes mixtes homogènes de plutonium et d'uranium hors réacteurs

AMENDEMENT 1: Corrections et clarifications

ISO 11311:2011/PRF Amd 1

<https://standards.iteh.ai/catalog/standards/sist/d59704ae-cd7d-4bff-b944-cd5d63e76108/iso-11311-2011-prf-amd-1>

PROOF / ÉPREUVE



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 11311:2011/PRF Amd 1

<https://standards.iteh.ai/catalog/standards/sist/d59704ae-cd7d-4bff-b944-cd5d63e76108/iso-11311-2011-prf-amd-1>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 85, *Nuclear energy, nuclear technologies and radiological protection*, Subcommittee SC 5, *Nuclear installations, processes and technologies*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Nuclear criticality safety — Critical values for homogeneous plutonium-uranium oxide fuel mixtures outside of reactors

AMENDMENT 1: Corrections and clarifications

4.1.3, NOTE

Replace the text with the following:

"The latter density is the theoretical dry density for MOX with this specific mass fraction of Pu and with the P0 isotopic composition specified in 4.1.4.3 c). The theoretical dry density is slightly higher for the P5 and P20 isotopic compositions but with a difference lower than 0,01 g/cm³."

4.1.4.3 e)

Replace the last formula with the following:

$$\frac{m_{239\text{Pu}}}{m_{\text{Pu,total}}} = 1 - \frac{m_{240\text{Pu}}}{m_{\text{Pu,total}}} - \frac{m_{241\text{Pu}}}{m_{\text{Pu,total}}} - \frac{m_{242\text{Pu}}}{m_{\text{Pu,total}}}$$

$$= 1 - \frac{m_{240\text{Pu}}}{m_{\text{Pu,total}}} \times (1 + R_1 + R_1 \times R_2)$$

5.1, NOTE 2

Replace the text with the following:

"The results from References [1] to [7] show that the critical values for MOX with depleted uranium are not notably higher than the critical values in Annexes C to F for MOX with natural uranium."

Annex A, table header

Replace the header with the following:

Mass fraction of plutonium ^a w_{Pu} %	MOX density g/cm ³	Isotopic composition of uranium ^b mass fractions %		Plutonium composition designation	Isotopic composition of plutonium ^c			
		235U	238U		mass fractions %		mass ratios	
					239Pu	240Pu	241Pu / 240Pu	242Pu / 241Pu

Annex A, footnote d

Replace the text with the following:

“The sum of the mass fractions of ^{239}Pu , ^{240}Pu , ^{241}Pu and ^{242}Pu equals 100 % (see 4.1.4.3, e).”

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 11311:2011/PRF Amd 1](https://standards.iteh.ai/catalog/standards/sist/d59704ae-cd7d-4bff-b944-cd5d63e76108/iso-11311-2011-prf-amd-1)

<https://standards.iteh.ai/catalog/standards/sist/d59704ae-cd7d-4bff-b944-cd5d63e76108/iso-11311-2011-prf-amd-1>

