ISO/FDIS 11798 (E)

ISO/TC 46/SC 10

Date: 2023-01-2

Information and documentation — Permanence and durability of writing, printing and copying on paper — Requirements and test methods

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 11798

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 11798

@ISO-2022/FDIS 11798:2023(E)

ISO/TC 46/SC 1

Date: 2023-02-20

Secretariat: SIS

<u>Information and documentation — Permanence and durability of writing, printing and copying on paper — Requirements and test methods</u>

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 11798

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office

CP 401 • Ch. de Blandonnet 8

CH-1214 Vernier, Geneva

Phone: +41 22 749 01 11

Email: copyright@iso.org

Website: www.iso.org

Published in Switzerland

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/FDIS 11798</u>

Contents

| Cion Cope Normative references Perms and definitions Performance testing paper Conditioning of document substrates and recording atmosphere Guidance for sample preparation Conditioning of specimens Reference material used for testing of mechanical properties Ceneral Colour fastness Visual appearance Jightfastness Water resistance | 114 |
|--|--|
| Vormative references Ferms and definitions Preparation of specimens Performance testing paper Conditioning of document substrates and recording atmosphere Guidance for sample preparation Conditioning of specimens Reference material used for testing of mechanical properties Required characteristics General Colour fastness Visual appearance Lightfastness | 1145 |
| Perms and definitions Perparation of specimens Performance testing paper Conditioning of document substrates and recording atmosphere Guidance for sample preparation Conditioning of specimens Reference material used for testing of mechanical properties General Colour fastness Visual appearance | 2 4 5 5 5 6 |
| Perms and definitions Perparation of specimens Performance testing paper Conditioning of document substrates and recording atmosphere Guidance for sample preparation Conditioning of specimens Reference material used for testing of mechanical properties General Colour fastness Visual appearance | 2 4 5 5 5 6 |
| Preparation of specimens Performance testing paper Conditioning of document substrates and recording atmosphere Guidance for sample preparation Conditioning of specimens Reference material used for testing of mechanical properties Required characteristics Coneral Colour fastness Visual appearance Lightfastness | 4 5 5 5 5 |
| Performance testing paper Conditioning of document substrates and recording atmosphere Guidance for sample preparation Conditioning of specimens Reference material used for testing of mechanical properties Gequired characteristics General Colour fastness Visual appearance | 4 5 5 5 6 |
| Conditioning of document substrates and recording atmosphere Guidance for sample preparation Conditioning of specimens Reference material used for testing of mechanical properties Required characteristics Coneral Colour fastness Visual appearance | 5 5 5 6 |
| Guidance for sample preparation Conditioning of specimens Reference material used for testing of mechanical properties Required characteristics General Colour fastness Visual appearance Lightfastness | 5 6 6 |
| Conditioning of specimens Reference material used for testing of mechanical properties Required characteristics Ceneral Colour fastness Visual appearance Cightfastness | 5 6 6 |
| Reference material used for testing of mechanical properties | 5 6 6 |
| Required characteristics General Colour fastness Visual appearance Lightfastness | 6 6 |
| General Colour fastness Visual appearance Lightfastness | 6 6 |
| Olour fastness Visual appearance Lightfastness | 6 |
| Visual appearanceightfastness | |
| ightfastness | |
| | 7 |
| | 7 |
| | 7 |
| Fransfer of recording. | 7 |
| Abrasion resistance | 8 |
| Resistance to heat. | |
| | |
| | |
| | |
| | |
| 130/51/13 11/90 | |
| | |
| 0.40.00 (0.47) 0.47 | 1 1 7700 |
| | |
| /isual appearance | 10 |
| | |
| | |
| | |
| | |
| | |
| | |
| General | |
| | |
| 0 | |
| Fest report | 14 |
| (normative) Performance testing naner | 16 |
| · · · | |
| | |
| | |
| | |
| (informative) Reporting forms | 25 |
| | |
| | esistance to heat. ffects of recording on the mechanical strength of the paper eneral ensile energy absorption olding endurance est method and procedure eneral olour fastness isual appearance ightfastness //ater resistance ransfer of recording brasion resistance esistance to heat. ffects of recording on the mechanical strength of the paper eneral ensile energy absorption olding endurance est report (normative) Performance testing paper (normative) Printout templates for sample preparation of printers and archines |

d95-4fe9-a74f-

| <u>Forev</u> | <u>vord</u> i | <u>v</u> | | |
|---|---|----------|--|--|
| Intro | luctionv | i | | |
| 1 | Scope | 1 | | |
| 2 | Normative references | 1 | | |
| | | | | |
| 3 | Terms and definitions. | | | |
| 4 | Preparation of specimens | | | |
| 4.1 | Performance testing paper Conditioning of document substrates and recording atmosphere | 5 | | |
| 4.2 4.3 | Guidance for sample preparation | | | |
| 4.4 | Conditioning of specimens | | | |
| 4.5 | Reference material used for testing of mechanical properties | | | |
| 5 | Required characteristics | 6 | | |
| 5.1 | General | | | |
| 5.2 | Colour fastness | | | |
| 5.3 | Visual appearance | | | |
| 5.4 | Lightfastness | | | |
| 5.5 | Water resistance | | | |
| 5.6 | Transfer of recording | | | |
| 5.7 | Abrasion resistance | | | |
| 5.8 | Resistance to heat | | | |
| 5.9 | Effects of recording on the mechanical strength of the paper | | | |
| | General | | | |
| | Tensile energy absorption | | | |
| 3.7.3 | | | | |
| 6 | Test method and procedure | | | |
| 6.1 | General | | | |
| 6.2 6.3 | Colour fastness 1 | | | |
| 6.4 | Visual appearance1 Lightfastness1 | 1 | | |
| 6.5 | Water resistance 1 | | | |
| 6.6 | Transfer of recording1 | | | |
| 6.7 | Abrasion resistance1 | | | |
| 6.8 | Resistance to heat1 | | | |
| 6.9 | Effects of recording on the mechanical strength of the paper1 | | | |
| | General1 | | | |
| 6.9.2 | | | | |
| 6.9.3 | | | | |
| 7 | Test report1 | 5 | | |
| Annex | x A (normative) Performance testing paper1 | 7 | | |
| Annex | x B (normative) Specimen preparation1 | 3 | | |
| Annex C (normative) Printout templates for sample preparation of printers and copying | | | | |
| | machines 2 | 0 | | |
| Annex | x D (informative) Reporting forms3 | O | | |
| Biblio | graphy3 | 1 | | |
| | | | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives/.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 46, Information and documentation, Subcommittee SC 10, Requirements for document storage and conditions for preservation.

This second edition cancels and replaces the first edition (ISO 11798:1999), which has been technically revised.

The main changes are as follows.

- The reference material used for the testing of mechanical properties are defined and shall, prior to testing, be handled according to 4.5.
- CIELAB measurements replaces optical density measurements, i.e. evaluation of monocoloured printing shall be performed by CIELAB measurements. Accordingly, microdensitometers or densitometers are no longer needed.
- Testing of colour fastness (5.2 and 6.2) shall be followed to evaluate recording (monocoloured and multicoloured) for lightfastness (6.4), water resistance (6.5) and resistance to heat (6.8).
- Table 1 (see 5.1) presents, for printing devices, elaborated CIELAB lightness and colour shift requirements $\Delta L^* \Delta L^*$, $\Delta a^* \Delta a^*$, $\Delta b^* \Delta b^*$ and, in addition, a new requirement of $\Delta E^*_{ab} \Delta E^*_{ab}$ (Euclidean distance between two CIELAB coordinates).
- Table 2 (see 5.1) presents, for pens and stamps, requirement of maximum CIELAB lightness change $\Delta L^* \Delta L^*$.

| 1 | Field Code Changed |
|---|--------------------|
| | Field Code Changed |
| 1 | Field Code Changed |
| ١ | Field Code Changed |

- Abrasion resistance (formerly referred to as resistance to wear) shall be evaluated by the degree of abrasion (6.7) and is determined by CIELAB measurements prior to, and after, abrasion.
- Detailed descriptions of specimen preparation for pens and stamps, three printout templates for specimen preparation from printers and copying machines and reporting forms are given in Annexes.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 11798
https://standards.iteh.ai/catalog/standards/sist/0863076b-ed95-4fe9-a74

Introduction

It is of great importance that recording of images on paper which, during long-term storage in libraries, archives, and other protected environments, undergo little or no change in properties that affects its use. The documents must preserve their information content and, thus, enable information storage and information supply for the future. Accordingly, it is important to study the permanence and durability of recording on paper.

Writing materials and printing equipment meeting the requirements given in this document can be used in the preparation of paper documents intended for long-term storage and recurrent use. Such documents contain permanent and durable images, i.e. images likely to be stable and thus undergo little or no change in properties that influence legibility and the possibility of copying or converting the paper documents to other data carriers.

This document specifies requirements and testing methods for evaluation of the permanence and durability of images. It is primarily intended for recording on writing, printing, and photo-copying papers in accordance with ISO 9706 (permanent paper) or ISO 11108 (archival paper). This document does not specifically evaluate permanence and durability of books, but if permanent/archival paper is used in combination with recording that meets the requirements in this document, the book content will most likely become permanent. However, book bindings and covers are not included.

Permanent paper and archival paper, used in the preparation of documents, may differ widely in properties of importance for the quality and permanence of the image. Some properties of an image, e.g.such as abrasion resistance, depend on the combination of the image and the paper. The testing conditions of this document are chosen so that results, representative of most papers on the market to be used for a particular imaging process, shall be obtained.

In this document, the requirements are given in the following attributes:

- visual image colour strength and appearance;
- lightfastness:
- https://standards.iteh.ai/catalog/standards/sist/08630/6b-ed95-4fe9-a/4f
- transfer of recorded image;
- abrasion resistance;
- resistance to heat;
- effect of recording on the mechanical strength of the paper.

Experience has shown that images written with carbon black ink as well as printed images using commercial printing inks have proved to be consistently reliable. There are, however, many documents where acidic inks have affected the paper to such an extent that the paper has degraded. Images produced from dry or liquid toner are also susceptible to ageing problems.

Images printed with modern material and machinery are often completely different from old images with respect to composition and properties. The rapid development of new printing techniques makes this testing very important. One printing technology may be replaced by a newer technology within a few years on the market. Therefore, conclusions based on studies of old documents in libraries and archives are of limited use when discussing the permanence of modern documents.

Strictly speaking, the only way to test the permanence and durability of documents is to handle them and to store them under the relevant conditions for long periods of time. In practice, one can only rely on the observations made on documents kept for a few decades and evaluate the effect of factors known to

influence the permanence and durability of the image. Therefore, the testing according to this document does not correlate to lifetime of documents, but rather the documents that satisfy the requirements can be stored for a long time in the future in archives and protected environments, probably for several hundred years.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 11798 https://standards.iteh.ai/catalog/standards/sist/0863076b-ed95-4fe9-a74f

Information and documentation — Permanence and durability of writing, printing and copying on paper — Requirements and test methods

1 Scope

This document specifies requirements and test methods for evaluation of the permanence and durability of writing, printing, and copying on paper stored in libraries, archives, and other protected environments for long periods of time, in which the information recorded on paper must be retained but not necessarily the full artistic quality.

It is applicable to:

- images on white permanent paper in accordance with according to ISO 9706 or ISO 11108;
- recording obtained from pens, stamps, copying machines and printers (that can produce monocoloured and/or multicoloured images).

It does not apply to:

- documents stored under harmful conditions, such as high humidity that promotes microbiological
 attack, excessive heat, radiation (e.g. light), high levels of pollutants, or the risk of water damage (or
 water contact). Since documents might be kept in non-protected environments before being
 transferred to protected environments, resistance to water and light is, however, of importance;
- legal documents, e.g. banking documents, where the authenticity is of primary interest;
- documents where the information contents are influenced by small colour changes;
- documents within the scope of ISO/TC 42, Photography.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO_536, Paper and board — Determination of grammage

ISO 1924-2, Paper and board — Determination of tensile properties — Part 2: Constant rate of elongation method (20~mm/min)

ISO 2470-1, Paper, board and pulps — Measurement of diffuse blue reflectance factor — Part 1: Indoor daylight conditions (ISO brightness)

ISO 4892-2, Plastics — Methods of exposure to laboratory light sources — Part 2: Xenon-arc lamps

ISO 5626, Paper — Determination of folding endurance

ISO 9352, Plastics — Determination of resistance to wear by abrasive wheels

ISO 9706, Information and documentation — Paper for documents — Requirements for permanence

 ${\tt ISO\,11108},$ Information and documentation — Archival paper — Requirements for permanence and durability

ISO 12757-1, Ball point pens and refills — Part 1: General use

 ${\tt ISO~13655}, \textit{Graphic technology} - \textit{Spectral measurement and colorimetric computation for graphic artsimages}$

ISO 14145-1, Roller ball pens and refills — Part 1: General use

ISO-27668-1, Gel ink ball pens and refills — Part 1: General use

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

abrasion resistance

rub resistance

characteristic of a document with *recording* (3.14) against losses of image or text from the action of abrasion (i.e. the ability of materials and structures to withstand mechanical wear or rubbing by means of friction)

Note 1 to entry: Abrasion resistance is measured in this standard as the degree of abrasion resistance, R_a (3.4)

3.2

archival paper

paper of high permanence (3.11) and high durability (3.6)

[SOURCE: ISO 11108:1996, 3.1]

3.3

CIELAB colour spaceshift

 $\frac{\text{lightness}}{\text{coordinates in the CIELAB colour space}} \text{ and } \frac{\Delta L^*}{\Delta a^*}, \Delta a^*, \Delta b^*, \Delta b^*,$

three-dimensional, approximately uniform colour space, produced by plotting, in rectangular coordinates L^* , a^* , b^*

Note 1 to entry: The quantity L^* is a measure of the lightness, where $L^* = 0$ corresponds to black and $L^* = 100$ corresponds to the perfect reflecting diffuser. Visually, the quantities a^* and b^* represent respectively the red-green and yellow-blue axes in colour space, such that:

—-__+a* is a measure of the degree of redness;

Field Code Changed

Field Code Changed

Field Code Changed

Field Code Changed

- -__+b* is a measure of the degree of yellowness;
- __-b* is a measure of the degree of blueness.

If both a* and b* are equal to zero, the test piece is grey

Note 2 to entry: Synonymously referred to as CIE 1976 L*a*b*.**, CIELAB colour space or CIELAB values.

[SOURCE:Note 3 to entry: Adapted from ISO/TS 21331:2020, 3.3.5-modified — introduction of Note 1 to entry].

3.4

degree of abrasion resistance,

D

measure of the magnitude of retain of recorded image (or text) on paper because of abrasion (or wear, or rubbing)

Note 1 to entry: Degree of abrasion resistance is evaluated by measuring the % of changes in L^* of a printed image or text prior to and after the abrasion test, according to ISO 13655, and is calculated according to Formula_(5) ih 6.7.

3.5

document

recorded information which can be treated as a unit in a documentation process

[SOURCE: ISO 5127:2017, 3.1.1.38, modified — "material object" and Notes to entry have been deleted from the definition.]

3.6

durability

ability to resist the effect of physical stress, such as wear and tear, pressure, or damage during recurrent use

3.7

image

visual representation with colourants (such as dyes or pigments) distributed on paper as text characters, lines, colour patches or other visually identifiable patterns

3.8

monochromatic image

image (3.7) with recording (3.14) uniformly in one colour

Note 1 to entry: Images produced in one colour from a black and white printer, or any colour from a printer that can produce other colours, such as black, cyan, magenta, and yellow.

3.9

multicoloured image

image (3.7) composed of recording (3.14) in more than one colour, where the colours constitute part of the information contents

Note 1 to entry: It can be separated into different base colours (e.g. black, cyan magenta and yellow)

Note 2 to entry: Not to be confused with a coloured image. A coloured image is in this standard referred to as an image recorded in any colour as a $monochromatic\ image\ (3.8)$.