ISO/FDIS 17663:20222023(E) ISO/TC 44/SC 10/WG 8 Date: 2022-11-262023-xx Secretariat: DIN

Welding — Quality requirements for heat treatment in connection with welding and allied processes

<u>Soudage — Exigences de qualité relatives au traitement thermique associé au soudage et aux techniques</u> <u>connexes</u>

$\overline{)}$	Style Definition: Heading 1: Indent: Left: 0 pt, First line: 0 pt, Tab stops: Not at 21.6 pt
$\left(\right) \right)$	Style Definition: Heading 2: Font: Bold, Tab stops: Not at 18 pt
()/)	Style Definition: Heading 3: Font: Bold
M//	Style Definition: Heading 4: Font: Bold
()	Style Definition: Heading 5: Font: Bold
\mathbb{N}	Style Definition: Heading 6: Font: Bold
\parallel	Style Definition: ANNEX
- 1	Style Definition: AMEND Terms Heading: Font: Bold
	Style Definition: AMEND Heading 1 Unnumbered: Font: Bold

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 17663

https://standards.iteh.ai/catalog/standards/sist/6a350bdd-53f2-4c9f-a9b7-e89d1caa9a8f/iso-fdis-17663

© <u>ISO 20222023</u>	Formatted: Pattern: Clear
All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.	
ISO copyright office	
CP 401 • Ch. de Blandonnet 8	
CH-1214 Vernier, Geneva	
Phone: +41 22 749 01 11	
Email: copyright@iso.org	
Website: <u>www.iso.org</u> www.iso.org	
Published in Switzerland	

(standards.iteh.ai)

ISO/FDIS 17663

https://standards.iteh.ai/catalog/standards/sist/6a350bdd-53f2-4c9f-a9b7-e89d1caa9a8f/iso-fdis-17663

© ISO 20222023 – All rights reserved

ISO/FDIS 17663:20222023(E)

Contents

Forew	ordiv		
1	Scope		
2	Normative references1		
-			
3	Terms and definitions1		
4	Review of requirements and technical review		
4.1	General		
4.2	Review of requirements		
4.3	Technical review		
5	Subcontracting		
6	-Personnel		
7	Inspection and testing		
71	General		
7.2	Non-destructive testing 4		
	Destructive testing		
8	Equipment for heat treatment		
8.1	Production and testing equipment		
<u>8.2</u>	Description of facilities		
8.3 8.4	Suitability of equipment		
	Verification of heat treatment equipment5 General		
	Measurement of the uniformity of furnace temperature		
	-Validation of setting and recording devices		
	New equipment		
8.6	Maintenance	$\overline{7}$	
0	Heat treatment activities	/ -	
9	General 7		
9.2	Heat treatment parameters		
9.3	Heat treatment procedure specification		
9.4	Work instructions		
9.5	Number of measuring points		
9.6	-Guidance for local post weld heat treatment of welds in pipe work		
10	Heat treatment record9		
11	Non-conformance and corrective actions 10		
	Quality records		
Annex	A (informative) Example of local heat treatment		
Biblio	graphy		
	<u>12Fore</u>		
	<u>wordiv</u>		
1	Scope		
2	Normative references		
3	Terms and definitions1		
4	Review of requirements and technical review		
4	review of requirements and technical review		Formatted: Font: Not Bold
© ISO <mark>2</mark>	<mark>922<u>2023</u> – All rights reserved ii</mark>	i /	/

<u>4.1</u>	General		
4.2	Review of requirements		
4.3	Technical review		
5	Subcontracting		
6	Personnel		
7	Inspection and testing		
7.1	General4	1	
7.2	Non-destructive testing		
7.3	Destructive testing		
8	Equipment for heat treatment		
<u>8.1</u>	Production and testing equipment4		
8.2	Description of facilities		
8.3	Suitability of equipment		
8.4	Verification of heat treatment equipment		
8.4.1	General		
8.4.2	Measurement of the uniformity of furnace temperature		
8.4.3	Validation of setting and recording devices		
8.5	New equipment		
8.6	Maintenance		
9	Heat treatment activities.		
9.1	General		
9.2	Heat treatment parameters		
9.3	Heat treatment procedure specification	ai)	
9.4	Heat treatment procedure specification	alj	
9.5	Number of measuring points		
9.6	Guidance for local post weld heat treatment of welds in pipe work		
10	Heat treatment record		
<u>11</u>	Non-conformance and corrective actions	4c9f-a9b7	
<u>12</u>	Quality records		
Annex	A (informative) Example of local heat treatment		
<u>Biblio</u>	graphy12		

© ISO 20222023 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directiveswww.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www atentswww.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.htmlwww.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 44, Welding and allied processes, Subcommittee SC 10, Quality management in the field of welding, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 121, Welding and allied processes, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 17663:2009), which has been technically revised.

-{	Formatted: Pattern: Clear
1	Formatted: Pattern: Clear
Y	Formatted: Pattern: Clear

The main changes are as follows:

normative references updated;

arc stud welding added in 9.5;

Figure A.1 revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can he found Official interpretations ISO/TC 44 www.iso.or nembers.html www.i .org/members.html. of documents, available from this where thev exist. are page: org/sites https://committee.iso.org/sites/tc44/home/interpretation.html /tc44home/interpretation.html.

Formatted: Font: Not Bold

© ISO 20222023 - All rights reserved

Formatted: Pattern: Clear

Formatted: Pattern: Clear

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 17663

https://standards.iteh.ai/catalog/standards/sist/6a350bdd-53f2-4c9f-a9b7-e89d1caa9a8f/iso-fdis-17663

Welding — Quality requirements for heat treatment in connection with welding and allied processes

1 Scope

This document provides quality requirements for heat treatment in air or controlled atmospheres carried out in workshops and on site in connection with welding and forming. It applies mainly to ferritic steels but can be used for other materials as appropriate.

This document provides guidance for manufacturers that perform heat treatment or produce heattreated products or components. This document can also be used as a basis for assessing the manufacturer in respect to its heat treatment capability.

The fulfilment of a requirement can be waived where justification can be provided that a specific requirement is not applicable to a specific process. This document is intended to be a flexible framework to provide:

- specific requirements for heat treatment by manufacturers in order to have a quality system in accordance with JSO 9001;
- specific requirements for heat treatment in specifications which require the manufacturer to have a quality system other than ISO 9001;
- specific guidance for a manufacturer developing a quality control system for heat treatment;
- specific guidance for post-weld heat treatment for manufacturers adopting <u>ISO 3834-2 or</u> <u>ISO 3834-3;</u>
- detailed requirements for specifications, regulations or product standards that require control of heat treatment activities.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

<std>ISO 4885, Ferrous materials — Heat treatments — Vocabulary</std>

<<u>std>ISO 13916, Welding — Measurement of preheating temperature, interpass temperature and preheat</u> maintenance temperature</std>

<std>IEC 60584-1, Thermocouples Part 1: EMF specifications and tolerances</std>

ISO 4885, Ferrous materials — Heat treatments — Vocabulary

<u>ISO 13916, Welding — Measurement of preheating temperature, interpass temperature and preheat</u> <u>maintenance temperature</u>

© ISO 20222023 - All rights reserved

F	ormatted: Pattern: Clear
F	ormatted: Pattern: Clear
F	ormatted: Pattern: Clear
F	ormatted: Pattern: Clear
$\overline{0}$	11 caa9a8 f/iso_fdis_
F	ormatted: Pattern: Clear

IEC 60584-1, Thermocouples — Part 1: EMF specifications and tolerances

3 Terms and definitions

For the purposes of this document, the terms and definitions given in JSO 4885 and JSO 13916 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

ISO Online browsing platform: available at https://www.iso.org/obp

IEC Electropedia: available at <u>https://www.electropedia.org/</u>https://www.electropedia.org/

3.1

I

manufacturer

person or organization responsible for heat treatment of products or components

3.2

loading temperature

temperature of the furnace at the stage when the product or component is put into the furnace

3.3

holding temperature temperature at which the product or component is kept in order to achieve the specified properties

Note 1 to entry: The holding temperature depends on the type of heat treatment, type of material and material thickness.

Note 2 to entry: Normally, the holding temperature is expressed as a temperature range.

3.4

holding time https://standards.iteh.ai/catalog/standards/sist/6a350bdd-53f2-4c9f-a9b7-e89d1caa9a8f/iso-fdis-

time the product or component is kept at the holding temperature

Note 1 to entry: The holding time starts when the temperature at all measuring points has reached the minimum value of the range of the holding temperature and stops when one of the measuring points falls below that temperature.

Note 2 to entry: The holding time depends on the type of heat treatment, material and material thickness.

3.5

unloading temperature

temperature of the product or component when it is taken out of a furnace or when the heat source is removed or switched off in any other heat treatment, e.g. local heat treatment

3.6

section temperature range

temperature range with a specified linear distance that can vary between two adjacent measuring points

	Formatted: Pattern: Clear
\bigwedge	Formatted: Pattern: Clear
	Formatted: Pattern: Clear
	Formatted: Pattern: Clear

4 Review of requirements and technical review

4.1 General

The manufacturer shall review the contractual requirements and any other requirements together with any technical data. This is to ensure that all information necessary to carry out the heat treatment operations is available prior to the commencement of the work. The manufacturer shall affirm its capability to meet all requirements and ensure adequate planning of all quality-related activities.

The review of requirements is carried out by the manufacturer to verify that the work content is within its capability to perform, that sufficient resources are available to achieve delivery schedules and that documentation is clear and unambiguous. The manufacturer shall ensure that variations between the contract and previous quotation are identified.

4.2 Review of requirements

Aspects for consideration shall include the following:

- a) product standard used, together with any supplementary requirements;
- b) statutory and regulatory requirements;
- c) any additional requirement determined by the manufacturer;
- d) capability of the manufacturer to meet the prescribed requirements.

4.3 Technical review

It shall be ensured that all necessary information has been supplied by the purchaser. Aspects for consideration shall include the following:

a) application standard being used and appropriate drawings;

- https://standards.iteh.ai/catalog/standards/sist/6a350bdd-53f2-4c9f-a9b7-e89d1caa9a8f/iso-fdis-
- b) location and accessibility of the product or component being heat treated;
- c) type of marking of the product or component being heat treated;
- d) heat treatment specifications (appropriate heat treatment values) and inspection procedures for heat treatment;
- connection between heat treatment specifications and welding and/or forming-procedure specifications;
- f) methods of heat treatment, for example which products or components are being treated in a furnace and which products or components are being subjected to local heat treatment;
- g) competence of personnel;
- h) suitability of equipment;
- i) heat treatment documentation;
- j) control and inspection arrangements;
- k) quality requirements for the subcontractor;

© ISO 20222023 - All rights reserved

- l) handling of non-conformity of heat treatment;
- m) means of temperature measurement and recording;
- n) quality requirements and testing of heat treatment, if any;
- o) schedule or sequence of heat treatment;
- p) availability of sufficient energy;
- q) other special agreements, e.g. supporting of the product or component.

5 Subcontracting

Any subcontractor shall work under the orders and responsibility of the manufacturer and shall fully conform to the relevant requirements of this document. The manufacturer shall ensure that the subcontractor can conform to the quality requirements of the specification.

Information that the manufacturer provides to the subcontractor shall include all relevant data from the technical review (see <u>4.3</u>).

The manufacturer who orders heat treatment shall supply all relevant specifications and requirements concerning these works to the subcontractor. The subcontractor shall provide records and documentation of its work as specified by the manufacturer.

6 Personnel

The manufacturer shall appoint a sufficient number of competent personnel for the planning, performing and supervising of the heat treatment work according to specified requirements.

The competence of personnel who carry out the heat treatment shall be confirmed by the manufacturer (method of confirmation: support tracing the process).

The personnel shall be trained and be able to read, understand and implement heat treatment instructions, such as programming the regulation, installation of thermocouples or control of measuring line.

7 Inspection and testing

7.1 General

The manufacturer shall have at its disposal a sufficient number of competent personnel for planning and performing, inspection, testing and assessing of the heat treatment activities according to specified requirements.

7.2 Non-destructive testing

Non-destructive testing shall be carried out at the stage of heat treatment specified in the application standard.

7.3 Destructive testing

Destructive testing after heat treatment shall be carried out if required by the application standard or contract. It can be performed voluntarily if the manufacturer decides to verify the properties for the product or component.

© ISO 20222023 - All rights reserved

Formatted: Pattern: Clear