ISO/TC 214/WG1N

Date: 2024-02-0504-30

ISO/FDIS 16368:2024(E)

ISO/TC 214/WG

ISO/FDIS 16368:2024(en)

ISO/TC 214/WG :

Secretariat: ANSI

Mobile elevating work platforms — Design, calculations, safety requirements and test

Plates-forme élévatrices mobiles de personnel — Conception, calculs, exigences de sécurité et méthodes d'essai

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 16368

COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office

Ch. de Blandonnet 8 • CP 401

CH-1214 Vernier, Geneva, Switzerland

Tel.-_+ 41 22 749 01 11

Fax-+ 41 22 749 09 47

copyright@iso.org

www.iso.org

www.iso.org

iTeh Standards

(https://standards.iteh.ai) Document Preview

ISO/FDIS 16368

$\underline{\mathsf{ISO/FDIS}\,16368:2024(E)}\underline{\mathsf{ISO/FDIS}\,16368:2024(en)}$

Cont	ents-	Page	
Forew	ord	 vii	
Introd	uction	ix	
1	Scope	1	
2	Normative references	2	
3	Terms and definitions	3	
4	Safety requirements and/or protective/risk reduction measures	11	
4.1	General		
4.2	Stability and structural calculations	11	
4.2.1	Calculations and rated load	11	
4.2.2	Loads and forces acting on MEWP structure	12	
4.2.3	Stability calculations		
4.2.4	Structural calculations	36	
4.3	Chassis and stabilising devices	41	
4.3.1	Travel prevention	41	
4.3.2	Chassis inclination	41	
4.3.3	Locking pins	41	
4.3.4	Control bars and tow bars	41	
4.3.5	Control bars and tow bars held in vertical position	41	
4.3.6	Stabilising device ground contact points	42	
4.3.7	Permitted work platform positions	42	
4.3.8	Totally manually operated MEWPs	42	
4.3.9	Prevention of powered stabilising devices movement	43	
	Manually operated stabilising devices		
	Movement of stabilising devices		
	Vehicle-mounted MEWP transport position indicators		
	Visual contact at control positions		
	Levelling stabilising devices		
	Oscillating axle lock or control systems		
	Maximum travel speeds in elevated travel position		
	Maximum travel speed of pedestrian-controlled MEWPs		
	Self-propelled MEWP brakes		
	Stopping distances		
	Unauthorized use		
	Thermal hazards		
	Engine exhaust		
	Filling points for fluids		
	Batteries and battery containers		
	Derailment and run-away prevention of rail-mounted MEWPs		
	Vehicle-mounted MEWP chassis selection		
4.4	Extending structure		
4.4.1	Methods to avoid overturning and exceeding permissible stresses		
4.4.2	Sequencing of extending structure		
	Trapping and shearing		

© ISO 2024 – All rights reserved

4.4.4	Supporting extending structure for routine maintenance		
4.4.5	Speeds of extending structure		
4.4.6	Support in transport position	52	
4.5	Extending structure drive systems	52	
4.5.1	General	52	
4.5.2	Wire-rope drive systems	53	
4.5.3	Chain drive systems	55	
4.5.4	Lead screw drive systems	57	
4.5.5	Rack and pinion drive systems	57	
4.6	Work platform	58	
4.6.1	Level of work platform	58	
4.6.2	Work platform materials	58	
4.6.3	Guardrail (protection) systems		
4.6.4	Anchorage(s)		
4.6.5	Openings in guardrails for entrance and exit		
4.6.6	Floor of work platform		
4.6.7	Chains or ropes		
4.6.8	Accessing the work platform		
4.6.9	Trapdoors		
	Protecting controls and hands		
	Audible warning device		
	Means of communication		
	Mechanical stops		
	Support in transport position		
4.7	Controls		
4.7.1	General		
4.7.2	Sustained involuntary operation protection		
4.7.3	Location, accessibility, protection, and selection among duplicate controls		
4.7.4	Emergency stops		
4.7.5	Pilot and solenoid valves		
4.7.6	Restoration of power after failure		
	Auxiliary lowering system		
4.7.8	Overriding of functions		
4.7.9	Automatic or programmed operation		
	Winch control on vehicle-mounted MEWPs		
4.7.11	MEWPS with retractable guardrails		
4.8	Electrical equipment		
4.8.1	Relevant norms and standards		
4.8.2	Main switch		
4.8.3	Cables	70	
4.8.4	Battery protection	70	
4.8.5	Ingress of water	70	
4.8.6	Electromagnetic compatibility (EMC)	71	
4.8.7	Hourmeter	71	
4.9	Hydraulic systems	71	
4.9.1	Pressure-limiting device	71	
4.9.2	Strength of pipes and connections	71	
4.9.3	Bursting strength of hoses and fittings		
4.9.4	Pressure rating of other components		
4.9.5	Gauge connections		
4.9.6	Venting of air		
4.9.7	Inlet filter		
4.9.8	Fluid level indicators		
		_	

$\underline{\mathsf{ISO/FDIS}\,16368:2024(E)}\underline{\mathsf{ISO/FDIS}\,16368:2024(en)}$

4.9.9	Fluid cleanliness	72
4.9.10	Gas-loaded accumulators	72
4.10	Hydraulic cylinders	72
4.10.1	Structural design	72
4.10.2	Prevention of unintended movement of load-holding cylinders	79
4.11	Safety devices and safety functions	
	General	
	Safety functions of mechanical devices	
4.12	Noise reduction	
5	$Verification\ of\ the\ safety\ requirements\ and/or\ protective/risk\ reductions\ measures\$	
5.1	Examinations and tests	
5.1.1	General	
5.1.2	Design check	
5.1.3	Manufacturing checks	87
5.1.4	Tests	87
5.2	Type tests	100
5.3	Production tests	100
5.3.1	MEWPs not vehicle-mounted	100
5.3.2	Vehicle-mounted MEWPs	100
6	Information for use	100
-		
6.1	General	
6.2	Operator's manual	
6.2.1	Content	
6.2.2	Modification or repair	
6.3	Parts and service manuals	
6.4	Marking	
6.4.1	Responsible entity's plate	
6.4.2	Work platform	
6.4.3	Multiple rated loads	
6.4.4	Auxiliary systems	104
6.4.5	Overriding of functions	
6.4.6	Work platform rated loads	
6.4.7	MEWPs designated for indoor use	
6.4.8	External power supply connections	
6.4.9	Detachable parts	105
6.4.10	Instructions	105
	Projecting extremities	
6.4.12	Wheel/stabilising device load	105
6.4.13	Tyre pressure	105
6.4.14	Clearances	105
6.4.15	Maintenance	106
6.4.16	Stabilising device use	106
	Levelling instructions	
	Pressurized vessel	
	Annual Inspection	
	•	
Annex	A (informative) Use of MEWPs in wind speeds greater than 12,5 m/s — Beaufort	100

36a0ba548f00/iso-fdis-16368

Annex B (normative) Additional requirements for wireless controls and control systems	109
Annex C (normative) Calculation of wire-rope drive systems	11
Annex D (informative) Calculation example — Wire-rope drive systems	122
Annex E (informative) Kerb test calculations	130
Annex F (informative) List of significant hazards	139
Pibliography	14'

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 16368

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 214, Elevating work platforms.

This third edition cancels and replaces the second edition (ISO 16368:2010), which has been technically revised.

The main changes are as follows:

- all requirements from ISO 16653-1 have been integrated into this document;
- in the Scope, additional details have been added included intended use and objectives;
- the normative references have been updated;
- in Clause 3, seven new definitions have been added to support their use in the text;
- Clause 4 has been updated to include a new figure for the rated load of tools and materials; Table 1 and Figure-3 have been revised to show load sensing and enhanced stability examples separately

© ISO 2024 – All rights reserved

© ISO 2024 – All rights reserved vii and to include more working configurations; verification methods have been removed from each clause and placed in new Table 7 in Clause 5; access system requirements have been revised to include Table 4 and Table 5;

- in Clause 6, the contents of Annex F have been merged into 6.2.1 and the previous Annex-F has been eliminated;
- Annex B has been added, and preceding Annexes have been renumbered accordingly.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 16368

ISO/FDIS 16368:2024(E)ISO/FDIS 16368:2024(en)

Introduction

This standard document is a type-C standard as stated in ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- ___machine manufacturers (small, medium and large enterprises);
- —_health and safety bodies (regulators, accident prevention organisations, market surveillance, etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- ___machine users/employers (small, medium and large enterprises);
- —_machine users/employees (e.g. trade unions, organizations for people with special needs disabilities);
- ____service providers, e.g. for maintenance (small, medium and large enterprises);
- ___consumers (in the case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-S standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

The objective of this document is to establish rules for safeguarding persons and objects against the risk of an accident associated with the operation of mobile elevating work platforms (MEWPs). MEWPs are assemblies of one or more sub-assemblies produced by one or more manufacturers. A MEWP is the product of activities that include design, production, and testing, as well as the provision of information on the MEWP itself.

This document does not repeat all the general technical rules applicable to every electrical, mechanical, or structural component. Its safety requirements have been developed on the basis that MEWPs are periodically maintained according to given instructions, working conditions, frequency of use and national or other regulations. It is assumed that MEWPs are checked for function before start of work, whether used daily or seldom used, and are not put into operation unless all the required control and safety devices are available and in working order. Where, for clarity, an example of a safety measure is given in the text, it is not intended as the only possible solution. Any other solution leading to the same risk reduction is permissible if an equivalent level of safety is achieved.

Annex A explains the choice of Beaufort Scale 6 as the maximum wind speed.

Annex B specifies additional requirements for wireless controls and control systems.

© ISO 2024 - All rights reserved

Annex C provides, in addition to those found in the body of this document, appropriate extracts from DIN 15020 (all parts) to avoid the unexplained inconsistencies in coefficients of utilization for wire ropes found in other standards for lifting devices.

Annex D provides a worked example of the provisions given in Annex C.

Annex E gives kerb test calculations.

Annex F presents the list of significant hazards dealt with by this document.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/FDIS 16368

<u>Mobile elevating work platforms — Design, calculations, safety requirements and test methods</u>

1 Scope

This document specifies safety requirements and protective/risk reduction measures, and the means for their verification, for all types and sizes of mobile elevating work platforms (MEWPs) intended for moving a person(s) along with their necessary tools and materials at an elevated work location.

This document also applies to MEWPs designed for applications requiring special access to specific work areas. These MEWPs can be either self-propelled or manually propelled and are used to elevate personnel to a level at which they can place, install, or retrieve objects or material on a routine basis. To facilitate operator access to the work area, the retraction of a portion of the MEWP's work platform guardrail system(s) can be necessary.

This document is intended to serve as a guide for manufacturers and remanufacturers of MEWPs to achieve the following objectives:

- ___elimination or reduction of accidents and personal injuries;
- establishment of criteria for design, manufacture, remanufacture, rebuild/recondition, testing and performance;
- <u> establishment</u> and understanding by manufacturers and remanufacturers of their responsibilities.

The design and manufacturing requirements of this document apply to all MEWPs manufactured or remanufactured on or after the effective date, but it is not applicable to rebuilt or reconditioned MEWPs.

It identifies the hazards arising from the use of MEWPs and describes methods for the elimination or reduction of these hazards.

This document is not applicable to

- a) permanently installed personnel-lifting appliances serving defined levels,
- b) firefighting and fire rescue appliances (see for example, EN 1777),
- c) unguided work cages suspended from lifting appliances (see for example, EN 1808),
- d) elevating operator position on rail-dependent storage and retrieval equipment (see for example, EN 528),
- e) tail lifts (see for example, EN 1756-1:2001+A1:2008, EN 1756-2:2004+A1:2009),
- mast-climbing work platforms (see ISO 16369),

© ISO 2024 – All rights reserved

- g) fairground equipment,
- h)_lifting tables with a lifting height of less than 2 m (see for example, EN 1570-1:2011+A1:2014),
- i) builder's hoists for persons and materials,
- il_aircraft ground-support equipment (see for example, EN-1915-1:2013, EN-1915-2:2001+A1:2009),
- k) digger derricks,
- elevating operator positions on industrial trucks (see for example, ISO 3691-3),
- m) elevating operator positions on cranes,
- _certain requirements for insulating aerial devices on a chassis for use in live work on electrical installations (see Note 1),
- o) multi-purpose elevating platform powered industrial trucks (MPEPs) controlled by a single stand-up riding operator and intended to be used for manually picking and transporting small items at height,
- p) powered industrial trucks used to pick and place stock or inventory.

NoteNOTE 1 For requirements for use near live electrical installations, see ISO 16653-2. For requirements for use on live electrical installations, see IEC 61057.

It does not cover hazards arising from:

- use in potentially explosive atmospheres,
- use of compressed gases for load-bearing components, CUMENT Preview
- ___derailment and runaway of rail-mounted MEWPs,
- __work on live electrical systems (see Note 2 and Note 3).

Note NOTE 2 Hazards arising from work on live electrical systems are addressed in IEC 61057.

NoteNOTE 3 For MEWPs that employ aerial devices used for live working, this document will need is to be used in conjunction with IEC 61057, taking into consideration the potential exceptions from this document that are specified in IEC 61057.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3864 (all parts), Graphical symbols — Safety colours and safety signs

ISO 4305, Mobile cranes — Determination of stability

ISO-7000, Graphical symbols for use on equipment — Registered symbols

ISO-12100, Safety of machinery — General principles for design — Risk assessment and risk reduction

ISO/FDIS 16368:2024(en)

 ${\tt ISO~13849-1, Safety~of~machinery-Safety-related~parts~of~control~systems-Part~1:~General~principles~for~design}$

ISO 13850, Safety of machinery — Emergency stop function — Principles for design

ISO 13854, Safety of machinery — Minimum gaps to avoid crushing of parts of the human body

ISO 18893<u>:20—;—,</u>1, Mobile elevating work platforms — Safety principles, inspection, maintenance, and operation

ISO 20332, Cranes — Proof of competence of steel structures

 $ISO\ 21455, Mobile\ elevating\ work\ platforms-Operator's\ controls-Actuation,\ displacement,\ location\ and\ method\ of\ operation$

 $\begin{tabular}{l} {\bf IEC~60068-2-64}, {\it Environmental~testing-part~2-64}; {\it Tests-Test~Fh: Vibration, broadband~random~and~guidance} \end{tabular}$

IEC 60204-1, Safety of machinery — Electrical equipment of machines — Part 1: General requirements

IEC 60204-32:20082023, Safety of machinery — Electrical equipment of machines — Part 32: Requirements for hoisting machines

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 61310-1, Safety of machinery — Indication, marking and actuation — Part 1: Requirements for visual, acoustic and tactile signals

3 Terms and definitions

For the purposes of this document, the <u>following</u>-terms and definitions <u>given in ISO 12100 and the following</u> apply.

ISO and IEC maintain terminological terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

access position

position(s) to provide access to and from the work platform (3.58)

Note 1 to entry: The access position, *lowered travel position* (3.21), *stowed position* (3.51) and *transport position* (3.52) can be identical.

© ISO 2024 All rights reserved

¹ Under preparation. Stage at the time of publication: ISO/FDISDIS 18893:2023.

3.2

aerial device

device, extensible, articulating or both, which is primarily designed and used to position personnel

Note 1 to entry: This does not include the chassis (3.5). When an aerial device is mounted on a mobile chassis (3.5) it becomes a component of a MEWP. The device can also be used to handle material, if designed and equipped for

3.3

anchorage

designated point of attachment utilized with a personal fall protection system

chain drive system

system that comprises one or more chains running on chain sprockets or over chain pulleys, as well as any associated chain sprockets, chain pulleys and compensating pulleys

3.5

chassis

base of a MEWP

Note 1 to entry: See Figure 1.

Note 2 to entry: The chassis can be pulled, pushed, self-propelled, etc.

3.6

ductile materials

materials that have a minimum elongation at fracture of 10 % in a gauge length of 51 mm of a standard tensile test specimen

elevated travel position

configuration(s) of the MEWP for travel outside of the lowered travel position (3.21)

extending structure

structure which is connected to the *chassis* (3.5) and supports the *work platform* (3.58) and which allows movement of the work platform (3.58) to its required position

Note 1 to entry: See Figure 1.

3.9

fall arrest system

personal fall protection system designed to arrest the fall of an operator (3.36) or occupant(s) (3.35)

3.10

fall restraint system

personal fall protection system that restrains or prevents an operator (3.36) or occupant(s) (3.35) from reaching a fall hazard

3.11

finite element analysis

FEA

computerized method of idealizing a real model for the purposes of performing structural analysis