

ISO/IEC JTC 1/SC 40

ISO/IEC FDIS 30105-1:2023(E)

ISO/IEC JTC 1/SC 40

Secretariat: SA

Date:2023-12-12 2024-02-19

ISO/IEC JTC 1/SC 40

**Information technology — IT Enabled Services-Business Process Outsourcing (ITES-BPO) lifecycle processes — ~~Part 1: Process reference model (PRM)~~**

**Part 1:**  
**Process reference model (PRM)**

*Technologies de l'information — Processus du cycle de vie de la délocalisation du processus d'affaires des services activés par IT — ~~1~~*

*Partie ~~1~~: Modèle de référence du processus (PRM)*

**FDIS stage**

~~Edited DIS -  
MUST BE USED  
FOR FINAL  
DRAFT~~

© ISO ~~2023~~/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: + 41 22 749 01 11  
~~Email~~E-mail: [copyright@iso.org](mailto:copyright@iso.org)  
Website: ~~www.iso.org~~[www.iso.org](http://www.iso.org)

Published in Switzerland

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ISO/IEC FDIS 30105-1](#)

<https://standards.iteh.ai/catalog/standards/iso/a4e97e6a-f8df-4381-960a-25ff0e42e487/iso-iec-fdis-30105-1>

**Contents—Page**

Foreword .....	v
Introduction.....	vii
1 Scope .....	1
2 Normative references.....	2
3 Terms, definitions and abbreviated terms .....	2
3.1 Terms and definitions .....	2
3.2 Abbreviated terms.....	5
4 Overview of process reference model (PRM) .....	6
4.1 Requirements for a PRM.....	6
4.2 Descriptive elements of the PRM .....	6
4.3 Process reference model categories .....	7
5 Process reference model description .....	11
5.1 Strategic enablement processes .....	11
5.2 Relationship processes .....	12
5.3 Solution processes.....	14
5.4 Transition in processes .....	15
5.5 Service delivery processes .....	22
5.6 Transition out process.....	25
5.7 Tactical enablement processes .....	26
5.8 Operational enablement processes .....	34
Annex A (informative) Statement of conformity to ISO/IEC 33004 .....	40
A.1 General .....	40
A.2 Requirements for process reference models .....	40
A.3 Process descriptions.....	40
Bibliography.....	41

Foreword — iv

Introduction — vi

1 — Scope — 1

2 — Normative references — 1

3 — Terms, definitions and abbreviated terms — 1

3.1 — Terms and definitions — 2

3.2 — Abbreviated terms — 5

4 — Overview of process reference model — 5

4.1 — Requirements for a process reference model — 5

4.2	Descriptive elements of the PRM	5
4.3	Process reference model categories	6
5	Process reference model description	8
5.1	Strategic enablement processes	8
5.2	Relationship processes	9
5.3	Solution processes	10
5.4	Transition in processes	11
5.5	Service delivery processes	15
5.6	Transition out process	17
5.7	Tactical enablement processes	17
5.8	Operational enablement processes	22
Annex A (informative)	Statement of conformity to ISO/IEC 33004	27
A.1	General	27
A.2	Requirements for process reference models	27
A.3	Process descriptions	27
	Bibliography	28

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ISO/IEC FDIS 30105-1](#)

<https://standards.iteh.ai/catalog/standards/iso/a4e97e6a-f8df-4381-960a-25ff0e42e487/iso-iec-fdis-30105-1>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents) and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 40, *IT service management and IT governance*.

This second edition cancels and replaces the first edition (ISO/IEC 30105-1:2016), which has been technically revised.

The main changes are as follows:

- ~~terms and abbreviated terms that are used in this document and were previously defined in ISO/IEC 30105-4:2016~~ have been added to this document;
- requirements for a process reference model have been clarified in ~~4.1~~;4.1;
- ~~the addition of~~ two new ~~tactical enablement~~ processes, TEN9 (Communication management) and TEN10 (Documentation management), ~~within the Tactical enablement process category~~, have been added in order to align with ISO/IEC 20000-1:2018 and ISO/IEC TS 33074:2020;
- ~~realignment of the~~ processes (e.g. context, purposes, and outcomes) ~~have been realigned~~ to reflect updates in other standards, for example the impacts of change from ISO/IEC TR 20000-4 to ISO/IEC

## ISO/IEC FDIS 30105-1:2023(E2024(en))

TS-33054, and updates to the ISO/IEC 33000 series, resulting in some outcomes no longer being required and new outcomes being added;

— ~~—~~ editorial errors from the previous edition have been corrected.

A list of all parts in the ISO/IEC-30105-series can be found on the ISO ~~website~~ and IEC ~~websites~~.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

# iTeh Standards (<https://standards.iteh.ai>) Document Preview

ISO/IEC FDIS 30105-1

<https://standards.iteh.ai/catalog/standards/iso/a4e97e6a-f8df-4381-960a-25ff0e42e487/iso-iec-fdis-30105-1>

## Introduction


IT Enabled Services—Business Process Outsourcing (ITES-BPO) services encompass the delegation of one or more IT enabled business processes to a service provider who uses appropriate technology to deliver that service. Such a service provider manages, delivers, improves and administers the outsourced business processes in accordance with predefined and measurable performance metrics. This covers diverse business process areas, such as human resource management, administration, ~~health care~~healthcare, financial management, supply chain management, travel and hospitality, media, market research, data analytics, telecommunication, manufacturing, etc. ITES-BPO services provide business solutions to customers across the globe and form part of the core service delivery chain for customers.

The ISO/IEC 30105 series specifies the requirements for lifecycle processes performed by ~~for the outsourced business processes~~an ITES-BPO service provider. It defines the processes to plan, establish, implement, operate, monitor, review, maintain and improve its services. Key aspects~~characteristics~~ of the ISO/IEC 30105 series are as follows.

- ~~—~~It provides overarching guidance and requirements for all aspects of ITES-BPO industry from the view of the service provider that performs the outsourced business processes. This is applicable for any service provider providing services to customers through contracts and in industry verticals.
- ~~—~~It covers the entire outsourcing lifecycle and defines the processes that are considered to be good practices.
- ~~—~~It enables process capability gap determination and improvement for service providers performing outsourced business processes. It also serves as a process reference model (PRM) for service providers.
- ~~—~~It focuses on IT enabled business processes which are outsourced.
- ~~—~~It is generic and can be applied to all IT enabled business process outsourced services, regardless of type, size and the nature of the services delivered.
- ~~—~~Process improvement implemented using the ISO/IEC 30105 series can lead to clear return on investment for customers and service providers.
- ~~—~~Alignment to the ISO/IEC 30105 series can improve consistency, delivery quality and predictability in the delivery of services.

~~Figure 1~~Figure 1 illustrates the key entities and relationships involved in an ITES-BPO service. This includes the customer, the service provider and various levels of suppliers. This is in line with the supply chain relationship depicted in ISO/IEC 20000-1:2018, 8.3.1. This document and ISO/IEC 20000-1 complement each other.

~~Edited DIS -  
MUST BE USED  
FOR FINAL  
DRAFT~~



**Key**  
RLS relationship  
SDL service delivery  
SLA service level agreement

Figure 1 — ITES-BPO key entities (ISO/IEC 20000-1:2018)



# Information technology — IT Enabled Services-Business Process Outsourcing (ITES-BPO) lifecycle processes —

## Part 1:

### Process reference model (PRM)

#### 1 Scope

The ISO/IEC 30105 series specifies the lifecycle process requirements performed by the IT enabled business process outsourcing service provider for the outsourced business processes. It defines the processes to plan, establish, implement, operate, monitor, review, maintain and improve its services. ~~This document~~

- ~~— covers IT enabled business processes that are outsourced;~~
- ~~— is not intended to address IT processes but includes references to them at key touchpoints for completeness;~~
- ~~— is applicable to the service provider, not to the customer;~~
- ~~— is applicable to all lifecycle processes of ITES-BPO;~~
- ~~— serves as a process reference model for organizations providing ITES-BPO services.~~

This document specifies the process reference model (PRM). It contains process definitions across the lifecycle described in terms of process context, purpose and outcomes, together with a framework defining relationships between the processes.

The process purpose details the high-level objective of performing the process such that implementation of the process leads to tangible benefits for stakeholders. The process outcomes are clearly defined by observable results and aligned to the business benefits derived by the customer and service provider.

This document:

- covers IT enabled business processes that are outsourced;
- is not intended to address IT processes, but includes references to them at key touchpoints for completeness;
- is applicable to the service provider, not to the customer;
- is applicable to all lifecycle processes of ITES-BPO;
- serves as a process reference model for organizations providing ITES-BPO services.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC/TR 20000-10:2018, *Information technology — Service management — Part 10: Concepts and terminology*

ISO/IEC 33001:2015, *Information technology — Process assessment — Concepts and terminology*

ISO/IEC 33004:2015, *Information technology — Process assessment — Requirements for process reference, process assessment and maturity models*

## 3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms and definitions given in ISO/IEC TR 20000-10, ISO/IEC 33001 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

### 3.1 Terms and definitions

#### 3.1.1

##### **business continuity**

capability of the *organization* (3.1.6) to continue the delivery of products and services within acceptable time frames at predefined capacity to pre-defined performance levels during a period of disruption

[SOURCE: ISO 22301:2019, 3.3, modified — "at predefined capacity during a disruption" has been changed to "at predefined capacity to pre-defined performance levels during a period of disruption" in the definition.]

#### 3.1.2

##### **business process**

collection of related, structured activities that produce a specific service or product for a particular customer

[SOURCE: ISO/IEC 30105-4:2022, 3.1.3]

#### 3.1.3

##### **infrastructure**

hardware, software, working environment and controls to support *business process* (3.1.2) outsourcing

[SOURCE: ISO/IEC 30105-4:2022, 3.1.6]

#### 3.1.4

##### **innovation**

new or changed entity, realizing or redistributing value

Note 1 to entry: Value is relative to, and determined by, the perception of the *organization* (3.1.6) and relevant interested parties.

Note-2-to entry:-An innovation can be a product, service, *process* (3.1.9), (3.1.9), model, method, etc.

Note-3-to entry:-Innovation is an outcome. The word “innovation” sometimes refers to activities or processes resulting in, or aiming for, innovation. When “innovation” is used in this sense, it should always be used with some form of qualifier, e.g. “innovation activities”.

Note-4-to entry:-For the purpose of statistical measurement, ~~refer to the Oslo Manual 2018, 4th edition, by OECD/Eurostat. See Annex B.2 for a comparison between the definitions of innovation by ISO and the OECD/Eurostat. see Reference [16].~~

[SOURCE: ISO 56000:2020, 3.1.1, modified — “novelty” in Note 1 to entry has been ~~deleted~~removed. Reference to Annex B of the source document has been removed in Note 4 to entry.]

### 3.1.5 knowledge transfer

structured approach for imparting a pre-existing or acquired learning, to a team or a person, to help them attain defined levels of knowledge or skill

### 3.1.6 organization

person or group of people that has its own functions with responsibilities, authorities and relationships to achieve its objectives

Note-1-to entry:-The concept of organization includes, but is not limited to sole-trader, company, corporation, firm, enterprise, authority, partnership, charity or institution, or part or combination thereof, whether incorporated or not, public or private.

[SOURCE: ISO/IEC 20000-1:2018, 3.1.14, modified — Note 2 to entry, Note 3 to entry and Note 4 to entry have ~~not been included~~removed.]

### 3.1.7 outsourcing

business model for the delivery of a product or services to a customer by a provider

Note-1-to entry:-Outsourcing is an alternative to the provision of those products or services within the customer organization, (3.1.6), where:

- the outsourcing *process* (3.1.9) is based on a sourcing decision (make or buy);
- resources can be transferred to the provider;
- the provider is responsible for the product or service for an agreed period of time;
- the accountability for delivery outcomes is owned by the customer and the provider is responsible for performing the services.

[SOURCE: ISO 37500:2014, 3.10, modified — “client” has been changed to “customer” in the definition, and Note 1 to entry has been added.]

### 3.1.8

#### preventive action

action to eliminate the cause of a potential ~~non-compliance~~nonconformity or other potential undesirable situation

Note-1-to entry:- There can be more than one cause for a potential ~~non-conformity~~nonconformity.

Note-2-to entry:- Preventive action is taken to prevent occurrence whereas corrective action is taken to prevent recurrence.

[SOURCE: ISO 9000:2015, 3.12.1]

### 3.1.9

#### process

set of interrelated or interacting activities that use inputs to deliver an intended result

Note-1-to entry:- Whether the “intended result” of a process is called output, product or service depends on the context of the reference.

Note-2-to entry:- Inputs to a process are generally the outputs of other processes and outputs of a process are generally the inputs to other processes.

Note-3-to entry:- Two or more interrelated and interacting processes in series can also be referred to as a process.

Note-4-to entry:- Processes in an *organization* (3.1.6) are generally planned and carried out under controlled conditions to add value.

Note-5-to entry:- A process where the conformity of the resulting output cannot be readily or economically validated is frequently referred to as a “special process”.

Note-6-to entry:- This constitutes one of the common terms and core definitions for ISO management system standards given in Annex SL of the Consolidated ISO Supplement to the ISO/IEC Directives, Part 1. The original definition has been modified to prevent circularity between process and output, and Notes 1 to 5 to entry have been added.

<https://standards.iteh.ai/catalog/standards/iso/a4e97e6a-f8df-4381-960a-25f10e42e487/iso-iec-fdis-30105-1>

[SOURCE: ISO 9000:2015, 3.4.1]

### 3.1.10

#### process outcome

observable result of the successful achievement of the *process* ~~purpose~~(3.1.9) purpose

Note-1-to entry:- An outcome statement describes one of the following: production of an artefact; a significant change in state; meeting of specified constraints, e.g. requirements, goals, etc.

[SOURCE: ISO/IEC 33001:2015, 3.3.11]

### 3.1.11

#### process reference model

model comprising definitions of *processes* (3.1.9) in a domain of application, described in terms of process purpose and outcomes, together with an architecture describing the relationships between the processes

[SOURCE: ISO/IEC 33001:2015, 3.3.16]

### 3.1.12

#### transition in

activities for migrating agreed upon knowledge, assets, liabilities, systems, *processes* (3.1.9) and people from the customer to the provider or back in-house, in order to create desired delivery capability

[SOURCE: ISO 37500:2014, 3.24, ~~modified—client has been changed to customer.~~]

### 3.1.13

#### transition out

activities for migrating agreed upon knowledge, assets, liabilities, systems, *processes* (3.1.9) and people from one service provider to another, or back in-house, enabling the customer to change service provider or service solution

[SOURCE: ISO/IEC 30105-4:-2022, 3.1.26]

### 3.1.14

#### value chain

entire sequence of activities or parties that create or receive value through the provision of a product or service

[SOURCE: ISO 14050:2020, 3.5.28], ~~modified — "or service" has been added to the definition.~~

### 3.1.15

#### work environment

set of conditions under which work is performed

Note\_1\_to\_entry:- Conditions can include physical, social, psychological and environmental factors (such as temperature, lighting, recognition schemes, occupational stress, ergonomics and atmospheric composition).

[SOURCE: ISO 9000:2015, 3.5.5]

## 3.2 Abbreviated terms

~~BCM~~

~~business continuity management~~

ITES-BPO

IT Enabled Services-Business Process Outsourcing

~~KT~~

~~knowledge transfer~~

MF

measurement framework

OEN

operational enablement

OMM

organization maturity model

PA

process attribute

PAM

process assessment model

PRM

process reference model

RLS

relationship

SDL

service delivery

SEN

strategic enablement

SLA	service level agreement
SLN	solution
TEN	tactical enablement
TRN	transition in
TRO	transition out

## 4 Overview of process reference model (PRM)

### 4.1 Requirements for a ~~process reference model~~ PRM

~~In accordance with~~ ISO/IEC 33004:2015, 5.4 ~~Process descriptions requires that~~, processes included in a ~~process reference model~~ PRM shall satisfy the following requirements:

- ~~a) a)~~ descriptions shall contain the process purpose and process outcomes;
- ~~b) b)~~ the set of process outcomes shall be necessary and sufficient to achieve the purpose of the process;
- ~~c) e)~~ process descriptions shall not contain or imply aspects of the process quality characteristic beyond the lowest level of its intended measurement scale.

~~Annex A~~ Annex A provides details of the PRM's conformity to ISO/IEC 33004.

### 4.2 Descriptive elements of the PRM

Each process in the PRM has the following descriptive elements.

- ~~a) a)~~ **Name:** the name of a process is a short noun phrase that summarizes the scope of the process, identifying the principal concern of the process, and distinguishes it from other processes within scope of the process reference model.
- ~~b) b)~~ **Context:** for each process, a brief overview describes the intended context of the application of the process.
- ~~c) e)~~ **Purpose:** the purpose of the process is a high-level and overall goal for performing the process.
- ~~d) d)~~ **Outcomes:** an outcome is an observable result of the successful achievement of the process purpose. Outcomes are assessable, measurable, tangible technical or business results that are achieved by a process. ~~They are observable and assessable.~~

~~Figure 2~~ Figure 2 shows the process categories of the process assessment model for ITES-BPO. It includes the strategic enablement, relationship, and tactical and operational processes which support the outsourced business across its lifecycle.