
**Recreational diving services —
Requirements for rebreather diver
training — Decompression diving to
100 m**

*Services relatifs à la plongée de loisirs — Exigences concernant la
formation des plongeurs à l'utilisation des recycleurs — Plongée avec
décompression jusqu'à 100 m*

<https://standards.iteh.ai>
Document Preview

[ISO 24807:2023](https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023)

<https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 24807:2023](https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023)

<https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Competencies	3
5 Prerequisites for training	4
5.1 General.....	4
5.2 Minimum age.....	4
5.3 Diving experience.....	4
5.4 Health requirements.....	4
6 Introductory information	5
7 Theoretical knowledge	5
7.1 Knowledge review.....	5
7.2 Risk management.....	5
7.3 Team diving.....	6
7.4 Project dives with specific objectives.....	7
7.5 Function of rebreather components.....	7
7.6 Breathing performance using a rebreather.....	8
7.7 Rebreather assembly and checks.....	8
7.8 Gas supply duration.....	9
7.9 CO ₂ absorbent duration.....	9
7.10 Rebreather pre-water entry checks.....	9
7.11 Advanced decompression dive planning.....	10
7.12 Dive conduct.....	10
7.13 Identifying and reacting to potential issues.....	11
7.14 Hypercapnia, hypoxia and hyperoxia.....	12
7.15 Buddy and team diving procedures.....	12
7.16 Rebreather maintenance.....	13
7.17 Maintaining knowledge and skills.....	13
8 Practical skills	13
8.1 Skills review.....	13
8.2 General.....	13
8.3 Pre-dive procedures.....	14
8.4 Dive conduct.....	14
8.5 Emergency situations.....	15
8.6 Response to rebreather malfunctions.....	15
8.7 Post-dive procedures.....	16
9 Instructors	16
10 Training equipment and materials	16
10.1 Training equipment.....	16
10.2 Training materials.....	17
11 Practical training parameters	17
11.1 Training dives or in-water sessions.....	17
11.2 Instructor responsibilities.....	18
11.2.1 General.....	18
11.2.2 Instructor-to-student ratios for dives of 60 m or less.....	18
11.2.3 Instructor-to-student ratios for dives deeper than 60 m.....	18
11.3 Rebreather dive leaders.....	18
11.4 Breathing gas limits.....	18

11.4.1	Closed-circuit rebreather	18
11.4.2	Semi-closed rebreather	19
12	Evaluation	19
12.1	Knowledge	19
12.2	Skill evaluation	19
12.3	Proof of qualification	19
Annex A	(informative) Gas density and gas mixtures	21
Annex B	(normative) Student crossover training programmes	23
Bibliography	24

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 24807:2023](https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023)

<https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 228, *Tourism and related services*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 329, *Tourism services*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Rebreathers (i.e. breathing devices that recirculate some or all of the diver's exhaled breath and replenish any consumed oxygen to maintain a breathable mixture) are becoming much more widely available and popular among divers. The market for rebreather diving has been constantly growing in recent years and is now considered to be large enough that the need for standards for training organizations on minimum training requirements is evident. Rebreathers allow divers to dive for longer and to greater depths. Such depths can go beyond 30 m and can therefore require mandatory decompression stops. If rebreathers are used improperly, they can be hazardous; divers have had fatal accidents due to incorrect use of these devices. It is therefore important to specify training for diving with such devices.

Training organizations offering training that conforms with this document may exceed any of the requirements in terms of the volume or complexity of training but should at least ensure the students master all the skills and knowledge defined in this document.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO 24807:2023](https://standards.itih.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023)

<https://standards.itih.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023>

Recreational diving services — Requirements for rebreather diver training — Decompression diving to 100 m

1 Scope

This document specifies requirements for rebreather diver training programmes which provide the competencies required to perform dives to 100 m with a rebreather using a breathing mixture containing helium and requiring mandatory decompression stops.

This document specifies evaluation criteria for these competencies.

This document specifies the requirements under which training is provided, in addition to the general requirements for recreational diving service provision in accordance with ISO 24803.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 24801-3, *Recreational diving services — Requirements for the training of recreational scuba divers — Part 3: Level 3 — Dive leader*

ISO 24802-2, *Recreational diving services — Requirements for the training of scuba instructors — Part 2: Level 2*

ISO 24803, *Recreational diving services — Requirements for recreational diving providers*

ISO 24806, *Recreational diving services — Requirements for rebreather diver training — Decompression diving to 60 m*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

rebreather

apparatus that has a supply of gas carried by the diver, allowing the diver to breathe under water which enables the diver to inspire gas from a facepiece connected to a counterlung and to pass exhaled gas through a carbon dioxide absorption material before it is re-breathed from the counterlung and inspired partial pressure of the gases within the apparatus remain within acceptable physiological limits so that gas is thus recirculated within the apparatus

Note 1 to entry: A rebreather can also be called a self-contained rebreathing apparatus.

Note 2 to entry: A facepiece can be a mouthpiece assembly, a half mask, a full-face mask or a helmet.

[SOURCE: EN 14143:2013, 3.1, modified — Note 1 to entry modified and Note 2 to entry added. This content has been reproduced with the permission of CEN. Copyright remains with CEN.]

**3.2
rebreather type**

primary rebreather design

EXAMPLE Closed-circuit rebreather (CCR), manually controlled closed-circuit rebreather (mCCR), electronically controlled closed-circuit rebreather (eCCR), semiclosed-circuit rebreather (SCR), manually controlled SCR (mSCR), electronically controlled SCR (eSCR), hybrid closed-circuit rebreather (hCCR).

**3.3
rebreather unit**

type of *rebreather* (3.1) having consistent controls, displays and configuration over several *rebreather models* (3.4), where the operation is essentially the same from rebreather model to rebreather model

**3.4
rebreather model**

specific individual design of *rebreather* (3.1) made by a manufacturer

**3.5
breathing gas**

gas present in the *breathing loop* (3.11) inspired by the diver

**3.6
supply gas**

gas present in a cylinder which can be added to the *breathing loop* (3.11)

**3.7
bailout gas**

gas present in a cylinder that can be breathed directly by the diver

**3.8
PO₂**

partial pressure of oxygen in a gas mixture

[ISO 24807:2023](https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023)

<https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023>

Note 1 to entry: This usually refers specifically to the breathing-gas mixture inhaled by a diver.

**3.9
set-point
PO₂ set-point**

PO₂ value that is used by a control system to determine when a solenoid valve injects oxygen into the *breathing loop* (3.11)

**3.10
respiratory minute volume
RMV**

product of the tidal volume and breathing frequency measured in litres per minute

[SOURCE: EN 14143:2013, 3.10]

**3.11
breathing loop**

portion of a *rebreather* (3.1) through which gas circulates, usually consisting of a mouthpiece, breathing hose(s), counterlung(s), non-return valves and a CO₂ absorbent canister

**3.12
scrubber**

canister in the *breathing loop* (3.11) containing CO₂ absorbent

3.13**confined water**

swimming pool with a depth appropriate to the activity or body of water, offering similar conditions with regard to visibility, depth, water movement and access

[SOURCE: ISO 24801-2:2014, 3.5]

3.14**open water**

body of water significantly larger than a swimming pool, offering conditions typical of a natural body of water

[SOURCE: ISO 24801-2:2014, 3.6]

3.15**limited open water**

open water (3.14) no deeper than 20 metres with no appreciable water movement and visibility that is sufficient to allow effective student supervision and skill development

3.16**service provider**

entity (individual or organization), including any individual acting on behalf of such an entity, which offers one or more of the following services:

- introductory diving activities;
- snorkelling excursions;
- provision of training and education;
- organized and guided diving for qualified divers;
- rental of diving equipment.

[SOURCE: ISO 24803:2017, 3.1]

[ISO 24807:2023](https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023)

<https://standards.iteh.ai/catalog/standards/sist/0a57bd6e-2fc7-407f-92f5-e5e8723ec3b3/iso-24807-2023>

3.17**safety stop**

non-mandatory *decompression stop* (3.18) near the surface prior to surfacing

3.18**decompression stop**

mandatory stop during ascent from depth prior to surfacing

3.19**decompression diving**

diving with mandatory *decompression stops* (3.18)

3.20**delayed surface marker buoy****DSMB**

surface marker buoy that can be deployed by a diver from underwater

4 Competencies

The training programme shall ensure that students are qualified to independently plan and conduct dives requiring mandatory decompression stops using the specific rebreather unit for which the diver has received training.

Divers qualified in accordance with this document are competent to dive with a suitably qualified buddy to 100 m using a rebreather with a supply gas containing:

- a minimum of 5 % oxygen;
- sufficient helium to control narcosis and to ensure a breathing gas density of less than 6,3 g/l.

In order to be deemed qualified to dive with a specific rebreather unit other than the one that the diver has received training for, a diver will need further unit-specific training.

The training programme shall ensure that the student has a full understanding of any theoretical concepts or skills applicable to the rebreather type, rebreather unit and rebreather model they will use. Students shall be provided with an overview of any information that is not specific to their rebreather, but this only needs to be informative in nature so that they are aware of the general possible configurations that other divers could use.

Student crossover training programmes shall be carried out in accordance with [Annex B](#).

NOTE Following qualification in accordance with this document, a diver can incrementally build experience and competence to eventually be capable of diving to depths beyond 100 m using proper risk management protocols.

5 Prerequisites for training

5.1 General

The service provider shall ensure that the student fulfils the following prerequisites to take part in the training course envisaged.

In order to participate in a training programme in accordance with this document, students shall be qualified in accordance with ISO 24806.

5.2 Minimum age

The minimum age to participate in a training programme in accordance with this document shall be 18 years.

5.3 Diving experience

Students shall have logged at least 100 dives with a minimum of 100 hours using a rebreather. At least 50 dives and 50 hours shall have been made with the same specific rebreather unit to be used in the course. Concerning these dives:

- a minimum of 30 rebreather dives shall have been made to a depth deeper than 30 m;
- at least 10 of these 30 dives shall have been made to a depth deeper than 50 m using a gas mix containing helium and requiring decompression stops; these dives shall have been completed after qualification as a 60 m rebreather diver in accordance with ISO 24806.

The student shall have dived with the rebreather unit within the 6 months prior to starting the course.

5.4 Health requirements

Documented evidence shall be obtained that the student has been medically screened as suitable for recreational diving by means of an appropriate questionnaire or medical examination.

NOTE See Reference [3] for an example of a medical questionnaire and accompanying guidance to physicians.

In case of doubt, the training service provider shall refer students to proper medical resources. If the student is not examined by a physician, the student shall be obliged to confirm by signature that he or

she has understood written information given by the instructor on diseases and physical conditions which can pose diving-related risks.

Students shall be advised of the importance of appropriate regular medical examinations.

6 Introductory information

Information in accordance with ISO 24803 shall be made available to the students prior to or during the first class or meeting.

In particular, the students shall be informed of the limits of their training and qualification as specified in accordance with [Clause 4](#).

7 Theoretical knowledge

7.1 Knowledge review

The training programme shall ensure that knowledge in accordance with ISO 24806 is reviewed by assessing the students (e.g. by means of an exam or quiz) before teaching new knowledge. Where knowledge gaps are identified, remedial training shall be carried out.

7.2 Risk management

The training programme shall ensure that students have knowledge concerning the identification, potential consequences and management of the following risks, specifically related to decompression dives to 100 m:

- risks associated with each phase of the dive, from dive planning to exiting the water;
- risks associated with hypoxic gas mixtures;
- use of bailout valve when using hypoxic gas mixtures at shallow depths or at the surface;
- risks associated with carrying multiple gases in multiple cylinders;
- failure to follow decompression model ascent rates;
- no direct or immediate access to the surface in an emergency due to decompression requirements and/or distance;
- inadequate bailout options;
- hypoxia, hyperoxia and hypercapnia, leading to unresponsiveness and drowning due to switching to the wrong gas, improper gas choice, failing to properly analyse the gas or rebreather system problems;
- inert gas narcosis;
- omitted procedures and errors caused by extensive equipment task overloading, high physical exertion and/or psychological loading;
- taking untried equipment and/or configurations on a deep dive without prior testing and familiarisation in shallow water;
- overweighting or loss of buoyancy;
- dive team members not adequately prepared or proficient;
- dive plan incomplete and without sufficient contingencies;