

2023-02-13

~~ISO/DIS PRF 7240-29:2023(E)~~

~~ISO-TC-21/SC-3/AVG-24~~

~~Secretariat: SA~~

~~Date: 2023-10-31~~

**Style Definition** ...

**Formatted:** Left: 1.9 cm, Right: 1.9 cm, Bottom: 1 cm, Gutter: 0 cm, Section start: New page, Header distance from edge: 1.27 cm, Footer distance from edge: 1.27 cm

**Formatted:** Font: 14 pt, Bold, English (United Kingdom)

**Formatted:** zzCover large

**Formatted** ...

**Formatted** ...

**Formatted:** Font: Cambria, English (United Kingdom)

**Formatted:** Space After: 0 pt, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

## Fire detection and alarm systems —

### ~~Part 29:~~ ~~Video fire detectors~~

~~*Systèmes de détection et d'alarme d'incendie*~~

~~*Partie 29: Détecteurs de fumée vidéo*~~

**Formatted:** Regular, Font: 16 pt, Bold, French (France)

**Formatted:** Cover Title\_A2, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

**Formatted** ...

iTeh Standards  
<https://standards.itih.ai>  
Document Preview

ISO/PRF 7240-29

<https://standards.itih.ai/catalog/standards/sist/ffbb0f33-d25c-4146-8814-fcc916252ee1/iso-prf-7240-29>

FDIS stage

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Indent: Left: 0 cm, Right: 0 cm, Space Before: 0 pt, No page break before, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: French (France)

Formatted: French (France)

Formatted: French (France)

Formatted: English (United Kingdom)

Formatted: English (United Kingdom)

# iTeh Standards (<https://standards.iteh.ai>) Document Preview

ISO/PRF 7240-29

<https://standards.iteh.ai/catalog/standards/sist/ffbb0f33-d25c-4146-8814-fcc916252ee1/iso-prf-7240-29>

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

Contents

Foreword ..... xv

Introduction ..... xvii

Part 29: Video fire detectors ..... 1

1 Scope ..... 1

2 Normative references ..... 1

3 Terms, definitions and abbreviated terms ..... 2

3.1 Terms and definitions ..... 2

3.2 Abbreviated terms ..... 2

4 Requirements ..... 3

4.1 Conformity ..... 3

4.2 Fire phenomena ..... 3

4.3 Immunity to unwanted alarms ..... 3

4.4 Detection range ..... 3

4.5 Camera lenses ..... 3

4.6 Camera lens monitoring ..... 4

4.7 Individual alarm indication ..... 4

4.8 Connection of ancillary devices ..... 4

4.9 Monitoring of detachable cameras ..... 4

4.10 Connection of more than one VFD to the FDCIE transmission path ..... 4

4.11 Manufacturer's adjustments ..... 4

4.12 On-site adjustment of response behaviour ..... 4

4.13 Protection against the ingress of foreign bodies ..... 5

4.14 Ambient light operating level ..... 5

4.15 Operating temperature ..... 5

4.16 Software ..... 5

4.16.1 General ..... 5

4.16.2 Software design ..... 5

4.16.3 Storage of programs and data ..... 6

5 Tests ..... 6

5.1 General ..... 6

5.1.1 Atmospheric conditions for tests ..... 6

5.1.2 Ambient light level for tests ..... 6

5.1.3 Mounting arrangements ..... 6

5.1.4 Operating conditions for tests ..... 6

5.1.5 Tolerances ..... 7

5.1.6 Provision for tests ..... 7

5.1.7 Measurement of response threshold value ..... 7

5.1.8 Test schedule ..... 8

Formatted: Font: Bold

Formatted: Left

Formatted: Font: Bold

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

Formatted: Font: 11 pt

5.1.9	Test report	10
5.2	Repeatability	10
5.2.1	Object of test	10
5.2.2	Test procedure	10
5.2.3	Requirements	10
5.3	Reproducibility	10
5.3.1	Object of test	10
5.3.2	Test procedure	10
5.3.3	Requirements	10
5.4	Detector lens monitoring	11
5.4.1	Object of test	11
5.4.2	Test procedure	11
5.4.3	Requirements	11
5.5	Detector lens blocking	11
5.5.1	Object of test	11
5.5.2	Test procedure	11
5.5.3	Requirements	12
5.6	Detector lens focus fault	12
5.6.1	Object of test	12
5.6.2	Test procedure	12
5.6.3	Requirements	12
5.7	Fire sensitivity	12
5.7.1	Object of test	12
5.7.2	Test procedure	12
5.7.3	Requirements	15
5.8	Ambient light (minimum)	15
5.8.1	Object of test	15
5.8.2	Test procedure	15
5.8.3	Requirements	15
5.9	Ambient light (maximum)	15
5.9.1	Object of test	15
5.9.2	Test procedure	15
5.9.3	Requirements	16
5.10	Non-uniform illumination (Type A and AB only)	16
5.10.1	Object of test	16
5.10.2	Test procedure	16
5.10.3	Requirements	16
5.11	Light source immunity	16
5.11.1	Object of test	16
5.11.2	Test procedure	16

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

5.11.3 Fluorescent light.....16

5.11.4 Metal halide light.....17

5.11.5 Halogen light.....17

5.11.6 LED beacon.....17

5.11.7 Rotating beacon — Optional.....17

5.11.8 Xenon beacon — Optional.....18

5.11.9 High-pressure sodium light — Optional.....18

5.11.10 Low-pressure sodium light — Optional.....18

5.11.11 Incandescent light — Optional.....18

5.11.12 HID xenon light — Optional.....19

5.11.13 Laser light — Optional.....19

5.11.14 Requirements.....19

5.12 Arc welding — Optional.....19

5.12.1 Object of test.....19

5.12.2 Test apparatus.....19

5.12.3 Test procedure.....19

5.12.4 Requirements.....20

5.13 Variation in supply parameters.....20

5.13.1 Object of test.....20

5.13.2 Test procedure.....20

5.13.3 Final measurements.....20

5.13.4 Requirements.....20

5.14 Dry heat (operational).....20

5.14.1 Object of test.....20

5.14.2 Test procedure.....20

5.14.3 Requirements.....21

5.15 Dry heat (operational) — Optional.....21

5.15.1 Object of test.....21

5.15.2 Test procedure.....21

5.15.3 Requirements.....22

5.16 Cold (operational).....22

5.16.1 Object of test.....22

5.16.2 Test procedure.....22

5.16.3 Requirements.....23

5.17 Cold (operational) — Optional.....23

5.17.1 Object of test.....23

5.17.2 Test procedure.....23

5.17.3 Requirements.....23

5.18 Cold controllers (operational).....24

5.18.1 Object of test.....24

Formatted: Font: Bold

Formatted: Left

Formatted: Font: Bold

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

Formatted: Font: 11 pt

5.18.2 Test procedure ..... 25

5.18.3 Requirements ..... 25

5.19 Damp heat, steady-state (operational) ..... 25

5.19.1 Object of test ..... 25

5.19.2 Test procedure ..... 25

5.19.3 Requirements ..... 26

5.20 Damp heat, steady-state (endurance) ..... 26

5.20.1 Object of test ..... 26

5.20.2 Test procedure ..... 26

5.20.3 Requirements ..... 26

5.21 Protection against ingress of foreign bodies ..... 27

5.21.1 Object of test ..... 27

5.21.2 Enclosure of the VFD ..... 27

5.21.3 Test procedure ..... 27

5.21.4 Requirements ..... 27

5.22 Sulfur dioxide (SO<sub>2</sub>) corrosion (endurance) ..... 28

5.22.1 Object of test ..... 28

5.22.2 Test procedure ..... 28

5.22.3 Requirements ..... 28

5.23 Shock (operational) ..... 29

5.23.1 Object of test ..... 29

5.23.2 Test procedure ..... 29

5.23.3 Requirements ..... 29

5.24 Impact (operational) for cameras ..... 29

5.24.1 Object of test ..... 29

5.24.2 Test procedure ..... 30

5.24.3 Requirements ..... 30

5.25 Impact (operational) for controllers ..... 30

5.25.1 Object of test ..... 30

5.25.2 Test procedure ..... 30

5.26 Vibration, sinusoidal (endurance) ..... 31

5.26.1 Object of test ..... 31

5.26.2 Test procedure ..... 31

5.26.3 Requirements ..... 32

5.27 Vibration, sinusoidal controller (endurance) ..... 32

5.27.1 Object of test ..... 32

5.27.2 Test procedure ..... 32

5.27.3 Requirements ..... 33

5.28 Electromagnetic compatibility (EMC) immunity (operational) ..... 33

5.28.1 Object of test ..... 33

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

5.28.2 Test procedure ..... 33

5.28.3 Requirements ..... 33

6 Marking ..... 34

7 Data ..... 35

7.1 General ..... 35

7.2 Software documentation ..... 35

7.3 Hardware documentation ..... 36

7.4 Installation and user documentation ..... 36

Annex A (normative) Fire test room ..... 38

A.1 Fire room size ..... 38

A.2 Measuring instruments ..... 38

A.3 Instrument locations ..... 38

A.4 Specimen location ..... 38

A.5 Specimen and instrument locations ..... 38

Annex B (normative) Smouldering (pyrolysis) wood fire (TF2) ..... 41

B.1 Fuel ..... 41

B.2 Conditioning ..... 41

B.3 Preparation ..... 41

B.4 Hotplate ..... 41

B.5 Arrangement ..... 41

B.6 Heating rate ..... 41

B.7 Test validity criteria ..... 41

B.8 Variables ..... 44

B.9 End-of-test condition ..... 44

Annex C (normative) Glowing smouldering cotton fire (TF3) ..... 45

C.1 Fuel ..... 45

C.2 Arrangement ..... 45

C.3 Ignition ..... 46

C.4 Test validity criteria ..... 46

C.5 End-of-test condition ..... 48

Annex D (normative) Open plastics (polyurethane) fire (TF4) ..... 49

D.1 Fuel ..... 49

D.2 Conditioning ..... 49

D.3 Arrangement ..... 49

D.4 Ignition ..... 49

D.5 Method of ignition ..... 49

D.6 Test validity criteria ..... 49

D.7 End-of-test condition ..... 51

Annex E (normative) Flaming liquid (*n*-heptane) fire (TF5) ..... 52

E.1 Fuel ..... 52

Formatted: Font: Bold

Formatted: Left

Formatted: Font: Bold

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Font: Bold

Formatted: Font: Bold

E.2 Arrangement..... 52

E.3 Ignition ..... 52

E.4 Test validity criteria..... 52

E.5 End-of-test condition..... 54

Annex F (normative) Low temperature black smoke (decalin) liquid fire (TF8)..... 55

F.1 Fuel..... 55

F.2 Arrangement..... 55

F.3 Volume..... 55

F.4 Ignition ..... 55

F.5 Test validity criteria..... 55

F.6 End-of-test condition..... 57

Annex G (normative) Long range smouldering (pyrolysis) wood fire (TF2c)..... 58

G.1 Fuel..... 58

G.2 Conditioning..... 58

G.3 Preparation..... 58

G.4 Hotplate..... 58

G.5 Arrangement..... 58

G.6 Heating rate..... 58

G.7 Test validity criteria..... 58

G.8 End-of-test condition..... 59

Annex H (normative) Long range glowing smouldering cotton fire (TF3c)..... 61

H.1 Fuel..... 61

H.2 Arrangement..... 61

H.3 Ignition ..... 62

H.4 End-of-test condition..... 62

Annex I (normative) Long range open plastics (polyurethane) fire (TF4a)..... 63

I.1 Fuel..... 63

I.2 Conditioning..... 63

I.3 Arrangement..... 63

I.4 Ignition ..... 63

I.5 Method of ignition ..... 63

I.6 End-of-test condition..... 63

Annex J (normative) Long range flaming liquid (*n*-heptane) fire (TF5c)..... 64

J.1 Fuel..... 64

J.2 Arrangement..... 64

J.3 Ignition ..... 64

J.4 End-of-test condition..... 64

Annex K (normative) Long range low temperature black smoke (decalin) liquid fire (TF8a)..... 65

K.1 Fuel..... 65

K.2 Arrangement..... 65

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt



K.3	Volume.....	65
K.4	Ignition.....	65
K.5	End-of-test condition.....	65
Annex L (normative) Open cellulosic (wood) fire (TF1).....		66
L.1	Fuel.....	66
L.2	Conditioning.....	66
L.3	Preparation.....	66
L.4	Arrangement.....	66
L.5	Ignition.....	67
L.6	Method of ignition.....	67
L.7	Test validity criteria.....	67
L.8	Variables.....	69
L.9	End-of-test condition.....	69
Annex M (normative) Liquid (methylated spirit) fire (TF6).....		70
M.1	Fuel.....	70
M.2	Arrangement.....	70
M.3	Volume.....	70
M.4	Ignition.....	70
M.5	Test validity criteria.....	70
M.6	End-of-test condition.....	71
Annex N (normative) Long range open cellulosic (wood) fire (TF1a).....		72
N.1	Fuel.....	72
N.2	Conditioning.....	72
N.3	Preparation.....	72
N.4	Arrangement.....	72
N.5	Ignition.....	73
N.6	Method of ignition.....	73
N.7	End-of-test condition.....	73
Annex O (normative) Long range liquid (methylated spirit) fire (TF6a).....		74
O.1	Fuel.....	74
O.2	Arrangement.....	74
O.3	Volume.....	74
O.4	Ignition.....	74
O.5	End-of-test condition.....	74
Annex P (normative) Non-uniform illumination test configuration.....		75
P.1	Equipment configuration.....	75
P.2	Lighting.....	76
P.3	Test fire location.....	77
Annex Q (normative) Smoke-measuring instruments.....		78
Q.1	Obscuration meter.....	78

Formatted: Font: Bold  
Formatted: Left  
Formatted: Font: Bold

Formatted: Font: 11 pt  
Formatted: Font: 11 pt  
Formatted: Space After: 0 pt, Line spacing: single  
Formatted: Font: 11 pt  
Formatted: Font: 11 pt

Formatted: Font: Bold

Formatted: Font: Bold

Q.2 Measuring ionization chamber (MIC).....78

Q.2.1 General.....78

Q.2.2 Operating method.....79

Q.2.3 Technical data.....80

Q.2.4 Mechanical construction.....82

Annex R (normative) Simulation of dirt particles on a lens.....86

R.1 Density filters.....86

R.2 Reproduction of the filters.....86

R.3 Mounting of the filters.....86

Bibliography.....107

Foreword — vii

Introduction — ix

1 — Scope — 1

2 — Normative references — 1

3 — Terms and definitions — 2

3.1 Definitions — 2

3.2 Abbreviated terms — 2

4 — Requirements — 3

4.1 Compliance — Error! Bookmark not defined.

4.2 Fire phenomena — 3

4.3 Immunity to unwanted alarms — 3

4.4 Detection range — 3

4.5 Camera lenses — 3

4.6 Camera lens monitoring — 4

4.7 Individual alarm indication — 4

4.8 Connection of ancillary devices — 4

4.9 Monitoring of detachable cameras — 4

4.10 Connection of more than one VFD to the FDCIE transmission path — 4

4.11 Manufacturer's adjustments — 4

4.12 On-site adjustment of response behaviour — 4

4.13 Protection against the ingress of foreign bodies — 5

4.14 Ambient light operating level — 5

4.15 Operating temperature — 5

4.16 Software — 5

4.16.1 General — 5

4.16.2 Software design — 5

4.16.3 Storage of programs and data — 6

5 — Tests — 6

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

5.1 General 6

5.1.1 Atmospheric conditions for tests 6

5.1.2 Ambient light level for tests 6

5.1.3 Mounting arrangements 6

5.1.4 Operating conditions for tests 6

5.1.5 Tolerances 7

5.1.6 Provision for tests 7

5.1.7 Measurement of response threshold value 7

5.1.8 Test schedule 9

5.1.9 Test report 10

5.2 Repeatability 10

5.2.1 Object of test 10

5.2.2 Test procedure 10

5.2.3 Requirements 10

5.3 Reproducibility 10

5.3.1 Object of test 10

5.3.2 Test procedure 10

5.3.3 Requirements 10

5.4 Detector lens monitoring 11

5.4.1 Object of test 11

5.4.2 Test procedure 11

5.4.3 Requirements 11

5.5 Detector lens blocking 11

5.5.1 Object of test 11

5.5.2 Test procedure 11

5.5.3 Requirements 12

5.6 Detector lens focus fault 12

5.6.1 Object of test 12

5.6.2 Test procedure 12

5.6.3 Requirements 12

5.7 Fire sensitivity 12

5.7.1 Object of test 12

5.7.2 Test procedure 12

5.7.3 Requirements 15

5.8 Ambient light (minimum) 15

5.8.1 Object of test 15

5.8.2 Test procedure 15

5.8.3 Requirements 15

5.9 Ambient light (maximum) 15

5.9.1 Object of test 15

Formatted: Font: Bold

Formatted: Left

Formatted: Font: Bold

iTeh Standards  
(https://standards.itih.ai)  
Document Preview

ISO/PRF 7240-29

https://standards.itih.ai/catalog/standards/sist/ffbb0f33-d25c-4146-8814-fcc916252ee1/iso-prf-7240-29

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

Formatted: Font: 11 pt

5.9.2 Test procedure 15  
5.9.3 Requirements 15  
5.10 Non uniform illumination (Type A and AB only) 16  
5.10.1 Object of test 16  
5.10.2 Test procedure 16  
5.10.3 Requirements 16  
5.11 Light source immunity 16  
5.11.1 Object of test 16  
5.11.2 Test procedure 16  
5.11.3 Fluorescent light 16  
5.11.4 Metal halide light 17  
5.11.5 Halogen light 17  
5.11.6 LED Beacon 17  
5.11.7 Rotating beacon Optional 17  
5.11.8 Xenon beacon Optional 18  
5.11.9 High pressure sodium light Optional 18  
5.11.10 Low pressure sodium light Optional 18  
5.11.11 Incandescent light Optional 18  
5.11.12 HID xenon light Optional 19  
5.11.13 Laser light Optional 19  
5.12 Arc welding Optional 19  
5.12.1 Object of test 19  
5.12.2 Test apparatus 19  
5.12.3 Test procedure 20  
5.12.4 Requirements 20  
5.13 Variation in supply parameters 20  
5.13.1 Object of test 20  
5.13.2 Test procedure 20  
5.13.3 Final measurements 20  
5.13.4 Requirements 20  
5.14 Dry heat (operational) 20  
5.14.1 Object of test 20  
5.14.2 Test procedure 21  
5.14.3 Requirements 21  
5.15 Dry heat (operational) Optional 21  
5.15.1 Object of test 21  
5.15.2 Test procedure 21  
5.15.3 Requirements 22  
5.16 Cold (operational) 22  
5.16.1 Object of test 22

Formatted: Font: Bold

Formatted: Font: Bold

iteh Standards  
(<https://standards.iteh.ai>)  
Document Preview

ISO/PRF 7240-29

<https://standards.iteh.ai/catalog/standards/sist/ffbb0f33-d25c-4146-8814-fcc916252ee1/iso-prf-7240-29>

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

5.16.2 Test procedure 22

5.16.3 Requirements 23

5.17 Cold (operational) — Optional 23

5.17.1 Object of test 23

5.17.2 Test procedure 23

5.17.3 Requirements 24

5.18 Cold controllers (operational) 24

5.18.1 Object of test 24

5.18.2 Test procedure 24

5.18.3 Requirements 24

5.19 Damp heat, steady state (operational) 25

5.19.1 Object of test 25

5.19.2 Test procedure 25

5.19.3 Requirements 25

5.20 Damp heat, steady state (endurance) 25

5.20.1 Object of test 25

5.20.2 Test procedure 26

5.20.3 Requirements 26

5.21 Protection against ingress of foreign bodies 26

5.21.1 Object of test 26

5.21.2 Enclosure of the VFD 26

5.21.3 Test procedure 26

5.21.4 Requirements 27

5.22 Sulfur dioxide (SO<sub>2</sub>) corrosion (endurance) 27

5.22.1 Object of test 27

5.22.2 Test procedure 27

5.22.3 Requirements 28

5.23 Shock (operational) 28

5.23.1 Object of test 28

5.23.2 Test procedure 28

5.23.3 Requirements 29

5.24 Impact (operational) for cameras 29

5.24.1 Object of test 29

5.24.2 Test procedure 29

5.24.3 Requirements 30

5.25 Impact (operational) for controllers 30

5.25.1 Object of test 30

5.25.2 Test procedure 30

5.26 Vibration, sinusoidal (endurance) 31

Formatted: Font: Bold

Formatted: Left

Formatted: Font: Bold

iTeh Standards  
 (https://standards.itih.ai)  
 Document Preview

ISO/PRF 7240-29

https://standards.itih.ai/catalog/standards/sist/fb0f33-d25c-4146-8814-fcc916252ee1/iso-prf-7240-29

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

Formatted: Font: 11 pt

5.26.1 Object of test 31  
5.26.2 Test procedure 31  
5.26.3 Requirements 31  
5.27 Vibration, sinusoidal controller (endurance) 31  
5.27.1 Object of test 31  
5.27.2 Test procedure 32  
5.27.3 Requirements 32  
5.28 Electromagnetic compatibility (EMC) immunity (operational) 32  
5.28.1 Object of test 32  
5.28.2 Test procedure 33  
5.28.3 Requirements 33  
6 Marking 33  
7 Data 34  
7.1 General 34  
7.2 Software documentation 34  
7.3 Hardware documentation 35  
7.4 Installation and user documentation 35  
Annex A (normative) Fire test room 37  
Annex B (normative) Smouldering (pyrolysis) wood fire (TF2) 40  
Annex C (normative) Glowing smouldering cotton fire (TF3) 43  
Annex D (normative) Open plastics (polyurethane) fire (TF4) 46  
Annex E (normative) Flaming liquid (n-heptane) fire (TF5) 48  
Annex F (normative) Low temperature black smoke (decalin) liquid fire (TF8) 50  
Annex G (normative) Long range smouldering (pyrolysis) wood fire (TF2c) 52  
Annex H (normative) Long range glowing smouldering cotton fire (TF3c) 54  
Annex I (normative) Long range open plastics (polyurethane) fire (TF4a) 56  
Annex J (normative) Long range flaming liquid (n-heptane) fire (TF5c) 57  
Annex K (normative) Long range low temperature black smoke (decalin) liquid fire (TF8a) 58  
Annex L (normative) Open cellulosic (wood) fire (TF1) 59  
Annex M (normative) Liquid (methylated spirit) fire (TF6) 62  
Annex N (normative) Long range open cellulosic (wood) fire (TF1a) 64  
Annex O (normative) Long range liquid (methylated spirit) fire (TF6a) 66  
Annex P (normative) Non-uniform illumination test configuration 67  
Annex Q (normative) Smoke measuring instruments 69  
Annex R (normative) Simulation of dirt particles on a lens 75

Formatted: Font: Bold

Formatted: Font: Bold

iTeh Standards

(<https://standards.itih.ai>)

Document Preview

ISO/DIS-PRF 7240-29

<https://standards.itih.ai/catalog/standards/sist/c40133-d25c-4146-8814-fcc916252ee1/iso-prf-7240-29>

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt