FINAL DRAFT

INTERNATIONAL STANDARD

ISO/FDIS 9177-3

ISO/TC 10

Secretariat: SIS

Voting begins on: **2021-10-27**

Voting terminates on:

2021-12-22

Mechanical pencils for technical drawings —

Part 3:

Black leads — Bending strengths of HB leads

iTeh STANDARD PREVIEW

(Standards: Mines graphite Résistance à la flexion des mines HB

ISO/FDIS 9177-3

https://standards.iteh.ai/catalog/standards/sist/0c1c29e0-d716-4ace-8dd1-59893ab15a4d/iso-fdis-9177-3

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 9177-3:2021(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 9177-3 https://standards.iteh.ai/catalog/standards/sist/0c1c29e0-d716-4ace-8dd1-59893ab15a4d/iso-fdis-9177-3



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents				
Fore	ord	iv		
Intro	uction	v		
1	Scope	1		
2	Normative references			
3	Terms and definitions			
4	Bending strength 4.1 General 4.2 Bending strength of HB leads for mechanical pencils			
5	Test method			
6	Test report			
Bibli	graphy	4		

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 9177-3

https://standards.iteh.ai/catalog/standards/sist/0c1c29e0-d716-4ace-8dd1-59893ab15a4d/iso-fdis-9177-3

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 10, *Technical product documentation*. ISO/FDIS 9177-3

This second edition cancels and replaces the first edition (ISO 9177-371994); of which it constitutes a minor revision. The changes are as follows 59893ab15a4d/iso-fdis-9177-3

- The first element of the title has been revised for consistency with ISO 9177-1, with the addition of "for technical drawings".
- Clause 2 has been updated.
- A Bibliography has been added.
- Minor editorial changes.

A list of all parts in the ISO 9177 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document was developed for mechanical pencils and their leads that are limited to technical drawing usage only.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 9177-3 https://standards.iteh.ai/catalog/standards/sist/0c1c29e0-d716-4ace-8dd1-59893ab15a4d/iso-fdis-9177-3

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/FDIS 9177-3</u>

https://standards.iteh.ai/catalog/standards/sist/0c1c29e0-d716-4ace-8dd1-59893ab15a4d/iso-fdis-9177-3

Mechanical pencils for technical drawings —

Part 3:

Black leads — Bending strengths of HB leads

1 Scope

This document specifies bending strengths and a test method for black leads of HB hardness degree used for mechanical pencils for technical drawings.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platforms available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1 https://standards.iteh.ai/catalog/standards/sist/0c1c29e0-d716-4ace-8dd1-59893ab15a4d/iso-fdis-9177-3

bending strength

quality requirement of lead strength as determined by bending the lead to its breaking point, using a prescribed test method and formula

4 Bending strength

4.1 General

Bending strength of HB leads used for mechanical pencils shall be tested in accordance with <u>Clause 5</u> and shall satisfy the requirements specified in <u>4.2</u>.

4.2 Bending strength of HB leads for mechanical pencils

The bending strength (σ) shall be not less than the value specified in <u>Table 1</u> corresponding to the respective nominal diameter.

Table 1 —	Bending strength of HB leads for mechanical pencils	

Load tymo	Nominal diameter	Minimum bending strength, σ
Lead type	mm	МРа
	0,35ª	240
D - l (D)	0,5	190
Polymer (P)	0,7	160
	1^a	95
Ceramic (C)	2	70

^a Current practice is to label or mark mechanical pencils and boxes 0,3 and 0,9 as applicable. The user should note that leads with new standardized designations apply perfectly well to mechanical pencils with the old designations and vice versa; i.e. 0,35 and 1 correspond respectively to 0,3 and 0,9.

5 Test method

On a lead sample taken at random, bending strength shall be tested as follows:

Arrange the lead test piece as shown in Figures 1 and 2 and apply a load on the lead at a distance halfway between the two supporting anvils at the following rates (±10 %):

0,5 N/s for 2 mm nominal diameter lead;

0,l N/s for 0,35 mm, 0,5 mm, 0,7 mm and 1 mm nominal diameter leads.

These loading rates shall be verified beforehand using a rigid test piece instead of a lead.

Determine the load (F) at which the lead has broken and use this value to calculate the bending strength (σ) according to the following formula: ISO/FDIS 9177-3

$$\sigma = \frac{8Fl}{\pi d^3}$$

https://standards.iteh.ai/catalog/standards/sist/0c1c29e0-d716-4ace-8dd1-59893ab15a4d/iso-fdis-9177-3

where

 σ is the bending strength, in megapascals;

F is the load, in newtons;

l is the distance, in millimetres, between the two supporting anvils according to <u>Table 2</u>;

d is the actual diameter of the lead, in millimetres.




Figure 1 — Arrangement for bending strength test

Dimensions in millimetres

Key

- 1 loading anvil
- 2 supporting anvil

Figure 2 — Anvils for bending strength test

Table 2 — Distance between the two supporting anvils

	iTeh STANDARD PRI	Dimensions in millimetres
Lead type	(social diameter.iteh.a	Distance
P	0,35; 0,5; 0,7 and 1	20 to 40
C h	ttps://standards.iteh.ai/cata2g/standards/sist/0c1c29e0	-d716-4ace-8dd1- 40 to 60

59893ab15a4d/iso-fdis-9177-3

6 Test report

The test report shall contain the following information:

- a) reference to this document;
- b) lead type (P or C);
- c) actual diameter (relating to the nominal diameter) of the lead under test;
- d) test values for *F* and *l*;
- e) bending strength as evaluated according to <u>Clause 5</u>;
- f) name of test centre, date and signature of person carrying out the test.

Bibliography

- [1] ISO 9177-1, Mechanical pencils for technical drawings Part 1: Classification, dimensions, performance requirements and testing
- [2] ISO 9177-2, Mechanical pencils Part 2: Black leads Classification and dimensions
- [3] ISO 20318-1, Mechanical pencils and leads for general use Classification, dimensions, quality and test methods Part 1: Mechanical pencils
- [4] ISO 20318-2, Mechanical pencils and leads for general use Classification, dimensions, quality and test methods Part 2: Black leads

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 9177-3 https://standards.iteh.ai/catalog/standards/sist/0c1c29e0-d716-4ace-8dd1-59893ab15a4d/iso-fdis-9177-3