

INTERNATIONAL
STANDARD

ISO
15000-3

First edition
2023-01

**Electronic business eXtensible
Markup Language (ebXML) —
Part 3:
Registry and repository**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[ISO 15000-3:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/4fa72b9f-609d-4a61-b74b-da69dbc32fa8/iso-15000-3-2023>



Reference number
ISO 15000-3:2023(E)

© ISO 2023

iTeh STANDARD PREVIEW

(standards.iteh.ai)

[ISO 15000-3:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/4fa72b9f-609d-4a61-b74b-da69dbc32fa8/iso-15000-3-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Foreword.....	viii
Introduction.....	ix
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions	2
4 Registry information model.....	5
4.1 Introduction.....	5
4.1.1 Overview.....	5
4.1.2 XML Schema.....	5
4.1.3 Information model types: inheritance view	5
4.1.4 Extending ebRIM.....	6
4.1.5 Canonical ClassificationSchemes	6
4.2 Core Information Model	6
4.2.1 Overview.....	6
4.2.2 InternationalStringType	7
4.2.3 LocalizedStringType	8
4.2.4 ExtensibleObjectType	8
4.2.5 SlotType	9
4.2.6 ValueType.....	10
4.2.7 IdentifiableObjectType	11
4.2.8 RegistryObjectType	12
4.2.9 VersionInfoType	14
4.2.10 objectReferenceType	15
4.2.11 ObjectRefType.....	18
4.2.12 DynamicObjectRefType.....	18
4.2.13 ExtrinsicObjectType	19
4.2.14 CommentType.....	20
4.2.15 RegistryPackageType.....	21
4.2.16 ExternalIdentifierType	23
4.2.17 ExternalLinkType	24
4.3 Association information model	25
4.3.1 Overview.....	25
4.3.2 Source and target objects	26
4.3.3 Type of an association.....	26
4.3.4 AssociationType.....	26
4.3.5 Access control	27
4.4 Classification information model.....	27
4.4.1 Overview.....	27
4.4.2 TaxonomyElementType	28
4.4.3 ClassificationSchemeType	29
4.4.4 ClassificationNodeType	30
4.4.5 ClassificationType	32
4.5 Provenance information model.....	33
4.5.1 Overview.....	33
4.5.2 PostalAddressType	34
4.5.3 TelephoneNumberType	35
4.5.4 EmailAddressType	36

4.5.5	PartyType.....	37
4.5.6	PersonType	38
4.5.7	PersonNameType	38
4.5.8	OrganizationType	39
4.5.9	Associating organization with persons	40
4.5.10	Associating organization with organizations	40
4.5.11	Associating organizations with registry objects.....	41
4.6	Service information model	41
4.6.1	Overview	41
4.6.2	ServiceType	41
4.6.3	ServiceEndpointType.....	42
4.6.4	ServiceBindingType	43
4.6.5	ServiceInterfaceType.....	44
4.7	Query information model.....	44
4.7.1	Overview	44
4.7.2	QueryDefinitionType.....	45
4.7.3	ParameterType	46
4.7.4	QueryExpressionType	48
4.7.5	StringQueryExpressionType	48
4.7.6	XMLQueryExpressionType	49
4.7.7	QueryType	50
4.8	Event information model.....	51
4.8.1	Overview	51
4.8.2	AuditableEventType.....	52
4.8.3	ActionType.....	54
4.8.4	SubscriptionType	55
4.8.5	DeliveryInfoType	56
4.8.6	NotificationType	58
4.9	Federation information model.....	59
4.9.1	Overview	59
4.9.2	Federation configuration	59
4.9.3	RegistryType	59
4.9.4	FederationType.....	61
4.10	Access control information model.....	62
4.10.1	Overview	62
4.10.2	Defining an access control policy	63
4.10.3	Assigning access control policy to a registry object	63
4.10.4	Defining a contextual role	65
4.10.5	Assigning a contextual role to a subject	66
4.10.6	Action matching	66
4.10.7	Subject matching	68
4.10.8	Resource matching	69
4.10.9	Canonical XACML functions	71
4.10.10	Constraints on XACML binding	74
4.10.11	Resolving policy references	74
5	Registry services.....	74
5.1	Overview.....	74
5.2	Abstract protocol	74
5.2.1	Overview	74
5.2.2	RegistryRequestType	74
5.2.3	RegistryResponseType	75
5.2.4	RegistryExceptionType	76
5.2.5	Server Plugins.....	76
5.3	QueryManager interface	77
5.3.1	Overview	77

5.3.2	Parameterized queries	77
5.3.3	Query protocol.....	77
5.3.4	Parameterized query definition.....	82
5.3.5	Canonical Query: AdhocQuery	82
5.3.6	Canonical query: BasicQuery.....	83
5.3.7	Canonical query: ClassificationSchemeSelector	84
5.3.8	Canonical query: FindAssociations	85
5.3.9	Canonical query: FindAssociatedObjects.....	86
5.3.10	Canonical query: GarbageCollector.....	87
5.3.11	Canonical query: GetAuditTrailById.....	87
5.3.12	Canonical query: GetAuditTrailByLid	88
5.3.13	Canonical query: GetAuditTrailByTimeInterval	89
5.3.14	Canonical query: GetChildrenByParentId	89
5.3.15	Canonical query: GetClassificationSchemesById	91
5.3.16	Canonical query: GetRegistryPackagesByMemberId	91
5.3.17	Canonical query: GetNotification	92
5.3.18	Canonical query: GetObjectById	92
5.3.19	Canonical query: GetObjectsByLid	93
5.3.20	Canonical query: GetReferencedObject	93
5.3.21	Canonical query: KeywordSearch.....	94
5.3.22	Canonical query: RegistryPackageSelector.....	96
5.3.23	Query functions	97
5.3.24	Common patterns in query functions.....	100
5.3.25	Canonical functions.....	100
5.3.26	Query plugins	103
5.4	LifecycleManager interface	103
5.4.1	Overview	103
5.4.2	SubmitObjects protocol.....	103
5.4.3	UpdateObjects protocol.....	106
5.4.4	RemoveObjects Protocol.....	110
5.5	Version control	112
5.5.1	Overview	112
5.5.2	Version controlled resources	113
5.5.3	Versioning and id attribute.....	114
5.5.4	Versioning and lid attribute	114
5.5.5	Version identification for RegistryObjectType	114
5.5.6	Version identification for RepositoryItem	114
5.5.7	Versioning and references	115
5.5.8	Versioning of RegistryPackages	115
5.5.9	Versioning and RegistryPackage membership	115
5.5.10	Inter-version association.....	116
5.5.11	Version removal.....	116
5.5.12	Locking and concurrent modifications	116
5.5.13	Version creation	116
5.6	Validator interface	117
5.6.1	Overview	117
5.6.2	ValidateObjects protocol	117
5.6.3	Validator plugins	118
5.7	Cataloger interface	119
5.7.1	Overview	119
5.7.2	CatalogObjects protocol	119
5.7.3	Cataloger plugins	122
5.8	Subscription and notification	123
5.8.1	Overview	123
5.8.2	Server events	123
5.8.3	Notifications	124

5.8.4	Creating a subscription	124
5.8.5	Event delivery	125
5.8.6	NotificationListener interface	126
5.8.7	Notification protocol	126
5.8.8	Pulling notification on demand	127
5.8.9	Deleting a subscription	127
5.9	Multi-server features	127
5.9.1	Overview	127
5.9.2	RemoteObjects reference	127
5.9.3	Local replication of remote objects	128
5.9.4	Registry federations	130
5.10	Governance features	133
5.10.1	Overview	133
5.10.2	Representing a governance collaboration	134
5.10.3	Scope of governance collaborations	135
5.10.4	Assigning a governance collaboration	135
5.10.5	Determining applicable governance collaboration	136
5.10.6	Determining the registry process in a governance collaboration	136
5.10.7	Starting the registry process for a governance collaboration	136
5.10.8	Incoming messageFlows to registry process	137
5.10.9	Outgoing messageFlows from registry process	137
5.10.10	Canonical task patterns	137
5.10.11	XPATH extension functions	140
5.10.12	Default governance collaboration	141
5.11	Security features	142
5.11.1	Overview	142
5.11.2	Message integrity	142
5.11.3	Message confidentiality	142
5.11.4	User registration and identity management	142
5.11.5	Authentication	143
5.11.6	Authorization and access control	143
5.11.7	Audit trail	143
5.12	Native language support (NLS)	143
5.12.1	Overview	143
5.12.2	Terminology	143
5.12.3	NLS and registry protocol messages	144
5.12.4	NLS support in RegistryObjects	144
5.12.5	NLS and repository items	145
5.13	REST binding	146
5.13.1	Overview	146
5.13.2	Canonical URL	146
5.13.3	Query Protocol REST binding	147
5.14	SOAP binding	149
5.14.1	Overview	149
5.14.2	WS-Addressing SOAP headers	150
6	Conformance	150
6.1	Conformance for ebXML RegRep	150
6.2	QueryManager interface	151
6.2.1	Overview	151
6.2.2	Canonical queries	151
6.2.3	Canonical query functions	152
6.3	LifecycleManager interface	152
6.4	Version control	153
6.5	Validator interface	153
6.6	Cataloger interface	153

6.7 Subscription and notification	153
6.8 Multi-server features.....	154
6.9 Governance features.....	154
6.10 Security features	154
6.11 Native language support	155
6.12 REST binding	155
6.13 SOAP binding.....	156
Annex A (Normative) Protocol exceptions	157
Annex B (Normative) Namespace definitions.....	159
Annex C (Informative) Namespace references.....	161
Bibliography	162

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 15000-3:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/4fa72b9f-609d-4a61-b74b-da69dbc32fa8/iso-15000-3-2023>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by the OASIS ebXML (Electronic business eXtensible Markup Language) Registry Technical Committee (as the "OASIS ebXML RegRep Version 4.0 specification") and drafted in accordance with its editorial rules. It was assigned to Technical Committee ISO/TC 154, *Processes, data elements and documents in commerce, industry and administration* and adopted under the "fast-track procedure".

A list of all parts in the ISO 15000 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

ebXML RegRep (registry and repository) is a standard defining service interfaces, protocols and information model for an integrated registry and repository. The repository stores electronic content while the registry stores metadata that describes the content in the repository.

To explain what an ebXML RegRep is we use the following familiar analogy. The ebXML RegRep is to electronic content, what your local library is to books and other published content. To make this analogy clearer one could look at comparisons enumerated in Table 1:

Your Local Library	ebXML RegRep
Manages books and all types of published material	Manages all types of electronic content
Has book shelves containing books and other published material	Has a "repository" containing all types of electronic content
Has a card catalog that describes the published material that is available in the book shelves	Has a "registry" that describes the electronic content that is available in the repository
Multiple libraries can voluntarily participate in a cooperative network and offer a unified service	Multiple ebXML RegRep instances can voluntarily participate in a cooperative network and offer a unified service

Table 1: ebXML RegRep comparison with your local library

An ebXML RegRep is capable of storing any type of electronic content such as XML documents, text documents, images, sound and video. Instances of such content are classified as "RepositoryItem" instances. Repository items are stored in a content *repository* provided by ebXML RegRep.

In addition to repository items ebXML RegRep also stores standardized metadata. Instances of such metadata are classified as "RegistryObject" instances (or one of its sub-types, as described later in this document). Registry objects are stored in a *registry* provided by ebXML RegRep. A registry object is like a card in the card catalog. All registry objects conform to a standard just like the cards in the card catalog conform to a standard. Every repository item shall have a registry object that describes it, just like every book must have a card in the card catalog. At the same time there are registry objects that do not describe any repository item and serve the purpose of defining capabilities of an ebXML RegRep instance.

This document describes Electronic business eXtensible Markup Language (ebXML) Part 3: Registry and Repository. The main clauses are:

- a) The Registry Information Model (ebRIM) which defines the types of metadata that can be stored in an ebXML RegRep server (Clause 4).
- b) The Registry Services and Protocols (ebRS) which define the services provided by an ebXML RegRep server and the protocols used by clients to interact with these services (Clause 5).
- c) Conformance to ebXML Registry and Repository (Clause 6).

This document also includes the following annexes:

- a) Annex A lists the standard exceptions that may be returned by various protocols defined in this document.
- b) Annex B provides a listing of namespaces that are defined in this document.
- c) Annex C provides a listing of namespaces that are referenced in this document.

Separately provided are:

- a) A set of XML schema files at <https://standards.iso.org/iso/15000/-3/ed-1/en/xsd/> define XML schema types and elements referenced in the core specification clauses.
- b) A set of WSDL files at <https://standards.iso.org/iso/15000/-3/ed-1/en/wsdl/> define the WSDL interfaces, bindings and services referenced in the core specification clauses.
- c) A set of XML files at <https://standards.iso.org/iso/15000/-3/ed-1/en/xml/> that contain the canonical data that shall be supported within every ebXML RegRep server.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 15000-3:2023](#)

<https://standards.iteh.ai/catalog/standards/sist/4fa72b9f-609d-4a61-b74b-da69dbc32fa8/iso-15000-3-2023>

Electronic business eXtensible Markup Language (ebXML) —Part 3: Registry and Repository

1 Scope

This part of ISO 15000 specifies service interfaces, protocols and information model for an integrated registry and repository. The repository stores electronic content while the registry stores metadata that describes the content in the repository.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

INTERNET ENGINEERING TASK FORCE (IETF). RFC 2828, *Internet Security Glossary*, 2000. Edited by R. Shirey. <https://www.rfc-editor.org/info/rfc2828>.

ISO. Information technology — Document Schema Definition Languages (DSDL) — Part 3: Rule-based validation, Schematron, International Standard ISO/IEC 19757-3, Geneva, Switzerland : ISO.

OASIS. *Web Services Security: Web Services Security: SAML Token Profile 1.1*. 1 February 2006. <http://docs.oasis-open.org/wss/v1.1/wss-v1.1-spec-os-SAMLTokenProfile.pdf>

OASIS. *Web Services Security: WS-Security 200401-Kerberos Token Profile 1.1*, February 2006. <http://docs.oasis-open.org/wss/v1.1/wss-v1.1-spec-os-KerberosTokenProfile.pdf>

OASIS. *Web Services Security: SOAP Message Security 1.0*, 2004. Edited by Anthony Nadalin, et al Available from <http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf>.

OASIS. *Web Services Security UsernameToken Profile 1.0*, 2004. Edited by P. Hallam-Baker, et al. Available from <http://docs.oasis-open.org/wss/2004/01/>.

OASIS. *Web Services Security X.509 Certificate Token Profile*, 2004. Edited by P. Hallam-Baker, et al Available from <http://docs.oasis-open.org/wss/2004/01/>.

OASIS. *Web Services Security: SOAP Message Security 1.1*, 2005. Edited by Anthony Nadalin, et al Available from <http://docs.oasis-open.org/wss/v1.1/>.

OASIS. *Web Services Security UsernameToken Profile 1.1*, 2006. Edited by A. Nadalin, et al. Available from <http://docs.oasis-open.org/wss/v1.1/>.

OASIS. *Web Services Security X.509 Certificate Token Profile 1.1*, 2006. Edited by A. Nadalin, et al. Available from <http://docs.oasis-open.org/wss/v1.1/>.

OASIS. *eXtensible Access Control Markup Language (XACML) Version 2.01*. Edited by T. Moses. Available from http://docs.oasis-open.org/xacml/2.0/access_control-xacml-2.0-core-spec-os.pdf.

WORLD WIDE WEB CONSORTIUM (W3C). *SOAP Version 1.2 Part 1: Messaging Framework*. M. Gudgin, M. Hadley, N. Mendelsohn, J. Moreau, H. Frystyk Nielsen, Editors, W3C Recommendation, June 24, 2003, <http://www.w3.org/TR/2003/REC-soap12-part1-20030624/>.

WORLD WIDE WEB CONSORTIUM (W3C). *SOAP Version 1.2 Part 2: Adjuncts*, M. Gudgin, M. Hadley, N. Mendelsohn, J. Moreau, H. Frystyk Nielsen, Editors, W3C Recommendation, June 24, 2003, <http://www.w3.org/TR/2003/REC-soap12-part2-20030624/>.

WORLD WIDE WEB CONSORTIUM (W3C). *Web Services Addressing 1.0 - Core*, M. Gudgin, M. Hadley, T. Rogers, Editors, W3C Recommendation, May 9, 2006, <http://www.w3.org/TR/2006/REC-ws-addr-core-20060509/>. Latest version available at <http://www.w3.org/TR/ws-addr-core/>.

WORLD WIDE WEB CONSORTIUM (W3C). *Web Services Addressing 1.0 - SOAP Binding*, M. Gudgin, M. Hadley, T. Rogers, Editors, W3C Recommendation, May 9, 2006, <http://www.w3.org/TR/2006/REC-ws-addr-soap-20060509/>.

WORLD WIDE WEB CONSORTIUM (W3C). *Web Services Addressing 1.0 - Metadata*, M. Gudgin, M. Hadley, T. Rogers, Ü. Yalçinalp, Editors, W3C Recommendation, September 4, 2007, <http://www.w3.org/TR/2007/REC-ws-addr-metadata-20070904/>.

WORLD WIDE WEB CONSORTIUM (W3C). *Web Services Description Language (WSDL) Version 1.1*, E. Christinsen et Al., Editors, W3C Note, March, 2001, <https://www.w3.org/TR/2001/NOTE-wsdl-20010315>.

WORLD WIDE WEB CONSORTIUM(W3C). *XML Schema Part 1: Structures Second Edition*, 2004. Edited by H. Thompson, <http://www.w3.org/TR/2001/REC-xmleschema-1-20010502/>.

WORLD WIDE WEB CONSORTIUM(W3C). *XML Schema Part 2: Datatypes Second Edition*, 2004. Edited by P. Biron, et al. <http://www.w3.org/TR/2004/REC-xmleschema-2-20041028/>.

WORLD WIDE WEB CONSORTIUM. *Extensible Markup Language (XML) 1.0* (Second Edition), 2000. Edited by T. Bray, et al. Available from <http://www.w3.org/TR/2000/REC-xml-20001006>.

WORD WIDE WEB CONSORTIUM. *XSL Transformations (XSLT) Version 1.0*, 1999. Edited by J. Clark.. Available from <http://www.w3.org/TR/1999/REC-xslt-19991116>.

3 Terms and definitions

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

access control

authority definitions and their enforcement for various types of actors regarding access to a *registry object* (3.21)

3.2

association

registry object (3.21) that represents directional relationship between two *registry objects* (3.21)

3.3

auditable event

long-term record of what actions caused changes in the state of a *registry object* (3.21)

3.4**canonical artefact**

set of *registry object* (3.21) values defined by the standard

3.5**cataloging**

registry service (3.23) that creates and stores additional metadata related to a *registry object* (3.21)

3.6**classification**

registry object (3.21) that classifies another *registry object* (3.21) by assigning a *classification node* (3.7) to it

3.7**classification node**

registry object (3.21) that represents a specific value that is part of a *classification scheme* (3.8)

3.8**classification scheme**

registry object (3.21) formed as a parent-child hierarchy of *classification nodes* (3.7)

3.9**external identity**

identity of a *registry object* (3.21) as per known identification scheme

3.10**federation**

set of *registry server* (3.22) instances that form a loosely coupled union

[ISO 15000-3:2023](#)

3.11 <https://standards.iteh.ai/catalog/standards/sist/4fa72b9f-609d-4a61-b74b-da69dbc32fa8/iso-governance>

process of controlling the lifecycle of *registry objects* (3.21)

(standards.iteh.ai)

3.12**identity**

globally unique identity that is different between different versions of a *registry object* (3.21)

3.13**logical identity**

globally unique identity of a *registry object* (3.21) that does not change during its lifetime

3.14**messaging**

secure and reliable exchange of messages between a *registry client* (3.20) and a *registry server* (3.22)

3.15**native language support**

support to express properties of a *registry object* (3.21) in different languages

3.16**notification**

registry object (3.21) sent to a *registry client* (3.20) as an effect of registry events matching a relevant *subscription* (3.28)

3.17

object types classification scheme

canonical classification scheme that represents types of objects that a *registry server* (3.22) supports

3.18

provenance

set of data and processes that represents ownership and history of custodianship of a *registry object* (3.21)

3.19

query definition

registry object (3.21) that represents query that could be invoked by a *registry client* (3.20)

3.20

registry client

client that communicates with a *registry server* (3.22) via ebXML RegRep protocols

3.21

registry object

metadata stored in a *registry server* (3.22)

3.22

registry server

server that provides *registry services* (3.23)

3.23

(standards.iteh.ai)

registry service

service that provides storage and discovery of electronic artefacts (repository) and their metadata (registry)

[ISO 15000-3:2023](#)

3.24

replication

registry service (3.23) where a copy of a *registry object* (3.21) is stored and maintained in another *registry server* (3.22)

3.25

repository item

electronic artefact stored in a repository

3.26

service

registry object (3.21) that represents services offered by an actor

3.27

slot

typed name-value property that provides extensibility of a *registry object* (3.21)

3.28

subscription

registry object (3.21) that represents the interest of a *registry client* (3.20) interest in receiving *notifications* (3.16) when certain events happen in a *registry server* (3.22).

3.29

validation

registry service (3.23) that checks whether a *registry object* (3.21) is valid or not

3.30 version

distinct state of a *registry object* (3.21)

4 Registry information model

4.1 Introduction

4.1.1 Overview

This clause defines the ebXML RegRep registry information model (ebRIM).

4.1.2 XML Schema

The ebXML Registry Information Model is defined as an XML Schema in <https://standards.iso.org/iso/15000/-3/ed-1/en/xsd/rim.xsd>. It defines the metadata types and their relationships within this specification.

4.1.3 Information model types: inheritance view

The central type in the model is the RegistryObjectType. An instance of RegistryObjectType represents an ebRIM metadata object.




Figure 1 Information model inheritance view

Figure 1 shows the inheritance or "Is-A" relationships between the various types derived from **RegistryObjectType** in the information model. Note that it does not show the other types of relationships, such as "Has-A" relationships, as they will be presented in subsequent diagrams. The attributes and elements of each type are also not shown to conserve page space. Detailed description of attributes and elements of each type will be displayed in tabular form within the detailed description of each type.