# INTERNATIONAL STANDARD



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

# Petroleum liquids — Manual sampling

Produits pétroliers liquides — Échantillonnage manuel

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 3170:1988</u> https://standards.iteh.ai/catalog/standards/sist/2da0bb3f-f48c-4b84-9835-78033a6ed0f8/iso-3170-1988

Reference number ISO 3170:1988 (E)

# Contents

Fo	rewo	iv	
In	troduc	v	
1	Sco	De	1
2	Norr	native reference	1
3	Defi	nitions	2
4	Prine	iTeh STANDARD PR	4
5	Арр	aratus (standards.iteh.	
	5.1	General	
	5.2	Tank samplers	<b>4</b>
	5.3	Drum and can samplers	
	5.4	Pipeline samplers	12
	5.5	Containers	12
	5.6	Container closures	12
	5.7	Sample coolers	12
6	Safe	ety precautions	12
	6.1	General	12
	6.2	Safety aspects of equipment	12
	6.3	Safety at sampling points	13
	6.4	Static electricity	13
7	Proc	edures	13
	7.1	Introduction	13
	7.2	Precautions	14

© International Organization for Standardization, 1988 •

Printed in Switzerland

# Page

	7.3	Tank sampling	15
	7.4	Package sampling	17
	7.5	Pipeline sampling	20
8	Proc	cedures for crude oils and other non-homogeneous petroleum liquids $\ldots\ldots$	20
	8.1	General	20
	8.2	Procedures	20
9	Sam	ple handling	21
	9.1	General	21
	9.2	Homogenization of samples	21
	9.3	Verification of mixing time	21
	9.4	Transfer of samples	22
An	nnex	Α	
	bliogr bles	<sup>aphy</sup>	23
(,51	Sam	pling of horizontal cylindrical tanks	16
2 https://standards.iteh.	.ai/ca	npling(plans():1988 talog/standards/sist/2da0bb3f-f48c-4b84-9835- Sample size code 5aabedu5/soc-31/0-1988	18 18
	2b	Single sampling plan	18
	2c	Double sampling plan	19
Fig	jures		
1	Exa	amples of sample positions	3
2	Exa	imples of sample cages	5
3	Exa	imples of weighted sampling cans	6
4	Res	strictive filling devices for running samplers	7
5	Exa	Imple of interface sampler	8
6		amples of bottom samplers and details of aning/closing mechanism	9
7	Dep	posit sampler	10
8	Exa	mple of an all-levels sampling device	10
9	Exa	mple of vapour-lock device	11
10	Exa	Imple of sampling tube	11

# Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting. TANDARD PREVIEW

International Standard ISO 3170 was prepared by **Technical Committee ISO/TC 28**) Petroleum products and lubricants.

### <u>ISO 3170:1988</u>

This second edition cancels and replaces the first edition (ISO 3170: 1975), of which it f48c-4b84-9835constitutes a technical revision. It also includes a procedure for transfer and subsequent handling of the sample to ensure delivery of a representative portion thereof into laboratory apparatus or storage for possible reconciliation.

Annex A of this International Standard is for information only.

v

# Introduction

This International Standard should be applied in combination with ISO 3171, *Petroleum liquids – Automatic pipeline sampling*.

The purpose of this International Standard is to standardize conditions for obtaining a sample of liquid/semi-liquid hydrocarbons from a tank, drum or pipeline. If the hydrocarbon materials to be sampled are of non-homogeneous character showing significant variations in composition or containing sediments and water, samples taken manually should not be expected to be representative, but enable the degree of non-homogeneity to be assessed and estimates of quality and quantity to be made.

It is realized that in many countries some or all of the items covered by this International Standard are the subject of mandatory regulations imposed by the laws of those countries; such regulations must be rigorously observed. In cases of conflict between such mandatory regulations and this International Standard, the former shall prevail Carcs.tten.al

<u>ISO 3170:1988</u> https://standards.iteh.ai/catalog/standards/sist/2da0bb3f-f48c-4b84-9835-78033a6ed0f8/iso-3170-1988

# iTeh STANDARD PREVIEW (standards.iteh.ai) This page intentionally left blank

ISO 3170:1988 https://standards.iteh.ai/catalog/standards/sist/2da0bb3f-f48c-4b84-9835-78033a6ed0f8/iso-3170-1988

# Petroleum liquids — Manual sampling

# 1 Scope

water, the samples may not be representative. 1.1 This International Standard specifies the procedures to rkevien be used for obtaining, by manual methods, samples of liquid 1.6 The sampling procedures specified are intended to prohydrocarbons, tank residues and deposits from fixed tanks, railcars, road vehicles, ships and barges, drums and cars, or S. Vide samples for the following purposes: from liquids being pumped in pipelines (see 4.3).

a) the determination of the oil quality; ISO 3170:1988

1.2 It applies to the samplings of liquid petroleum products ards/sist/2 do/bback the determination of the water content of the oils; crude oils and intermediate products, which are stored in tanks iso-3170-1988 at or near atmospheric pressure, or transferred by pipelines, and are handled as liquids at temperatures from near ambient considered to be part of the liquid transferred. up to 100 °C.

The sampling procedures specified are not intended for the sampling of special petroleum products which may be the subject of other International Standards, such as aviation fuels, electrical insulating oils, liquefied petroleum gases, liquefied natural gases, bitumen and chemical products, nor to unstabilized crude oils having a Reid vapour pressure above 180 kPa (1,8 bar).

**1.3** Two basic manual sampling methods are available:

- tank sampling;
- pipeline sampling.

When a batch is received or consigned, either tank or pipeline sampling, or both, may be possible. However, if both methods are used, the two sets of samples shall not be mixed.

1.4 Procedures are specified which minimize or eliminate losses of light ends from samples. Such losses can occur during handling or transfer of samples thereby making them non-representative of the bulk material.

1.5 If the procedures intended for obtaining representative samples of stocks or movements of homogeneous petroleum c) the determination of other contaminants that are not

If the sampling conditions for the purposes a), b) and c) are in conflict, separate samples are required.

liquids are applied to non-homogeneous liquids having significant variations in composition or containing sediments and/or

1.7 Sampling procedures for tank contents that are not homogeneous are specified that enable the degree of nonhomogeneity to be assessed and estimates of quality and quantity to be made.

1.8 Procedures for the sampling of residues and deposits in tanks are included, together with techniques for liquid hydrocarbons under inert gas pressure.

#### 2 Normative reference

The following standard contains provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent edition of the standard listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 3171 : 1988, Petroleum liquids – Automatic pipeline sampling.

#### 3 Definitions

3.1 competent person : A person who, by reason of his or her training, experience and theoretical and practical knowledge, is able to detect any defects or weaknesses in the plant or equipment and to make an authoritative judgement as to its suitability for further use.

NOTE - This person should have sufficient authority to ensure that the necessary action is taken following his or her recommendations.

**3.2** integrity of the sample : The condition of being complete and unaltered, i.e. the sample being preserved with the same composition as when it was taken from the bulk of the liquid.

3.3 mixer : A device which provides a homogeneous mixture of the liquid within a pipeline or container in order to obtain a representative sample.

3.3.1 static mixer : A mixing device having no moving parts and located within a pipe or tube. It depends on the kinetic energy of the moving liquid for the energy required to mix the liquid.

**3.4** pipeline : Any section of pipe used for the transfer of liquid. An unobstructed pipe does not have any internal fittings such as a static mixer or orifice plate.

3.5 residues and deposits : Organic and inorganic material, together with any water dispersed within it, which has SO 3 separated from the liquid and eitheittps://standards.iteh.ai/catalog/standards/sist/2da0bb3f-f48c-4b84-9835-

a) fallen to the bottom of the tank containing the liquid, or

b) been left in the tank after the liquid has been pumped out.

3.6 sample conditioning : Homogenization necessary to stabilize the sample during sample handling in preparation for analysis.

sample handling : The conditioning, transferring, 3.7 dividing and transporting of the sample. It includes transferring the sample from the sampler (receiver) to a container and from the container to the laboratory apparatus in which it is to be analysed.

#### 3.8 Sample types

3.8.1 all-levels sample : A sample obtained with an apparatus which is filled when passed through the total liquid height in one direction.

3.8.2 bottom sample : A spot sample taken from the material at the bottom surface (floor) of a tank or container (see figure 1).

3.8.3 composite sample : A sample obtained by combining a number of spot samples in defined proportions so as to obtain a sample representative of the bulk of the material. The usual

types of composite sample are obtained by combining samples in accordance with one of the following (see clause 4 and 7.3.1.1.2) :

a) upper, middle and lower samples in equal proportions;

b) upper, middle and suction-level samples in equal proportions:

c) a series of spot samples from a non-homogeneous oil taken at more than three levels and blended in proportion to the quantities of oil represented;

d) individual samples from several tanks or ship's compartments proportional to the total quantity each sample represents;

e) a series of spot samples of equal volume obtained from a flowing pipeline taken at specified intervals.

3.8.4 representative sample : A sample having its physical or chemical characteristics identical to the volumetric average characteristics of the total volume being sampled.

3.8.5 running sample : A sample obtained by lowering a container from the top of the oil to the bottom and returning it to the top of the oil at a speed such that the container is about three-quarters full when withdrawn from the oil.

# standar

3.8.6 spot sample : A sample taken at a specific location in a tank or from a pipe at a specific time during a pumping loperation.

78033a6ed0f83.8.7<sup>31</sup> suction-level sample : A sample taken at the lowest level from which liquid hydrocarbon is pumped from the tank. In determining this level, appropriate allowance is made for any fittings within the tank such as swing-arm, suction baffle or internal bend (see figure 1).

> 3.8.8 upper sample : A sample taken at a level of one-sixth of the depth of liquid below the top surface (see figure 1).

> 3.8.9 middle sample : A sample taken at a level of one-half of the depth of liquid below the top surface (see figure 1).


> 3.8.10 lower sample : A sample taken at a level of five-sixths of the depth of liquid below the top surface (see figure 1).

> 3.8.11 top sample : A spot sample obtained 150 mm below the top surface of the liquid (see figure 1).

> 3.8.12 skim sample (surface sample) : A sample taken from the surface of the liquid (see figure 1).

#### **Statistical terms** 3.9

3.9.1 AQL (acceptable quality level) : The maximum per cent defective (or the maximum number of defects per hundred units) that, for purposes of sampling inspection, can be considered satisfactory as a process average.





**3.9.2 batch** : A collection of packages containing a product of a single type and composition and of a single manufactured lot, or of a single delivery.

**3.9.3 package :** Any type of container, such as a drum, barrel, peg, can or bottle.

**3.9.4 per cent defective** : One hundred times the number of defective units of product contained in any given quantity of units of product divided by the total number of units of product, i.e.:

per cent defective = 
$$\frac{\text{number of defectives}}{\text{number of units inspected}} \times 100$$

**3.9.5** sample size : The number of samples to be drawn from a batch to determine its acceptability as given in sampling plans.

**3.10** ullage : For the purpose of this International Standard, the empty capacity left in a sample receiver/container above the liquid surface, expressed as volume.

### 3.11 Water

**3.11.1 dissolved water** : The water contained within the oil forming a solution at the prevailing temperature.

**3.11.2** suspended water : The water within the oil that is finely dispersed as small droplets.

 $\mathsf{NOTE}-\mathsf{It}$  may, over a period of time, either collect as free water or become dissolved water, depending on the conditions of temperature and pressure prevailing.

**3.11.3** free water : The water that exists as a separate layer from the oil, and typically lies beneath the oil.

**3.11.4** total water : The sum of all the dissolved, suspended and free water in a cargo or parcel of oil.

# **4** Principles

**4.1** To ensure that samples submitted for examination are as representative as possible of the oil being sampled, the necessary precautions are given. These depend on the characteristics of the liquid, the tank, container or pipeline from which the sample is being obtained and the nature of the tests to be carried out on the sample.

**4.2** Tank sampling is commenced when the contents of the tank are at rest. The following samples are normally taken for analysis :

either

a) upper, middle and lower samples,

or

b) upper, middle and suction-level samples.

If tests on these samples show that the contents of the tank are homogeneous, they may be combined in equal proportions for further tests.

If the tests on these samples show that the contents of the tank are non-homogeneous, it is necessary to draw samples from more than three levels and either a composite sample is prepared for analysis or, if blending would impair the integrity of the sample, each sample is analysed separately and the composition corresponding to the composite sample is calculated. In this calculation, allowance is made for the proportion of the SO 3 oil represented by each sample.

Other methods are

- c) a running sample, or
- d) an all-levels sample.

**4.3** To obtain a representative sample from a batch of nonhomogeneous material being pumped in a pipeline, the sample shall be drawn using an automatic sampling device as stated in ISO 3171. On occasions it may be necessary to take samples manually. These are spot samples and may not be representative of the bulk.

### 5 Apparatus

### 5.1 General

All sampling devices shall be designed and constructed so as to assure the function for which they are intended in order to maintain the initial characteristics of the oil. They shall be of sufficient strength and externally protected to withstand normal internal pressures likely to be generated, or provided with a relief valve, and sufficiently robust to withstand any handling that may be encountered. Their cleanliness shall be confirmed before use.

NOTE – Various sampling devices are described in general terms in 5.2 to 5.7 and any essential aspects are specified. Detailed specifications have not been given for these items because any suitable device of the type described may be used.

### 5.2 Tank samplers

### 5.2.1 General

The tank samplers are classified according to the type of sample to be drawn :

- spot sample;
- bottom sample;
- tank deposits/residues sample;
- running sample;
- all-levels sample.

The devices shall have a cord or cable or chain of conductive, sparkproof material attached to them for the purpose of lowering or raising them in the tank.

NOTE — The cord should be sufficiently conductive not to be capable of producing static electricity.

### 5.2.2 Spot samplers

This apparatus shall be constructed so that a sample can be taken at any specific level in a tank. The following kinds of apparatus are suitable.

# 5.2.2.1 Sampling cage

https://standards.iteh.ai/catalog/standards.

Bottles of the appropriate dimensions are required to fit a sampling cage. The use of a sampling cage is generally preferred to that of a weighted sampling can for volatile products, since loss of light ends is likely to occur when transferring the sample from a weighted sampling can to another container.

NOTE — The sampling cage may be omitted if the sample bottle is securely attached to a weighted cord. The cork is also tied to the line about 150 mm from the neck of the bottle.

# 5.2.2.2 Weighted sampling can (see figure 3)

This shall be weighted so as to sink readily in the oil to be sampled. If used for obtaining upper, middle, lower or suctionlevel samples, the lowering device shall be attached to the can in such a manner that the stopper can be opened by means of a sharp jerk. If used as a running sampler, the special stopper shown in figure 4 shall be used. In order to avoid problems in cleaning the can, any weighting material shall be fixed to the can in such a way that it does not come into contact with the sample.

Some sampling cans have special opening facilities, for example devices having valves opened or closed at the desired level by a weight falling down alongside and guided by the suspending cable, or having wing or flap valves which are closed upon initiation of upward movement.




Figure 2 — Examples of sample cages

