



# SLOVENSKI STANDARD

## SIST EN 300 607-1 V5.9.1:2005

01-februar-2005

8 [[ ]HJb]`WV] b]`hY`Y\_ca i b]\_UW`g\_]`g]ghYa `fZuU&ZL!`GdYWZ]\_UW`Ug\_`UXbcghj  
a cV]`bY`dcgHUY`fA GL!`%`XY.`GdYWZ]\_UW`Ug\_`UXbcghj`f] GA`%`%`\$!`%`fUn`] ]WU) `"-`%`ž  
]nXUU`%-`\*`Ł

Digital cellular telecommunications system (Phase 2+) (GSM); Mobile Station (MS) conformance specification; Part 1: Conformance specification (GSM 11.10-1 version 5.9.1 Release 1996)

### iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 607-1 V5.9.1:2005  
https://standards.iteh.ai/catalog/standards/sist/4e1adc3c-d344-4906-9586-8648b800face/sist-en-300-607-1-v5-9-1-2005](https://standards.iteh.ai/catalog/standards/sist/4e1adc3c-d344-4906-9586-8648b800face/sist-en-300-607-1-v5-9-1-2005)

Ta slovenski standard je istoveten z: **EN 300 607-1 Version 5.9.1**

#### **ICS:**

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--

**SIST EN 300 607-1 V5.9.1:2005** en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 300 607-1 V5.9.1:2005

<https://standards.iteh.ai/catalog/standards/sist/4e1adc3c-d344-4906-9586-8648b800face/sist-en-300-607-1-v5-9-1-2005>

# ETSI EN 300 607-1 V5.9.1 (1999-12)

European Standard (Telecommunications series)

**Digital cellular telecommunications system (Phase 2+);  
Mobile Station (MS) conformance specification;  
Part 1: Conformance specification  
(GSM 11.10-1 version 5.9.1 Release 1996)**

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

**GSM**®  
GLOBAL SYSTEM FOR  
MOBILE COMMUNICATIONS

[SIST EN 300 607-1 V5.9.1:2005](https://standards.iteh.ai/catalog/standards/sist/4e1adc3c-d344-4906-9586-8648b800face/sist-en-300-607-1-v5-9-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/4e1adc3c-d344-4906-9586-8648b800face/sist-en-300-607-1-v5-9-1-2005>



## Reference

---

 REN/SMG-071110QR7-1
 

---

## Keywords

---

 Digital cellular telecommunications system, Global System for Mobile communications (GSM)
 

---

**ETSI**

## Postal address

---

 F-06921 Sophia Antipolis Cedex - FRANCE
 

---

## Office address

 650 Route des Lucioles - Sophia Antipolis  
 Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la

Sous-Préfecture de Grasse (06) N° 7803/88

<https://standards.iteh.ai/catalog/standards/sist/4e1ade5c-d344-4906-9586-8648b800face/sist-en-300-607-1-v5-9-1-2005>

## Internet

---

 secretariat@etsi.fr

 Individual copies of this ETSI deliverable  
 can be downloaded from

<http://www.etsi.org>

 If you find errors in the present document, send your  
 comment to: editor@etsi.fr
**Important notice**

This ETSI deliverable may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

**Copyright Notification**


---

No part may be reproduced except as authorized by written permission.  
 The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute yyyy.  
 All rights reserved.

# Contents

Intellectual Property Rights .....	27
Foreword.....	27
1 Scope.....	28
2 References .....	28
3 Definitions, conventions, and applicability .....	34
3.1 Mobile station definition and configurations.....	34
3.2 Applicability.....	34
3.2.1 Applicability of this specification.....	34
3.2.2 Applicability of the individual tests .....	34
3.2.3 Applicability to terminal equipment .....	60
3.3 Definitions .....	61
3.4 Conventions for mathematical notations .....	61
3.4.1 Mathematical signs .....	61
3.4.2 Powers to the base 10.....	61
3.5 Conventions on electrical terms .....	62
3.5.1 Radio Frequency (RF) input signal level .....	62
3.5.2 Reference sensitivity level .....	62
3.5.3 Power level of fading signal .....	62
3.6 Terms on test conditions.....	63
3.6.1 Radio test conditions.....	63
4 Test Equipment .....	64
4.1 Terms used to describe test equipment in this EN.....	64
4.2 Functional requirements of test equipment.....	64
5 Testing methodology in general (layers 1, 2, and 3).....	64
5.1 Testing of optional functions and procedures.....	64
5.2 Test interfaces and facilities.....	64
5.3 Different protocol layers.....	65
5.4 Information to be provided by the apparatus supplier .....	65
5.5 Definitions of transmit and receive times.....	65
6 Reference test methods.....	66
6.1 General .....	66
6.2 Choice of frequencies in the frequency hopping mode .....	66
6.3 "Ideal" radio conditions.....	66
6.4 Standard test signals .....	67
6.5 Power (control) levels .....	67
7 Implicit testing.....	67
8 Measurement uncertainty .....	67
9 Format of tests.....	67
10 Generic call set up procedures.....	68
10.1 Generic call set-up procedure for mobile terminating speech calls .....	68
10.2 Generic call set-up procedure for mobile originating speech calls.....	73
10.3 Generic call set-up procedure for mobile terminating data calls .....	76
10.4 Generic call set-up procedure for mobile originating data calls.....	79
10.5 Generic call set-up procedure for mobile terminating multislot configuration, minimum number of timeslots allocated.....	82
10.6 Generic call set-up procedure for mobile originating multislot configuration, minimum number of timeslots allocated .....	85
11 General tests .....	89
11.1 Verification of support and non-support of services (multiple numbering scheme or ISDN).....	89
11.1.1 Mobile Terminated (MT) calls.....	89
11.1.2 Mobile Originated (MO) calls .....	90

11.2	Verification of support of the single numbering scheme.....	91
11.3	Verification of non-support of services (Advice of Charge Charging (AoCC)).....	92
11.4	Verification of non-support of services (call hold).....	94
11.5	Verification of non-support of services (multiparty).....	95
11.6	Verification of non-support of feature (Fixed Dialling Number (FDN)).....	95
11.7	IMEI Security.....	96
11.8	Coding of the Bearer Capability information element.....	97
11.8.1	Network to MS Direction.....	98
11.8.1.1	BS 21 to 26 - Asynchronous Service.....	98
11.8.1.1.1	BS 21.....	98
11.8.1.1.2	BS 22.....	102
11.8.1.1.3	BS 24.....	102
11.8.1.1.4	BS 25.....	102
11.8.1.1.5	BS 26.....	102
11.8.1.1.6	BS 23.....	102
11.8.1.2	BS 31 to 34 - Synchronous Service.....	103
11.8.1.2.1	BS 32.....	103
11.8.1.2.2	BS 31.....	107
11.8.1.2.3	BS 33.....	108
11.8.1.2.4	BS 34.....	108
11.8.1.3	BS 61 - Alternate Speech / Data.....	108
11.8.1.3.1	Speech/Asynchronous Data, Transparent.....	109
11.8.1.3.2	Speech/Asynchronous Data, Non Transparent.....	111
11.8.1.3.3	Speech/Synchronous Data.....	113
11.8.1.4	BS 81 - Speech followed by Data.....	114
11.8.1.4.1	Speech followed by Asynchronous Data.....	114
11.8.1.4.2	Speech followed by Synchronous Data.....	114
11.8.1.5	TS 61 - Alternate Speech / Facsimile group 3.....	114
11.8.1.5.1	TS 61 - Alternate Speech / Facsimile group 3, Transparent.....	115
11.8.1.5.2	TS 61 - Alternate Speech / Facsimile group 3, Non-Transparent.....	116
11.8.1.6	TS 62 - Automatic Facsimile group 3.....	117
11.8.2	MS to SS direction.....	117
11.8.2.1	BS 21 to 26 - Asynchronous Service.....	117
11.8.2.1.1	BS 21.....	118
11.8.2.1.2	BS 22.....	122
11.8.2.1.3	BS 24.....	122
11.8.2.1.4	BS 25.....	122
11.8.2.1.5	BS 26.....	122
11.8.2.1.6	BS 23.....	122
11.8.2.2	BS 31 to 34 - Synchronous Service.....	123
11.8.2.2.1	BS 32.....	123
11.8.2.2.2	BS 31.....	127
11.8.2.2.3	BS 33.....	128
11.8.2.2.4	BS 34.....	128
11.8.2.3	BS 41 to 46 - PAD Access Asynchronous.....	129
11.8.2.3.1	<sup>2)</sup> BS 41.....	129
11.8.2.3.2	BS 42.....	131
11.8.2.3.3	BS 44.....	131
11.8.2.3.4	BS 45.....	131
11.8.2.3.5	BS 46.....	131
11.8.2.3.6	BS 43.....	131
11.8.2.4	BS 51 to 53 - Packet Service Synchronous.....	132
11.8.2.4.1	<sup>2)</sup> BS 51.....	132
11.8.2.4.2	BS 52.....	132
11.8.2.4.3	BS 53.....	132
11.8.2.5	BS 61 - Alternate Speech / Data.....	133
11.8.2.5.1	Speech/Asynchronous Data, Transparent.....	133
11.8.2.5.2	Speech/Asynchronous Data, Non Transparent.....	135
11.8.2.5.3	Speech/Synchronous Data.....	137
11.8.2.6	BS 81 - Speech followed by Data.....	138
11.8.2.6.1	Speech followed by Asynchronous Data.....	138
11.8.2.6.2	Speech followed by Synchronous Data.....	138
11.8.2.7	TS 61 - Alternate Speech / Facsimile group 3.....	138

11.8.2.7.1	TS 61 - Alternate Speech / Facsimile group 3, Transparent .....	139
11.8.2.7.2	TS 61 - Alternate Speech / Facsimile group 3, Non Transparent .....	140
11.8.2.8	TS 62 - Automatic Facsimile group 3 .....	141
11.8.2.9	TS 11 and TS 12- Speech .....	141
11.8.2.9.1	Support of only full/half rate speech version 1 .....	141
11.8.2.9.2	Support of speech full rate version 2 (Enhanced Full Rate) .....	141
12	Transceiver .....	144
12.1	Conducted spurious emissions .....	144
12.1.1	MS allocated a channel .....	144
12.1.2	MS in idle mode .....	146
12.2	Radiated spurious emissions .....	147
12.2.1	MS allocated a channel .....	148
12.2.2	MS in idle mode .....	150
12.3	Conducted spurious emissions for MS supporting the R-GSM frequency band .....	151
12.3.1	MS allocated a channel .....	151
12.3.2	MS in idle mode .....	154
12.4	Radiated spurious emissions for MS supporting the R-GSM frequency band .....	155
12.4.1	MS allocated a channel .....	156
12.4.2	MS in idle mode .....	158
13	Transmitter .....	160
13.1	Frequency error and phase error .....	160
13.2	Frequency error under multipath and interference conditions .....	163
13.3	Transmitter output power and burst timing .....	165
13.4	Output RF spectrum .....	173
13.5	Intermodulation attenuation .....	179
13.6	Frequency error and phase error in HSCSD multislot configurations .....	181
13.7	Transmitter output power and burst timing in HSCSD configurations .....	185
13.8	Output RF spectrum in HSCSD multislot configuration .....	192
13.9	Output RF spectrum for MS supporting the R-GSM band .....	199
14	Receiver .....	205
14.1	Bad frame indication .....	211
14.1.1	Bad frame indication - TCH/FS .....	211
14.1.1.1	Bad frame indication - TCH/FS - Random RF input .....	211
14.1.1.2	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX .....	213
14.1.2	Bad frame indication - TCH/HS .....	214
14.1.2.1	Bad frame indication - TCH/HS - Random RF input .....	214
14.1.2.2	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX .....	215
14.1.3	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network .....	216
14.1.4	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network .....	218
14.2	Reference sensitivity .....	221
14.2.1	Reference sensitivity - TCH/FS .....	221
14.2.2	Reference sensitivity - TCH/HS (Speech frames) .....	223
14.2.3	Reference sensitivity - FACCH/F .....	226
14.2.4	Reference sensitivity - FACCH/H .....	227
14.2.5	Reference sensitivity - full rate data channels .....	228
14.2.6	Reference sensitivity - half rate data channels .....	229
14.2.7	Reference sensitivity - TCH/EFS .....	230
14.2.8	Reference sensitivity - full rate data channels in multislot configuration .....	232
14.2.9	Reference sensitivity - TCH/FS for MS supporting the R-GSM band .....	234
14.3	Usable receiver input level range .....	236
14.4	Co-channel rejection .....	237
14.4.1	Co-channel rejection - TCH/FS .....	237
14.4.2	Co-channel rejection - TCH/HS .....	239
14.4.3	Co-channel rejection - TCH/HS (SID frames) .....	241
14.4.4	Co-channel rejection - FACCH/F .....	243
14.4.5	Co-channel rejection - FACCH/H .....	244
14.4.6	Co-channel rejection - TCH/EFS .....	245
14.5	Adjacent channel rejection .....	247
14.5.1	Adjacent channel rejection - speech channels .....	247

(GSM 11.10-1 version 5.9.1 Release 1996)	6	EN 300 607-1 V5.9.1 (1999-12)
14.5.2	Adjacent channel rejection - control channels .....	249
14.6	Intermodulation rejection .....	251
14.6.1	Intermodulation rejection - speech channels.....	251
14.6.2	Intermodulation rejection - control channels .....	253
14.7	Blocking and spurious response .....	254
14.7.1	Blocking and spurious response - speech channels.....	254
14.7.2	Blocking and spurious response - control channels .....	258
14.7.3	Blocking and spurious response - speech channels for MS supporting the R-GSM band .....	261
14.7.4	Blocking and spurious response - control channels for MS supporting the R-GSM band.....	264
14.8	AM suppression.....	267
14.8.1	AM suppression - speech channels .....	267
14.8.2	AM suppression - control channels.....	268
14.9	Paging performance at high input levels .....	270
15	Timing advance and absolute delay .....	271
16	Reception time tracking speed .....	273
17	Access times during handover.....	275
17.1	Intra cell channel change .....	275
17.2	Inter cell handover.....	277
18	Temporary reception gaps .....	280
18.1	Temporary reception gaps, single slot.....	280
18.2	Temporary reception gaps in HSCSD multislot configurations .....	281
19	Channel release after unrecoverable errors .....	284
19.1	Channel release after unrecoverable errors -1 .....	284
19.2	Channel release after unrecoverable errors - 2 .....	285
19.3	Channel release after unrecoverable errors - 3 .....	286
20	Cell selection and reselection .....	288
20.1	Cell selection .....	289
20.2	Cell selection with varying signal strength values.....	291
20.3	Basic cell reselection .....	293
20.4	Cell reselection using TEMPORARY_OFFSET, CELL_RESELECT_OFFSET, POWER_OFFSET and PENALTY_TIME parameters .....	295
20.5	Cell reselection using parameters transmitted in the System Information type 2bis, type 2ter, type 7 and type 8 messages.....	297
20.6	Cell reselection timings .....	299
20.7	Priority of cells .....	301
20.8	Cell reselection when C1 (serving cell) < 0 for 5 seconds .....	302
20.9	Running average of the surrounding cell BCCH carrier signal levels.....	303
20.10	Running average of the serving cell BCCH carrier signal level.....	305
20.11	Updating the list of six strongest neighbour carriers and decoding the BCCH information of a new carrier on the list.....	306
20.12	Decoding the BCCH information of the neighbour carriers on the list of six strongest neighbour carriers ...	307
20.13	Decoding the BSIC of the neighbour carriers on the list of six strongest neighbour carriers.....	308
20.14	Emergency calls .....	309
20.15	Cell reselection due to MS rejection "LA not allowed" .....	310
20.16	Downlink signalling failure .....	312
20.17	Cell selection if no suitable cell found in 10 s.....	313
20.18	Cell reselection due to MS rejection "Roaming not allowed in this LA" .....	314
20.19	Cell selection on release of SDCCH and TCH.....	316
20.20	Multiband cell selection and reselection.....	317
20.20.1	Multiband cell selection and reselection / Cell Selection .....	317
20.20.2	Multiband cell selection and reselection / Cell reselection .....	319
20.21	R-GSM cell selection and reselection .....	321
20.21.1	R-GSM cell selection.....	322
20.21.2	R-GSM cell selection with varying signal strength values .....	324
20.21.3	R-GSM basic cell reselection.....	326
20.21.4	R-GSM cell reselection using TEMPORARY_OFFSET, CELL_RESELECT_OFFSET, POWER_OFFSET and PENALTY_TIME parameters .....	328
20.21.5	R-GSM cell reselection using parameters transmitted in the System Information type 2bis, type 2ter, type 7 and type 8 messages.....	330



(GSM 11.10-1 version 5.9.1 Release 1996)	7	EN 300 607-1 V5.9.1 (1999-12)
20.21.6	R-GSM cell reselection timings.....	331
20.21.7	R-GSM priority of cells.....	333
20.21.8	R-GSM cell reselection when C1 (serving cell) < 0 for 5 seconds.....	335
20.21.9	R-GSM running average of the surrounding cell BCCH carrier signal levels.....	336
20.21.10	R-GSM running average of the serving cell BCCH carrier signal level.....	337
20.21.11	Updating the list of six strongest neighbour carriers and decoding the BCCH information of a new carrier on the list.....	338
20.21.12	R-GSM decoding the BCCH information of the neighbour carriers on the list of six strongest neighbour carriers.....	339
20.21.13	R-GSM decoding the BSIC of the neighbour carriers on the list of six strongest neighbour carriers.....	340
20.21.14	R-GSM emergency calls.....	341
20.21.15	R-GSM cell reselection due to MS rejection "LA not allowed".....	343
20.21.16	R-GSM downlink signalling failure.....	344
20.21.17	R-GSM cell selection if no suitable cell found in 10 s.....	346
20.21.18	R-GSM cell reselection due to MS rejection "Roaming not allowed in this LA".....	347
20.21.19	R-GSM cell selection on release of SDCCH and TCH.....	348
21	Received signal measurements.....	350
21.1	Signal strength.....	350
21.2	Signal strength selectivity.....	354
21.3	Signal quality under static conditions.....	356
21.3.1	Signal quality under static conditions - TCH/FS.....	356
21.3.2	Signal quality under static conditions - TCH/HS.....	358
21.4	Signal quality under TU50 propagation conditions.....	360
21.5	Received signal measurements in HSCSD multislot configuration.....	362
22	Transmit power control timing and confirmation.....	368
22.1	Transmit power control timing and confirmation, single slot.....	368
22.2	Transmit power control timing and confirmation in HSCSD multislot configurations.....	370
23	Single frequency reference.....	373
24	Tests of the layer 1 signalling functions.....	373
25	Tests of the layer 2 signalling functions.....	374
25.1	Introduction, objective and scope.....	374
25.1.1	General.....	374
25.1.2	Test configurations.....	374
25.1.3	Pre-conditions.....	374
25.1.4	Layer 2 test frames.....	375
25.1.5	Establishment of the dedicated physical resource.....	376
25.1.6	Release of the dedicated physical resource.....	376
25.2	Test sequences.....	376
25.2.1	Initialization.....	378
25.2.1.1	Initialization when contention resolution required.....	378
25.2.1.1.1	Normal initialization.....	378
25.2.1.1.2	Initialization failure.....	379
25.2.1.1.2.1	Loss of UA frame.....	379
25.2.1.1.2.2	UA frame with different information field.....	380
25.2.1.1.2.3	Information frame and supervisory frames in response to an SABM frame.....	381
25.2.1.1.3	Initialization denial.....	382
25.2.1.1.4	Total initialization failure.....	383
25.2.1.2	Initialization, contention resolution not required.....	384
25.2.1.2.1	Normal initialization without contention resolution.....	384
25.2.1.2.2	Initialization failure.....	385
25.2.1.2.3	Initialization denial.....	386
25.2.1.2.4	Total initialization failure.....	387
25.2.2	Normal information transfer.....	388
25.2.2.1	Sequence counting and I frame acknowledgements.....	388
25.2.2.2	Receipt of an I frame in the timer recovery state.....	391
25.2.2.3	Segmentation and concatenation.....	393
25.2.3	Normal layer 2 disconnection.....	396
25.2.4	Test of link failure.....	397
25.2.4.1	I frame loss (MS to SS).....	397
25.2.4.2	RR response frame loss (SS to MS).....	398

<b>(GSM 11.10-1 version 5.9.1 Release 1996)</b>	<b>8</b>	<b>EN 300 607-1 V5.9.1 (1999-12)</b>
25.2.4.3	RR response frame loss (MS to SS) .....	399
25.2.5	Test of frame transmission with incorrect C/R values .....	400
25.2.5.1	I frame with C bit set to zero .....	400
25.2.5.2	SABM frame with C bit set to zero .....	401
25.2.6	Test of errors in the control field .....	402
25.2.6.1	N(S) sequence error .....	403
25.2.6.2	N(R) sequence error .....	404
25.2.6.3	Improper F bit .....	405
25.2.7	Test on receipt of invalid frames .....	405
26	Testing of layer 3 functions .....	411
26.1	Default conditions and structured sequence of tests .....	411
26.1.1	Default test conditions during layer 3 tests .....	411
26.1.2	Structured sequence of the tests .....	412
26.1.3	General rules for message parameters .....	413
26.1.4	General rules for layer 3 testing .....	413
26.1.5	Format of layer 3 test descriptions .....	413
26.2	Initial tests .....	416
26.2.1	Channel request .....	416
26.2.1.1	Channel request / initial time .....	416
26.2.1.2	Channel request / repetition time .....	417
26.2.1.3	Channel request / random reference .....	419
26.2.2	IMSI detach and IMSI attach .....	421
26.2.3	Sequenced MM / CM message transfer .....	424
26.2.4	Establishment cause .....	425
26.3	Test of MS functions in idle mode .....	435
26.3.1	Initial conditions .....	435
26.3.2	MS indication of available PLMNs .....	438
26.3.3	MS will send only if BSS is "on air" .....	438
26.3.4	Manual mode of PLMN selection .....	439
26.4	Lower layer failures in layer 3 testing .....	441
26.4.1	Introduction .....	441
26.4.2	Layer 1 reception failures .....	441
26.4.3	Data link layer failures .....	441
26.4.4	Lower layer failures, used for the tests in clause 25 .....	441
26.5	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions .....	442
26.5.1	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown protocol discriminator .....	442
26.5.2	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / TI and skip indicator .....	443
26.5.2.1	TI and skip indicator / RR .....	443
26.5.2.1.1	TI and skip indicator / RR / Idle Mode .....	443
26.5.2.1.2	TI and skip indicator / RR / RR-Connection established .....	444
26.5.2.2	TI and skip indicator / MM .....	446
26.5.2.3	TI and skip indicator / CC .....	447
26.5.3	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / undefined or unexpected message type .....	450
26.5.3.1	Undefined or unexpected message type / undefined message type / CC .....	450
26.5.3.2	Undefined or unexpected message type / undefined message type / MM .....	451
26.5.3.3	Undefined or unexpected message type / undefined message type / RR .....	453
26.5.3.4	Undefined or unexpected message type / unexpected message type / CC .....	454
26.5.4	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unforeseen information elements in the non-imperative message part .....	455
26.5.4.1	Unforeseen information elements in the non-imperative message part / duplicated information elements .....	455
26.5.5	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / non-semantic mandatory IE errors .....	457
26.5.5.1	Non-semantic mandatory IE errors / RR .....	457
26.5.5.1.1	Non-semantic mandatory IE errors / RR / missing mandatory IE error .....	457
26.5.5.1.1.1	Non-semantic mandatory IE errors / RR / missing mandatory IE error / special case .....	457
26.5.5.1.1.2	Non-semantic mandatory IE errors / RR / missing mandatory IE error / general case .....	458
26.5.5.1.2	Non-semantic mandatory IE errors / RR / comprehension required .....	459
26.5.5.2	Non-semantic mandatory IE errors / MM .....	461

26.5.5.2.1	Non-semantic mandatory IE errors / MM / syntactically incorrect mandatory IE.....	461
26.5.5.2.2	Non-semantic mandatory IE errors / MM / syntactically incorrect mandatory IE.....	462
26.5.5.2.3	Non-semantic mandatory IE errors / MM / comprehension required .....	463
26.5.5.3	Non-semantic mandatory IE errors / CC .....	465
26.5.5.3.1	Non-semantic mandatory IE errors / CC / missing mandatory IE .....	465
26.5.5.3.1.1	Non-semantic mandatory IE errors / CC / missing mandatory IE / disconnect message .....	465
26.5.5.3.1.2	Non-semantic mandatory IE errors / CC / missing mandatory IE / general case .....	466
26.5.5.3.2	Non-semantic mandatory IE errors / CC / comprehension required.....	467
26.5.6	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown IE, comprehension not required .....	469
26.5.6.1	Unknown information elements in the non-imperative message part / MM .....	469
26.5.6.1.1	Unknown IE, comprehension not required / MM / IE unknown in the protocol .....	469
26.5.6.1.2	Unknown IE, comprehension not required / MM / IE unknown in the message.....	470
26.5.6.2	Unknown information elements in the non-imperative message part / CC.....	472
26.5.6.2.1	Unknown information elements in the non-imperative message part / CC / Call establishment...472	
26.5.6.2.2	Unknown information elements in the non-imperative message part / CC / disconnect .....	473
26.5.6.2.3	Unknown information elements in the non-imperative message part / CC / release .....	474
26.5.6.2.4	Unknown information elements in the non-imperative message part / CC / release complete.....	476
26.5.6.3	Unknown IE in the non-imperative message part, comprehension not required / RR .....	477
26.5.7	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / spare bits .....	479
26.5.7.1	Spare bits / RR .....	479
26.5.7.1.1	Spare bits / RR / paging channel.....	479
26.5.7.1.2	Spare bits / RR / BCCH.....	480
26.5.7.1.3	Spare bits / RR / AGCH .....	481
26.5.7.1.4	Spare bits / RR / Connected Mode .....	484
26.5.7.2	Spare bits / MM.....	485
26.5.7.3	Spare bits / CC .....	487
26.5.8	Default contents of messages.....	489
26.6	Test of the elementary procedures for radio resource management.....	491
26.6.1	Immediate assignment .....	491
26.6.1.1	Immediate assignment / SDCCH or TCH assignment .....	491
26.6.1.2	Immediate assignment / extended assignment .....	492
26.6.1.3	Immediate assignment / assignment rejection .....	495
26.6.1.4	Immediate assignment / ignore assignment .....	497
26.6.1.5	Immediate assignment after immediate assignment reject .....	498
26.6.2	Test of paging .....	499
26.6.2.1	Normal paging.....	499
26.6.2.1.1	Paging / normal / type 1.....	499
26.6.2.1.2	Paging / normal / type 2.....	502
26.6.2.1.3	Paging / normal / type 3.....	504
26.6.2.2	Paging / extended .....	505
26.6.2.3	Paging / reorganization .....	508
26.6.2.3.1	Paging / reorganization / procedure 1 .....	508
26.6.2.3.2	Paging / reorganization / procedure 2.....	512
26.6.2.4	Paging / same as before.....	513
26.6.2.5	Paging / multislot CCCH.....	514
26.6.3	Test of measurement report .....	516
26.6.3.1	Measurement / no neighbours .....	516
26.6.3.2	Measurement / all neighbours present.....	520
26.6.3.3	Measurement / barred cells and non-permitted NCCs.....	524
26.6.3.4	Measurement / DTX.....	528
26.6.3.5	Measurement / Frequency Formats .....	533
26.6.3.6	Measurement / multiband environment.....	537
26.6.4	Test of the channel assignment procedure .....	542
26.6.4.1	Dedicated assignment / successful case .....	542
26.6.4.2	Dedicated assignment / failure .....	552
26.6.4.2.1	Dedicated assignment / failure / failure during active state .....	552
26.6.4.2.2	Dedicated assignment / failure / general case .....	554
26.6.5	Test of handover .....	556
26.6.5.1	Handover / successful / active call / non-synchronized.....	557
26.6.5.2	Handover / successful / call under establishment / non-synchronized .....	573
26.6.5.3	Handover / successful / active call / finely synchronized.....	593

(GSM 11.10-1 version 5.9.1 Release 1996)	10	EN 300 607-1 V5.9.1 (1999-12)
26.6.5.4	Handover / successful / call under establishment / finely synchronized .....	598
26.6.5.5	Pre-synchronized handovers .....	609
26.6.5.5.1	Handover / successful / active call / pre-synchronized / Timing Advance IE not included.....	609
26.6.5.5.2	Handover / successful / call being established / pre-synchronized / timing advance IE is included / reporting of observed time difference requested.....	611
26.6.5.6	Handover / successful / active call / pseudo synchronized.....	613
26.6.5.7	Handover / successful / active call / non-synchronized / reporting of observed time difference requested .....	615
26.6.5.8	Handover / layer 3 failure.....	617
26.6.5.9	Handover / layer 1 failure.....	618
26.6.6	Test of frequency redefinition.....	620
26.6.6.1	Frequency redefinition .....	620
26.6.7	Test of the channel mode modify procedure.....	626
26.6.7.1	Test of the channel mode modify procedure / full rate.....	626
26.6.7.2	Test of the channel mode modify procedure / half rate.....	628
26.6.8	Test of ciphering mode setting.....	631
26.6.8.1	Ciphering mode / start ciphering .....	631
26.6.8.2	Ciphering mode / no ciphering.....	633
26.6.8.3	Ciphering mode / old cipher key .....	634
26.6.8.4	Ciphering mode / change of mode, algorithm and key.....	635
26.6.8.5	Ciphering mode / IMEISV request.....	643
26.6.9	Test of additional assignment .....	645
26.6.10	Test of partial release.....	645
26.6.11	Test of classmark .....	645
26.6.11.1	Classmark change.....	645
26.6.11.2	Classmark interrogation .....	647
26.6.12	Test of channel release.....	649
26.6.12.1	Channel release / SDCCH.....	649
26.6.12.2	Channel release / SDCCH - no L2 ACK.....	651
26.6.12.3	Channel release / TCH-F.....	652
26.6.12.4	Channel release / TCH-F - no L2 ACK.....	653
26.6.13	Test of starting time .....	655
26.6.13.1	Dedicated assignment with starting time / successful case / time not elapsed .....	656
26.6.13.2	Dedicated assignment with starting time / successful case / time elapsed.....	658
26.6.13.3	Dedicated assignment with starting time and frequency redefinition / failure case / time not elapsed.....	660
26.6.13.4	Dedicated assignment with starting time and frequency redefinition / failure case / time elapsed .....	663
26.6.13.5	Handover with starting time / successful case / time not elapsed.....	665
26.6.13.6	Handover with starting time / successful case / time elapsed.....	667
26.6.13.7	Handover with starting time and frequency redefinition / failure case / time not elapsed .....	669
26.6.13.8	Handover with starting time and frequency redefinition / failure case / time elapsed .....	672
26.6.13.9	Immediate assignment with starting time / successful case / time not elapsed .....	675
26.6.13.10	Immediate assignment with starting time / successful case / time elapsed .....	676
26.6.14	Default contents of GSM 900 layer 3 messages for RR tests .....	678
26.6.15	Default contents of DCS 1 800 layer 3 messages for RR tests .....	687
26.7	Elementary procedures of mobility management .....	699
26.7.1	TMSI reallocation.....	699
26.7.2	Authentication.....	702
26.7.2.1	Authentication accepted .....	702
26.7.2.2	Authentication rejected .....	703
26.7.3	Identification.....	706
26.7.3.1	General Identification.....	706
26.7.3.2	Handling of IMSI shorter than the maximum length .....	708
26.7.4	Location updating .....	711
26.7.4.1	Location updating / accepted.....	711
26.7.4.2	Location updating / rejected.....	717
26.7.4.2.1	Location updating / rejected / IMSI invalid.....	717
26.7.4.2.2	Location updating / rejected / PLMN not allowed.....	720
26.7.4.2.3	Location updating / rejected / location area not allowed .....	724
26.7.4.2.4	Location updating / rejected / roaming not allowed in this location area .....	727
26.7.4.3	Location updating / abnormal cases .....	734
26.7.4.3.1	Location updating / abnormal cases / random access fails .....	734
26.7.4.3.2	Location updating / abnormal cases / attempt counter less or equal to 4, LAI different .....	736



26.7.4.3.3	Location updating / abnormal cases / attempt counter equal to 4.....	742
26.7.4.3.4	Location updating / abnormal cases / attempt counter less or equal to 4, stored LAI equal to broadcast LAI.....	750
26.7.4.4	Location updating / release / expiry of T3240.....	758
26.7.4.5	Location updating / periodic.....	759
26.7.4.5.1	Location updating / periodic spread.....	759
26.7.4.5.2	Location updating / periodic normal / test 1.....	761
26.7.4.5.3	Location updating / periodic normal / test 2.....	763
26.7.4.5.4	Location updating / periodic HPLMN search.....	766
26.7.4.5.4.1	Location updating / periodic HPLMN search / MS waits time T.....	766
26.7.4.5.4.2	Location updating / periodic HPLMN search / MS in manual mode.....	767
26.7.4.5.4.3	Location updating / periodic HPLMN search / MS waits at least two minutes and at most T minutes.....	769
26.7.4.6	Location updating / interworking of attach and periodic.....	770
26.7.5	MM connection.....	772
26.7.5.1	Introduction.....	772
26.7.5.2	MM connection / establishment with cipher.....	772
26.7.5.3	MM connection / establishment without cipher.....	774
26.7.5.4	MM connection / establishment rejected.....	775
26.7.5.5	MM connection / establishment rejected cause 4.....	776
26.7.5.6	MM connection / expiry T3230.....	777
26.7.5.7	MM connection / abortion by the network.....	778
26.7.5.7.1	MM connection / abortion by the network / cause #6.....	778
26.7.5.7.2	MM connection / abortion by the network / cause not equal to #6.....	781
26.7.5.8	MM connection / follow-on request pending.....	782
26.7.5.8.1	MM connection / follow-on request pending / test 1.....	782
26.7.5.8.2	MM connection / follow-on request pending / test 2.....	783
26.7.5.8.3	MM connection / follow-on request pending / test 3.....	785
26.7.6	Default contents of messages.....	786
26.8	Tests related to circuit switched call control.....	790
26.8.1	Circuit switched Call Control (CC) state machine verification.....	790
26.8.1.1	General on CC state machine verification.....	790
26.8.1.2	Establishment of an outgoing call.....	791
26.8.1.2.1	Outgoing call / U0 null state.....	793
26.8.1.2.1.1	Outgoing call / U0 null state / MM connection requested.....	793
26.8.1.2.2	Outgoing call / U0.1 MM connection pending.....	794
26.8.1.2.2.1	Outgoing call / U0.1 MM connection pending / CM service rejected.....	794
26.8.1.2.2.2	Outgoing call / U0.1 MM connection pending / CM service accepted.....	796
26.8.1.2.2.3	Outgoing call / U0.1 MM connection pending / lower layer failure.....	797
26.8.1.2.3	Outgoing call / U1 call initiated.....	799
26.8.1.2.3.1	Outgoing call / U1 call initiated / receiving CALL PROCEEDING.....	799
26.8.1.2.3.2	Outgoing call / U1 call initiated / rejecting with RELEASE COMPLETE.....	800
26.8.1.2.3.3	Outgoing call / U1 call initiated / T303 expiry.....	802
26.8.1.2.3.4	Outgoing call / U1 call initiated / lower layer failure.....	803
26.8.1.2.3.5	Outgoing call / U1 call initiated / receiving ALERTING.....	805
26.8.1.2.3.6	Outgoing call / U1 call initiated / entering state U10.....	806
26.8.1.2.3.7	Outgoing call / U1 call initiated / unknown message received.....	807
26.8.1.2.4	Outgoing call / U3 MS originating call proceeding.....	809
26.8.1.2.4.1	Outgoing call / U3 MS originating call proceeding / ALERTING received.....	809
26.8.1.2.4.2	Outgoing call / U3 MS originating call proceeding / CONNECT received.....	810
26.8.1.2.4.3	Outgoing call / U3 MS originating call proceeding / PROGRESS received without in band information.....	812
26.8.1.2.4.4	Outgoing call / U3 MS originating call proceeding / PROGRESS with in band information.....	813
26.8.1.2.4.5	Outgoing call / U3 MS originating call proceeding / DISCONNECT with in band tones.....	815
26.8.1.2.4.6	Outgoing call / U3 MS originating call proceeding / DISCONNECT without in band tones.....	817
26.8.1.2.4.7	Outgoing call / U3 MS originating call proceeding / RELEASE received.....	818
26.8.1.2.4.8	Outgoing call / U3 MS originating call proceeding / termination requested by the user.....	820
26.8.1.2.4.9	Outgoing call / U3 MS originating call proceeding / traffic channel allocation.....	821
26.8.1.2.4.10	Outgoing call / U3 MS originating call proceeding / timer T310 time-out.....	822
26.8.1.2.4.11	Outgoing call / U3 MS originating call proceeding / lower layer failure.....	823
26.8.1.2.4.12	Outgoing call / U3 MS originating call proceeding / unknown message received.....	825

26.8.1.2.4.13	Outgoing call / U3 MS originating call proceeding / Internal alerting indication.....	826
26.8.1.2.5	Outgoing call / U4 call delivered.....	828
26.8.1.2.5.1	Outgoing call / U4 call delivered / CONNECT received.....	828
26.8.1.2.5.2	Outgoing call / U4 call delivered / termination requested by the user .....	829
26.8.1.2.5.3	Outgoing call / U4 call delivered / DISCONNECT with in band tones.....	830
26.8.1.2.5.4	Outgoing call / U4 call delivered / DISCONNECT without in band tones.....	832
26.8.1.2.5.5	Outgoing call / U4 call delivered / RELEASE received .....	833
26.8.1.2.5.6	Outgoing call / U4 call delivered / lower layer failure.....	835
26.8.1.2.5.7	Outgoing call / U4 call delivered / traffic channel allocation .....	836
26.8.1.2.5.8	Outgoing call / U4 call delivered / unknown message received .....	837
26.8.1.2.6	U10 call active.....	839
26.8.1.2.6.1	U10 call active / termination requested by the user .....	839
26.8.1.2.6.2	U10 call active / RELEASE received .....	840
26.8.1.2.6.3	U10 call active / DISCONNECT with in band tones.....	842
26.8.1.2.6.4	U10 call active / DISCONNECT without in band tones.....	843
26.8.1.2.6.5	U10 call active / RELEASE COMPLETE received .....	844
26.8.1.2.6.6	U10 call active / SETUP received.....	846
26.8.1.2.7	U11 disconnect request.....	848
26.8.1.2.7.1	U11 disconnect request / clear collision.....	848
26.8.1.2.7.2	U11 disconnect request / RELEASE received .....	849
26.8.1.2.7.3	U11 disconnect request / timer T305 time-out.....	851
26.8.1.2.7.4	U11 disconnect request / lower layer failure.....	852
26.8.1.2.7.5	U11 disconnect request / unknown message received .....	854
26.8.1.2.8	U12 disconnect indication .....	855
26.8.1.2.8.1	U12 disconnect indication / call releasing requested by the user.....	855
26.8.1.2.8.2	U12 disconnect indication / RELEASE received.....	857
26.8.1.2.8.3	U12 disconnect indication / lower layer failure .....	858
26.8.1.2.8.4	U12 disconnect indication / unknown message received.....	860
26.8.1.2.9	Outgoing call / U19 release request.....	861
26.8.1.2.9.1	Outgoing call / U19 release request / timer T308 time-out.....	861
26.8.1.2.9.2	Outgoing call / U19 release request / 2nd timer T308 time-out.....	862
26.8.1.2.9.3	Outgoing call / U19 release request / RELEASE received .....	864
26.8.1.2.9.4	Outgoing call / U19 release request / RELEASE COMPLETE received .....	865
26.8.1.2.9.5	Outgoing call / U19 release request / lower layer failure.....	867
26.8.1.3	Establishment of an incoming call / Initial conditions.....	868
26.8.1.3.1	Incoming call / U0 null state.....	871
26.8.1.3.1.1	Incoming call / U0 null state / SETUP received with a non supported bearer capability .....	871
26.8.1.3.2	Incoming call / U6 call present.....	872
26.8.1.3.2.1	Incoming call / U6 call present / automatic call rejection.....	872
26.8.1.3.3	Incoming call / U9 mobile terminating call confirmed.....	874
26.8.1.3.3.1	Incoming call / U9 mobile terminating call confirmed / alerting or immediate connecting .....	874
26.8.1.3.3.2	Incoming call / U9 mobile terminating call confirmed / TCH assignment .....	875
26.8.1.3.3.3	Incoming call / U9 mobile terminating call confirmed / termination requested by the user .....	877
26.8.1.3.3.4	Incoming call / U9 mobile terminating call confirmed / DISCONNECT received .....	878
26.8.1.3.3.5	Incoming call / U9 mobile terminating call confirmed / RELEASE received .....	879
26.8.1.3.3.6	Incoming call / U9 mobile terminating call confirmed / lower layer failure.....	881
26.8.1.3.3.7	Incoming call / U9 mobile terminating call confirmed / unknown message received .....	882
26.8.1.3.4	Incoming call / U7 call received.....	884
26.8.1.3.4.1	Incoming call / U7 call received / call accepted.....	884
26.8.1.3.4.2	Incoming call / U7 call received / termination requested by the user .....	885
26.8.1.3.4.3	Incoming call / U7 call received / DISCONNECT received.....	887
26.8.1.3.4.4	Incoming call / U7 call received / RELEASE received .....	888
26.8.1.3.4.5	Incoming call / U7 call received / lower layer failure.....	890
26.8.1.3.4.6	Incoming call / U7 call received / unknown message received.....	891
26.8.1.3.4.7	Incoming call / U7 call received / TCH assignment .....	892
26.8.1.3.4.8	Incoming call / U7 call received / RELEASE COMPLETE received .....	894
26.8.1.3.5	Incoming call / U8 connect request .....	895
26.8.1.3.5.1	Incoming call / U8 connect request / CONNECT acknowledged.....	895
26.8.1.3.5.2	Incoming call / U8 connect request / timer T313 time-out .....	897
26.8.1.3.5.3	Incoming call / U8 connect request / termination requested by the user.....	898
26.8.1.3.5.4	Incoming call / U8 connect request / DISCONNECT received with in-band information .....	900
26.8.1.3.5.5	Incoming call / U8 connect request / DISCONNECT received without in-band information.....	901

26.8.1.3.5.6	Incoming call / U8 connect request / RELEASE received.....	902
26.8.1.3.5.7	Incoming call / U8 connect request / lower layer failure .....	904
26.8.1.3.5.8	Incoming call / U8 connect request / TCH assignment.....	905
26.8.1.3.5.9	Incoming call / U8 connect request / unknown message received.....	907
26.8.1.4	In call functions.....	908
26.8.1.4.1	In-call functions / DTMF information transfer.....	908
26.8.1.4.1.1	In-call functions / DTMF information transfer / basic procedures.....	908
26.8.1.4.2	In-call functions / user notification.....	910
26.8.1.4.2.1	In-call functions / User notification / MS terminated.....	910
26.8.1.4.3	In-call functions / channel changes.....	911
26.8.1.4.3.1	In-call functions / channel changes / a successful channel change in active state/ Handover and Assignment Command .....	912
26.8.1.4.3.2	In-call functions / channel changes / an unsuccessful channel change in active mode/ Handover and Assignment Command .....	914
26.8.1.4.4	In-call functions / MS terminated in-call modification.....	915
26.8.1.4.4.1	In-call functions / MS terminated in-call modification / modify when new mode is not supported.....	915
26.8.1.4.5	In-call functions / MS originated in-call modification .....	917
26.8.1.4.5.1	In-call functions / MS originated in-call modification / a successful case of modifying.....	917
26.8.1.4.5.2	In-call functions / MS originated in-call modification / modify rejected.....	919
26.8.1.4.5.3	In-call functions / MS originated in-call modification / an abnormal case of acceptance.....	921
26.8.1.4.5.4	In-call functions / MS originated in-call modification / an abnormal case of rejection .....	922
26.8.1.4.5.5	In-call functions / MS originated in-call modification / time-out of timer T323 .....	924
26.8.1.4.5.6	In-call functions / MS originated in-call modification / a successful channel change in state mobile originating modify .....	925
26.8.1.4.5.7	In-call functions / MS originated in-call modification / an unsuccessful channel change in state mobile originating modify .....	927
26.8.1.4.5.8	In-call functions / MS originated in-call modification / unknown message received .....	929
26.8.1.4.5.9	In-call functions / MS originated in-call modification / a release complete received .....	930
26.8.1.4.5.10	In-call functions/MS originated in-call modification/contents of some of the messages.....	932
26.8.2	Call Re-establishment.....	934
26.8.2.1	Call Re-establishment/call present, re-establishment allowed .....	934
26.8.2.2	Call Re-establishment/call present, re-establishment not allowed .....	936
26.8.2.3	Call Re-establishment/call under establishment, transmission stopped.....	938
26.8.3	User to user signalling .....	939
26.8.4	Default contents of message .....	941
26.9	Structured procedures.....	948
26.9.1	Structured procedures / general .....	948
26.9.2	Structured procedures / MS originated call / early assignment.....	949
26.9.3	Structured procedures / MS originated call / late assignment.....	952
26.9.4	Structured procedures / MS terminated call / early assignment.....	955
26.9.5	Structured procedures / MS terminated call / late assignment .....	958
26.9.6	Structured procedures / emergency call .....	961
26.9.6.1	Structured procedures / emergency call / idle updated.....	962
26.9.6.1.1	Structured procedures / emergency call / idle updated / preferred channel rate .....	962
26.9.6.1.2	Structured procedures / emergency call / idle updated, non-preferred channel rate .....	964
26.9.6.2	Structured procedures / emergency call / idle, no IMSI .....	965
26.9.6.2.1	Structured procedures / emergency call / idle, no IMSI / accept case .....	965
26.9.6.2.2	Structured procedures / emergency call / idle, no IMSI / reject case.....	967
26.9.9	Default contents of messages.....	985
26.10	E-GSM or R-GSM signalling.....	991
26.10.1	E-GSM or R-GSM signalling / general considerations.....	991
26.10.2	E-GSM or R-GSM signalling / RR.....	993
26.10.2.1	E-GSM or R-GSM signalling / RR / Measurement.....	993
26.10.2.2	E-GSM or R-GSM signalling / RR / Immediate assignment .....	1000
26.10.2.3	E-GSM or R-GSM signalling / RR / channel assignment procedure .....	1003
26.10.2.4	E-GSM or R-GSM signalling / RR / Handover.....	1006
26.10.2.4.1	E-GSM or R-GSM signalling / RR / Handover / Successful handover .....	1007
26.10.2.4.2	E-GSM or R-GSM signalling / RR / Handover / layer 1 failure.....	1013
26.10.2.5	E-GSM or R-GSM signalling / RR / Frequency Redefinition.....	1015
26.10.3	E-GSM or R-GSM signalling / Structured procedure.....	1019
26.10.3.1	E-GSM or R-GSM signalling / Structured procedure / Mobile originated call.....	1020
26.10.3.2	E-GSM or R-GSM signalling / Structured procedures / emergency call .....	1022