

FINAL  
DRAFT

TECHNICAL  
REPORT

ISO/DTR  
25060

ISO/TC 159/SC 4

Secretariat: BSI

Voting begins on:  
2022-11-02

Voting terminates on:  
2023-01-25

---

---

**Systems and software engineering —  
Systems and software Quality  
Requirements and Evaluation  
(SQuaRE) — General framework for  
Common Industry Format (CIF) for  
usability-related information**

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

ISO/DTR 25060

<https://standards.iteh.ai/catalog/standards/sist/e589f3cb-1362-4174-8e81-e5bb65ee1dff/iso-dtr-25060>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number  
ISO/DTR 25060:2022(E)

© ISO 2022

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/DTR 25060

<https://standards.iteh.ai/catalog/standards/sist/e589f3cb-1362-4174-8e81-e5bb65ee1dff/iso-dtr-25060>



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
3.1 Terms related to usability.....	2
3.2 Terms related to interaction and interface.....	4
3.3 Terms related to products.....	6
3.4 Terms related to processes.....	7
<b>4 A general framework for usability-related information</b> .....	<b>8</b>
4.1 Common Industry Formats (CIFs) for usability-related information.....	8
4.2 Intended users and uses of usability-related information items.....	8
4.3 Situations in which the usability-related information items apply.....	8
4.3.1 General.....	8
4.3.2 Acquisition situation.....	9
4.3.3 Development situation.....	9
4.3.4 Maintenance situation.....	9
4.4 Process independence.....	9
4.5 Relationship to human-centred design (HCD) as described in ISO 9241-210.....	9
4.6 Iteration based on new insights.....	11
<b>5 Usability-related information items</b> .....	<b>11</b>
5.1 General.....	11
5.2 Context of use description (ISO/IEC 25063).....	11
5.3 User needs report (ISO/IEC 25064).....	12
5.4 User requirements specification (ISO 25065).....	12
5.5 User-system interaction and user interface specification.....	13
5.6 Types of evaluation reports.....	14
5.6.1 Evaluation report (ISO/IEC 25066).....	14
5.6.2 Quantitative usability test report (ISO/IEC 25062).....	15
5.6.3 Field data report.....	15
<b>Annex A (informative) Typical representations for information items within a CIF</b> .....	<b>17</b>
<b>Bibliography</b> .....	<b>19</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 4, *Ergonomics of human-system interaction*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 122, *Ergonomics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO/IEC TR 25060:2010), which has been technically revised.

The main changes are as follows:

- Information on the ISO 2506X family of documents has been updated.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

The purpose of this document is to define a framework and consistent terminology for the specification and evaluation of the usability of an interactive system. Specifying and evaluating usability assists those developing and acquiring interactive systems. This document describes a framework that defines a set of information items as part of a human-centred approach to the design of an interactive system. The framework is intended to assist in documenting and communicating usability-related information through the system development life cycle.

The human-centred design approach of ISO 9241-210 is well established and focuses specifically on making systems usable. Usability can be achieved by applying human-centred design and testing throughout the life cycle. In order to enable a human-centred design approach to be adopted, it is important that all the relevant usability information items are identified and documented. This identification and documentation enables the usability of a system to be designed and tested.

This framework forms the basis for a family of documents that will provide a Common Industry Format (CIF) for specific information items to be used as part of a human-centred approach to the design of interactive systems. ISO/IEC 25062, which standardizes the types of information that are documented when providing a detailed report of the results of measuring effectiveness, efficiency and satisfaction, is the first specific International Standard in this family.

The CIF for usability documents are part of the SQuaRE documents (ISO/IEC 25000 to ISO/IEC 25099) on software product quality requirements and evaluation. The scope of the CIF family covers systems rather than just software, so is broader than that of the current SQuaRE documents. The CIF family of documents uses definitions (reproduced in [Clause 2](#)) that are consistent with ISO 9241, as this is the terminology that is normally used for this subject matter. In some cases, these definitions differ from those in ISO/IEC 25000.

**NOTE** Some CIF documents are prefixed “ISO” while others are prefixed “ISO/IEC”, depending on how they are administered. However, all CIF documents are jointly developed by ISO/IEC JTC 1/SC 7 and ISO TC 159/SC 4.

To ensure that these information items can be used within the broadest range of process models and can be used in combination with other information items, the descriptions are given in the format defined in ISO/IEC 15289 and ISO/IEC TS 33060.

The information items for documenting usability-related information can be integrated in any process models. For the purpose of establishing process models, ISO/IEC/IEEE 24774 and ISO/IEC TS 33061 specify the format and conformity requirements for process models, respectively. In addition, ISO/IEC 15289 defines the types and content of information items developed and used in process models for system and software life cycle management. ISO/IEC TS 22060 and ISO/IEC TS 33061 define work products, including information items, for the purpose of process capability assessment. Process models and associated information items for human-centred design of interactive systems are contained in ISO 9241-210 and ISO TS 18152, respectively.

While this document focuses on information items needed as the basis for design and development of interactive systems, the data contained in the information items can support post-development activities such as (product) conformity assessment as defined in ISO/IEC 17000.



# Systems and software engineering — Systems and software Quality Requirements and Evaluation (SQuaRE) — General framework for Common Industry Format (CIF) for usability-related information

## 1 Scope

This document describes information items enabling systematic human-centred design for interactive systems.

Some of these information items are elaborated by separate International Standards, named the Common Industry Format (CIF) for usability-related information.

This document provides the framework of information items, including definitions and the content for each information item.

This document includes the following:

- the intended users of the information items;
- consistent terminology;
- the high-level content structure to be used for documenting each information item.

The information items are intended to be used as part of system-level documentation resulting from development processes such as those in ISO 9241-210, ISO 9241-220 and ISO/IEC JTC 1/SC 7 process standards (e.g. ISO/IEC 15288, ISO/IEC 29148).

This document focuses on those information items needed for design, development and evaluation of usable systems, rather than prescribing a specific process. It is intended to be used in conjunction with existing International Standards, including the standards of the ISO 9241 series and the SQuaRE documents (ISO/IEC 25000 to ISO/IEC 25099).

This document does not prescribe any kind of method, life cycle or process.

**NOTE** The information items produced by human-centred design activities can be incorporated in design approaches as diverse as object-oriented, waterfall, HFI (human factors integration), agile and rapid development.

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

### 3.1 Terms related to usability

#### 3.1.1

##### **usability**

extent to which a system, product or service can be used by specified users to achieve specified goals with effectiveness, efficiency and satisfaction in a specified context of use

Note 1 to entry: The “specified” users, goals and context of use refer to the particular combination of users, goals and context of use for which usability is being considered.

Note 2 to entry: The word “usability” is also used as a qualifier to refer to the design knowledge, competencies, activities and design attributes that contribute to usability, such as usability expertise, usability professional, usability engineering, usability method, usability evaluation and usability heuristic.

[SOURCE: ISO 9241-11:2018, 3.1.1]

#### 3.1.2

##### **interactive system**

##### **system**

combination of hardware and/or software and/or services and/or people that users interact with in order to achieve specific goals

Note 1 to entry: This includes, where appropriate, packaging, user documentation, online and human help, support and training.

[SOURCE: ISO 9241-11:2018, 3.1.5]

#### 3.1.3

##### **product**

item that is made or created by a person or machine

[SOURCE: ISO 9241-11:2018, 3.1.2]

#### 3.1.4

##### **service**

means of delivering value for the customer by facilitating results the customer wants to achieve

Note 1 to entry: Services can include both human–system interactions (e.g. accessing a word processor through the web) and human–human interactions (e.g. a citizen interacting with a clerk at the post office counter).

Note 2 to entry: The “customer” is a user and does not necessarily have a financial relationship.

[SOURCE: ISO 9241-11:2018, 3.1.6]

#### 3.1.5

##### **user**

person who interacts with a system, product or service

Note 1 to entry: Users of a system, product or service include people who operate the system, people who make use of the output of the system and people who support the system (including providing maintenance and training).

[SOURCE: ISO 9241-11:2018, 3.1.7]

#### 3.1.6

##### **goal**

intended outcome

[SOURCE: ISO 9241-11:2018, 3.1.10]



**3.1.7****effectiveness**

accuracy and completeness with which users achieve specified goals

[SOURCE: ISO 9241-11:2018, 3.1.12]

**3.1.8****efficiency**

resources used in relation to the results achieved

Note 1 to entry: Typical resources include time, human effort, costs and materials.

[SOURCE: ISO 9241-11:2018, 3.1.13]

**3.1.9****satisfaction**

extent to which the user's physical, cognitive and emotional responses that result from the use of a system, product or service meet the user's needs and expectations

Note 1 to entry: Satisfaction includes the extent to which the user experience that results from actual use meets the user's needs and expectations.

Note 2 to entry: Anticipated use can influence satisfaction with actual use.

[SOURCE: ISO 9241-11:2018, 3.1.14]

**3.1.10****context of use**

combination of users, goals and tasks, resources and environment

Note 1 to entry: The "environment" in a context of use includes the technical, physical, social, cultural and organizational environments.

[SOURCE: ISO 9241-11:2018, 3.1.15] [standards/sist/e589f3cb-1362-4174-8e81-e5bb65ee1dff/iso-dtr-25060](https://standards.iso.org/iso/standards/sist/e589f3cb-1362-4174-8e81-e5bb65ee1dff/iso-dtr-25060)

**3.1.11****task**

set of activities undertaken in order to achieve a specific goal

Note 1 to entry: These activities can be physical, perceptual and/or cognitive.

Note 2 to entry: While goals are independent of the means used to achieve them, tasks describe particular means of achieving goals.

[SOURCE: ISO 9241-11:2018, 3.1.11]

**3.1.12****stakeholder**

person or organization that can affect, be affected by or perceive themselves to be affected by a decision or activity

Note 1 to entry: Stakeholders can include users, purchasers, systems owners or managers and people who are indirectly affected by the operation of a system, product or service.

Note 2 to entry: Different stakeholders can have different needs, requirements or expectations.

[SOURCE: ISO 9241-11:2018, 3.1.9]

### 3.1.13

#### **human-centred quality**

extent to which requirements relating to usability, accessibility, user experience and avoidance of harm from use are met

Note 1 to entry: Human-centred quality is a collective term for the intended outcomes of interaction of the user with the system.

Note 2 to entry: Provision of the necessary technical functionality is a prerequisite for human-centred quality.

[SOURCE: ISO 9241-11:2018, 3.2.1, modified — Note 2 to entry removed.]

### 3.1.14

#### **accessibility**

extent to which products, systems, services, environments and facilities can be used by people from a population with the widest range of user needs, characteristics and capabilities to achieve identified goals in identified contexts of use

Note 1 to entry: Context of use includes direct use or use supported by assistive technologies.

[SOURCE: ISO 9241-112:2017, 3.15]

### 3.1.15

#### **user experience**

user's perceptions and responses that result from the use and/or anticipated use of a system, product or service

Note 1 to entry: Users' perceptions and responses include the users' emotions, beliefs, preferences, perceptions, comfort, behaviours and accomplishments that occur before, during and after use.

Note 2 to entry: User experience is a consequence of brand image, presentation, functionality, system performance, interactive behaviour and assistive capabilities of a system, product or service. It also results from the user's internal and physical state resulting from prior experiences, attitudes, skills, abilities and personality, and from the context of use.

Note 3 to entry: The term "user experience" can also be used to refer to competence or processes such as user experience professional, user experience design, user experience method, user experience evaluation, user experience research and user experience department.

Note 4 to entry: Human-centred design can only manage those aspects of user experience that result from designed aspects of the interactive system.

[SOURCE: ISO 9241-11:2018, 3.2.3]

### 3.1.16

#### **harm from use**

negative consequences regarding health, safety, finances or the environment that result from use of the system

Note 1 to entry: The negative consequences can be for the user or for any other stakeholder.

[SOURCE: ISO 9241-11:2018, 3.2.4]

## 3.2 Terms related to interaction and interface

### 3.2.1

#### **interaction**

##### **user-system interaction**

exchange of information between a user and an interactive system via the user interface

[SOURCE: ISO 9241-110:2020, 3.11, modified — Definition revised.]

**3.2.2****user interface**

set of all the components of an interactive system that provide information and controls for the user to accomplish specific tasks with the interactive system

[SOURCE: ISO 9241-110:2020, 3.10]

**3.2.3****interaction sequence**

exchange of information between a user and an interactive system via the user interface to complete an intended task or to navigate through the interactive system

[SOURCE: ISO 9241-110:2020, 3.11, modified — Term and definition revised.]

**3.2.4****action**

user behaviour that a system accepts as a request for a particular operation

[SOURCE: ISO/IEC TR 11580:2007, 2.3, modified — Examples removed.]

**3.2.5****control**

object, often analogous to physical controls, which allows a user to take some action which manipulates data, other objects or their attributes

[SOURCE: ISO 14915-2:2003, 3.8]

**3.2.6****data item**

data element or well-defined set of data elements that is associated with a single tag, which defines its meaning and layout

[SOURCE: ISO/IEC 11694-5:2014, 3.4]

**3.2.7****user interface element****user interface object**

entity of the user interface that is presented to the user by the software

EXAMPLE Text, graphic, control.

Note 1 to entry: User interface elements can be interactive or not.

Note 2 to entry: Both entities relevant to the task and entities of the user interface are regarded as user interface elements. A user interface element can be a visual representation or an interaction mechanism for a task object (e.g. letter, sales order, electronic part, wiring diagram) or a system object (e.g. printer, hard disk, network connection). It can be possible for the user to directly manipulate some of these user interface elements.

Note 3 to entry: User interface elements in a graphical user interface include such things as basic objects (e.g. window title bars, menu items, push buttons, image maps, editable text fields) or containers (e.g. windows, grouping boxes, menu bars, menus, groups of mutually-exclusive option buttons, compound images that are made up of several smaller images). User interface elements in an audio user interface include such things as menus, menu items, messages and action prompts.

[SOURCE: ISO 9241-171:2008, 3.38, modified — Term revised.]

**3.2.8****content chunk**

unit of content that satisfies a requirement of a specific task for a specific user

Note 1 to entry: to entry A content chunk can also meet other requirements of one or more tasks for one or more users, either by itself or in combination with other content chunks.