

INTERNATIONAL
STANDARD

ISO/IEC
30115-2

First edition
2022-08

**Information technology — Redfish
scalable platforms management API
specification —**

Part 2:
Redfish Schema Supplement v2021.1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 30115-2:2022](https://standards.iteh.ai/catalog/standards/sist/536d9a5e-828f-4973-8671-1bad672bb2aa/iso-iec-30115-2-2022)

<https://standards.iteh.ai/catalog/standards/sist/536d9a5e-828f-4973-8671-1bad672bb2aa/iso-iec-30115-2-2022>



Reference number
ISO/IEC 30115-2:2022(E)

© ISO/IEC 2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 30115-2:2022](https://standards.iteh.ai/catalog/standards/sist/536d9a5e-828f-4973-8671-1bad672bb2aa/iso-iec-30115-2-2022)
<https://standards.iteh.ai/catalog/standards/sist/536d9a5e-828f-4973-8671-1bad672bb2aa/iso-iec-30115-2-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <https://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by DMTF (as DMTF Redfish Schema Supplement, DSP0268, Version 2021.1) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

A list of all parts in the ISO/IEC 30115 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Copyright Notice

Copyright © 2019-2021 DMTF. All rights reserved.

DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems management and interoperability. Members and non-members may reproduce DMTF specifications and documents, provided that correct attribution is given. As DMTF specifications may be revised from time to time, the particular version and release date should always be noted.

Implementation of certain elements of this standard or proposed standard may be subject to third party patent rights, including provisional patent rights (herein "patent rights"). DMTF makes no representations to users of the standard as to the existence of such rights, and is not responsible to recognize, disclose, or identify any or all such third party patent right, owners or claimants, nor for any incomplete or inaccurate identification or disclosure of such rights, owners or claimants. DMTF shall have no liability to any party, in any manner or circumstance, under any legal theory whatsoever, for failure to recognize, disclose, or identify any such third party patent rights, or for such party's reliance on the standard or incorporation thereof in its product, protocols or testing procedures. DMTF shall have no liability to any party implementing such standard, whether such implementation is foreseeable or not, nor to any patent owner or claimant, and shall have no liability or responsibility for costs or losses incurred if a standard is withdrawn or modified after publication, and shall be indemnified and held harmless by any party implementing the standard from any and all claims of infringement by a patent owner for such implementations.

ISO/IEC 30115-2:2022

For information about patents held by third-parties which have notified the DMTF that, in their opinion, such patent may relate to or impact implementations of DMTF standards, visit <http://www.dmtf.org/about/policies/disclosures.php>.

This document's normative language is English. Translation into other languages is permitted.

CONTENTS

1 Overview	32
1.1 Who should read this document?	32
1.2 How can I provide feedback?	32
1.3 Where can I find more information?	32
2 Using this guide	34
2.1 URI listings	34
3 Common properties	36
3.1 Properties that all Redfish Schemas define	36
3.1.1 Properties	36
3.2 Frequently used properties	36
3.2.1 Properties	37
3.3 Payload annotations	37
3.3.1 Property-level annotations	37
3.3.2 Properties	37
3.3.3 Resource- or object-level annotations	38
3.3.4 Properties	38
3.3.5 Property details	39
3.3.5.1 @Redfish.OperationApplyTime	39
4 Common objects	40
4.1 Actions	40
4.1.1 Properties	40
4.2 Capacity	40
4.2.1 Description	40
4.2.2 Properties	40
4.3 Identifier	41
4.3.1 Description	41
4.3.2 Properties	42
4.3.3 Property details	42
4.3.3.1 DurableNameFormat	42
4.4 IOStatistics	43
4.4.1 Description	43
4.4.2 Properties	43
4.5 IPv4Address	43
4.5.1 Description	43
4.5.2 Properties	44
4.5.3 Property details	44
4.5.3.1 AddressOrigin	44
4.6 IPv6Address	44
4.6.1 Description	44
4.6.2 Properties	45
4.6.3 Property details	45

4.6.3.1 AddressOrigin:	45
4.6.3.2 AddressState:	45
4.7 IPv6GatewayStaticAddress	46
4.7.1 Description	46
4.7.2 Properties	46
4.8 IPv6StaticAddress	46
4.8.1 Description	46
4.8.2 Properties	46
4.9 Location	47
4.9.1 Description	47
4.9.2 Properties	47
4.9.3 Property details	51
4.9.3.1 LocationType:	51
4.9.3.2 Orientation:	51
4.9.3.3 RackOffsetUnits:	51
4.9.3.4 Reference:	52
4.10 Message	52
4.10.1 Description	52
4.10.2 Properties	52
4.10.3 Property details	53
4.10.3.1 MessageSeverity:	53
4.11 Redundancy	53
4.11.1 Description	53
4.11.2 Properties	53
4.11.3 Property details	54
4.11.3.1 Mode:	54
4.12 RedundantGroup	55
4.12.1 Description	55
4.12.2 Properties	55
4.12.3 Property details	55
4.12.3.1 RedundancyType:	55
4.13 ReplicaInfo	56
4.13.1 Description	56
4.13.2 Properties	56
4.13.3 Property details	58
4.13.3.1 ConsistencyState:	58
4.13.3.2 ConsistencyStatus:	59
4.13.3.3 ConsistencyType:	59
4.13.3.4 ReplicaFaultDomain:	59
4.13.3.5 ReplicaPriority:	59
4.13.3.6 ReplicaProgressStatus:	60
4.13.3.7 ReplicaReadOnlyAccess:	61
4.13.3.8 ReplicaRecoveryMode:	61

4.13.3.9 ReplicaRole:	61
4.13.3.10 ReplicaState:	62
4.13.3.11 ReplicaType:	63
4.13.3.12 ReplicaUpdateMode:	63
4.13.3.13 RequestedReplicaState:	63
4.13.3.14 UndiscoveredElement:	64
4.14 Schedule	65
4.14.1 Description	65
4.14.2 Properties	65
4.14.3 Property details	65
4.14.3.1 EnabledDaysOfWeek:	65
4.14.3.2 EnabledMonthsOfYear:	66
4.15 Status	67
4.15.1 Description	67
4.15.2 Properties	67
4.15.3 Property details	68
4.15.3.1 Health:	68
4.15.3.2 HealthRollup:	68
4.15.3.3 Severity:	69
4.15.3.4 State:	69
5 Resource Collections	71
5.0.1 Properties	71
5.1 Resource collection URIs in Redfish v1.6 and later	72
6 Schema Reference Guide	84
6.1 AccelerationFunction 1.0.3	84
6.1.1 Description	84
6.1.2 URIs	84
6.1.3 Properties	84
6.1.4 Property details	85
6.1.4.1 AccelerationFunctionType:	85
6.1.5 Example response	86
6.2 AccountService 1.9.0	86
6.2.1 Description	87
6.2.2 URIs	87
6.2.3 Properties	87
6.2.4 Property details	90
6.2.4.1 AccountProviderType:	90
6.2.4.2 Authentication:	90
6.2.4.3 AuthenticationType:	91
6.2.4.4 ExternalAccountProvider:	91
6.2.4.5 LDAPService:	92
6.2.4.6 LocalAccountAuth:	93
6.2.4.7 PasswordExchangeProtocols:	93

6.2.4.8 RestrictedPrivileges:	94
6.2.4.9 SupportedAccountTypes:	94
6.2.4.10 TACACsPlusService:	95
6.2.5 Example response	95
6.3 ActionInfo 1.1.2	97
6.3.1 Description	97
6.3.2 Properties	97
6.3.3 Property details	98
6.3.3.1 DataType:	98
6.3.4 Example response	98
6.4 AddressPool 1.1.1	99
6.4.1 Description	99
6.4.2 URIs	99
6.4.3 Properties	99
6.4.4 Property details	116
6.4.4.1 IPv4AddressRange:	116
6.4.5 Example response	116
6.5 Aggregate 1.0.1	117
6.5.1 Description	117
6.5.2 URIs	117
6.5.3 Properties	117
6.5.4 Actions	118
6.5.4.1 AddElements	118
6.5.4.2 RemoveElements	118
6.5.4.3 Reset	119
6.5.4.4 SetDefaultBootOrder	119
6.5.5 Property details	119
6.5.5.1 ResetType:	119
6.5.6 Example response	120
6.6 AggregationService 1.0.1	121
6.6.1 Description	121
6.6.2 URIs	121
6.6.3 Properties	121
6.6.4 Actions	122
6.6.4.1 Reset	122
6.6.4.2 SetDefaultBootOrder	123
6.6.5 Property details	123
6.6.5.1 ResetType:	123
6.6.6 Example response	124
6.7 AggregationSource 1.1.0	125
6.7.1 Description	125
6.7.2 URIs	125
6.7.3 Properties	125

6.7.4 Property details	127
6.7.4.1 AuthenticationProtocol:	127
6.7.4.2 EncryptionProtocol:	127
6.7.5 Example response	127
6.8 Assembly 1.3.0	128
6.8.1 Description	128
6.8.2 URIs	128
6.8.3 Properties	130
6.8.4 Property details	131
6.8.4.1 PhysicalContext:	131
6.8.5 Example response	133
6.9 AttributeRegistry 1.3.6	134
6.9.1 Description	134
6.9.2 Properties	134
6.9.3 Property details	139
6.9.3.1 MapFromCondition:	139
6.9.3.2 MapFromProperty:	139
6.9.3.3 MapTerms:	140
6.9.3.4 MapToProperty:	140
6.9.3.5 Type:	141
6.9.3.5.1 In RegistryEntries: Attributes:	141
6.9.3.5.2 In RegistryEntries: Dependencies:	141
6.9.4 Example response	142
6.10 Bios 1.2.0	144
6.10.1 Description	144
6.10.2 URIs	144
6.10.3 Properties	144
6.10.4 Actions	145
6.10.4.1 ChangePassword	145
6.10.4.2 ResetBios	146
6.10.5 Example response	146
6.11 BootOption 1.0.4	147
6.11.1 Description	147
6.11.2 URIs	147
6.11.3 Properties	148
6.11.4 Property details	148
6.11.4.1 Alias:	148
6.11.5 Example response	149
6.12 Certificate 1.3.0	149
6.12.1 Description	150
6.12.2 URIs	150
6.12.3 Properties	152
6.12.4 Actions	154

ISO/IEC 30115-2:2022(E)

6.12.4.1 Rekey (v1.1+)	154
6.12.4.2 Renew (v1.1+)	155
6.12.5 Property details	155
6.12.5.1 CertificateType:	155
6.12.5.2 KeyUsage:	156
6.12.6 Example response	156
6.13 CertificateLocations 1.0.2	157
6.13.1 Description	157
6.13.2 URIs	157
6.13.3 Properties	158
6.13.4 Example response	158
6.14 CertificateService 1.0.4	158
6.14.1 Description	158
6.14.2 URIs	159
6.14.3 Properties	159
6.14.4 Actions	159
6.14.4.1 GenerateCSR	159
6.14.4.2 ReplaceCertificate	162
6.14.5 Property details	163
6.14.5.1 CertificateType:	163
6.14.5.2 KeyUsage:	163
6.14.6 Example response	164
6.15 Chassis 1.16.0	164
6.15.1 Description	164
6.15.2 URIs	164
6.15.3 Properties	165
6.15.4 Actions	171
6.15.4.1 Reset	171
6.15.5 Property details	172
6.15.5.1 ChassisType:	172
6.15.5.2 EnvironmentalClass:	173
6.15.5.3 IndicatorLED:	173
6.15.5.4 IntrusionSensor:	173
6.15.5.5 IntrusionSensorReArm:	174
6.15.5.6 PowerState:	174
6.15.5.7 ResetType:	174
6.15.6 Example response	175
6.16 Circuit 1.2.0	177
6.16.1 Description	177
6.16.2 URIs	177
6.16.3 Properties	177
6.16.4 Actions	182
6.16.4.1 BreakerControl	182

6.16.4.2 PowerControl	183
6.16.4.3 ResetMetrics	183
6.16.5 Property details	183
6.16.5.1 BreakerState:	183
6.16.5.2 CircuitType:	184
6.16.5.3 ElectricalContext:	184
6.16.5.4 IndicatorLED:	185
6.16.5.5 NominalVoltage:	185
6.16.5.6 PhaseWiringType:	186
6.16.5.7 PlugType:	187
6.16.5.8 PowerRestorePolicy:	189
6.16.5.9 PowerState:	189
6.16.5.9.1 In Actions: BreakerControl:	189
6.16.5.9.2 In Actions: PowerControl, :	189
6.16.5.10 SensorCurrentExcerpt:	189
6.16.5.11 SensorEnergykWhExcerpt:	190
6.16.5.12 SensorPowerExcerpt:	190
6.16.5.13 SensorVoltageExcerpt:	191
6.16.5.14 VoltageType:	191
6.16.6 Example response	191
6.17 CompositionReservation 1.0.0	193
6.17.1 Description	193
6.17.2 URIs	193
6.17.3 Properties	194
6.17.4 Property details	195
6.17.4.1 Expand:	195
6.17.4.2 StanzaType:	195
6.18 CompositionService 1.2.0	196
6.18.1 Description	196
6.18.2 URIs	196
6.18.3 Properties	196
6.18.4 Actions	197
6.18.4.1 Compose (v1.2+)	197
6.18.5 Property details	202
6.18.5.1 Expand:	202
6.18.5.2 RequestFormat:	202
6.18.5.3 RequestType:	202
6.18.5.4 StanzaType:	203
6.18.6 Example response	203
6.19 ComputerSystem 1.15.0	204
6.19.1 Description	204
6.19.2 URIs	204
6.19.3 Properties	204

6.19.4	Actions	216
6.19.4.1	AddResourceBlock (v1.6+)	216
6.19.4.2	RemoveResourceBlock (v1.6+)	216
6.19.4.3	Reset	217
6.19.4.4	SetDefaultBootOrder (v1.5+)	217
6.19.5	Property details	218
6.19.5.1	AliasBootOrder:	218
6.19.5.2	AutomaticRetryConfig:	218
6.19.5.3	BootOrderPropertySelection:	219
6.19.5.4	BootSourceOverrideEnabled:	219
6.19.5.5	BootSourceOverrideMode:	219
6.19.5.6	BootSourceOverrideTarget:	220
6.19.5.7	ConnectTypesSupported:	220
6.19.5.8	HostingRoles:	221
6.19.5.9	IndicatorLED:	221
6.19.5.10	InterfaceType:	221
6.19.5.11	InterfaceTypeSelection:	222
6.19.5.12	LastState:	222
6.19.5.13	MemoryMirroring:	223
6.19.5.14	PowerMode:	223
6.19.5.15	PowerRestorePolicy:	223
6.19.5.16	PowerState:	224
6.19.5.17	ResetType:	224
6.19.5.18	SerialConsoleProtocol:	225
6.19.5.19	StopBootOnFault:	225
6.19.5.20	SystemType:	226
6.19.5.21	TimeoutAction:	226
6.19.5.22	TrustedModuleRequiredToBoot:	226
6.19.5.23	UUID:	227
6.19.5.23.1	Case sensitivity	227
6.19.5.23.2	Conversion of UUID format	227
6.19.5.24	WarningAction:	229
6.19.6	Example response	230
6.20	Connection 1.1.0	232
6.20.1	Description	233
6.20.2	URIs	233
6.20.3	Properties	233
6.20.4	Property details	235
6.20.4.1	AccessCapabilities:	235
6.20.4.2	AccessState:	236
6.20.4.3	ConnectionType:	236
6.20.5	Example response	236
6.21	ConnectionMethod 1.0.0	237

6.21.1 Description	237
6.21.2 URIs	237
6.21.3 Properties	237
6.21.4 Property details	238
6.21.4.1 ConnectionMethodType:	238
6.21.5 Example response	238
6.22 Drive 1.12.1	239
6.22.1 Description	239
6.22.2 URIs	239
6.22.3 Properties	239
6.22.4 Actions	243
6.22.4.1 Reset (v1.7+)	243
6.22.4.2 SecureErase	244
6.22.5 Property details	244
6.22.5.1 EncryptionAbility:	244
6.22.5.2 EncryptionStatus:	244
6.22.5.3 HotspareReplacementMode:	245
6.22.5.4 HotspareType:	245
6.22.5.5 IndicatorLED:	245
6.22.5.6 MediaType:	246
6.22.5.7 Protocol:	246
6.22.5.8 ResetType:	248
6.22.5.9 StatusIndicator:	249
6.22.6 Example response	249
6.23 Endpoint 1.6.0	250
6.23.1 Description	250
6.23.2 URIs	250
6.23.3 Properties	251
6.23.4 Property details	254
6.23.4.1 EndpointProtocol:	254
6.23.4.2 EntityRole:	256
6.23.4.3 EntityType:	256
6.23.4.4 TransportProtocol:	257
6.23.5 Example response	259
6.24 EndpointGroup 1.3.2	260
6.24.1 Description	260
6.24.2 URIs	260
6.24.3 Properties	261
6.24.4 Property details	262
6.24.4.1 AccessState:	262
6.24.4.2 GroupType:	262
6.24.5 Example response	263
6.25 EnvironmentMetrics 1.0.0	263

6.25.1 Description	263
6.25.2 URIs	263
6.25.3 Properties	266
6.25.4 Actions	267
6.25.4.1 ResetMetrics	267
6.25.5 Property details	268
6.25.5.1 PhysicalContext	268
6.25.5.2 PhysicalSubContext	270
6.25.6 Example response	270
6.26 EthernetInterface 1.6.4	270
6.26.1 Description	271
6.26.2 URIs	271
6.26.3 Properties	271
6.26.4 Property details	275
6.26.4.1 EthernetInterfaceType	275
6.26.4.2 FallbackAddress	275
6.26.4.3 LinkStatus	276
6.26.4.4 OperatingMode	276
6.26.5 Example response	276
6.27 Event 1.6.1	279
6.27.1 Description	279
6.27.2 Properties	279
6.27.3 Property details	281
6.27.3.1 EventType	281
6.27.3.2 MessageSeverity	281
6.28 EventDestination 1.10.1	282
6.28.1 Description	282
6.28.2 URIs	282
6.28.3 Properties	282
6.28.4 Actions	286
6.28.4.1 ResumeSubscription	286
6.28.5 Property details	286
6.28.5.1 AuthenticationProtocol	286
6.28.5.2 DeliveryRetryPolicy	286
6.28.5.3 EncryptionProtocol	287
6.28.5.4 EventFormatType	287
6.28.5.5 EventTypes	287
6.28.5.6 LogFacilities	288
6.28.5.7 LowestSeverity	289
6.28.5.8 Protocol	289
6.28.5.9 SubscriptionType	290
6.28.6 Example response	291
6.29 EventService 1.7.1	291

6.29.1 Description	291
6.29.2 URIs	291
6.29.3 Properties	292
6.29.4 Actions	294
6.29.4.1 SubmitTestEvent	294
6.29.5 Property details	295
6.29.5.1 Authentication	295
6.29.5.2 ConnectionProtocol	295
6.29.5.3 EventFormatTypes	296
6.29.5.4 EventType	296
6.29.5.5 EventTypesForSubscription	296
6.29.6 Example response	297
6.30 ExternalAccountProvider 1.2.0	298
6.30.1 Description	298
6.30.2 URIs	298
6.30.3 Properties	298
6.30.4 Property details	301
6.30.4.1 AccountProviderType	301
6.30.4.2 AuthenticationType	301
6.30.4.3 PasswordExchangeProtocols	302
6.30.5 Example response	302
6.31 Fabric 1.2.2	303
6.31.1 Description	303
6.31.2 URIs	303
6.31.3 Properties	303
6.31.4 Property details	304
6.31.4.1 FabricType	304
6.31.5 Example response	306
6.32 FabricAdapter 1.0.0	307
6.32.1 Description	307
6.32.2 URIs	307
6.32.3 Properties	307
6.32.4 Property details	310
6.32.4.1 MaxPCIeType	310
6.32.4.2 PCIeType	310
6.32.5 Example response	310
6.33 Facility 1.1.0	313
6.33.1 Description	313
6.33.2 URIs	313
6.33.3 Properties	313
6.33.4 Property details	315
6.33.4.1 FacilityType	315
6.33.5 Example response	315