

# International Standard

ISO 16620-4

# Plastics — Biobased content —

# Part 4:

# Determination of biobased mass content iTeh Standards

Plastiques — Teneur biosourcée — ttps://standards

Partie 4: Détermination de la teneur en masse biosourcée

Second edition 2024-02

ISO 16620-4:2024

https://standards.iteh.ai/catalog/standards/iso/44934f22-b98e-4941-a627-21aa92bf8d7a/iso-16620-4-2024

# iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 16620-4:2024

https://standards.iteh.ai/catalog/standards/iso/44934f22-b98e-4941-a627-21aa92bf8d7a/iso-16620-4-2024



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org

Website: <u>www.iso.org</u> Published in Switzerland

Co	Contents			
Fore	eword		iv	
Intr	oduction		v	
1				
2	•			
3	Normative references  Terms, definitions, symbols and abbreviated terms			
		ns and definitions		
		bols		
	3.3 Abbi	reviated terms	2	
4				
		luct groups		
		up I products		
		ıp II productsral constituents		
		omers and additives		
5	Rules for a	llocation of elements	3	
6	Group I pro	oup I products		
		ement		
	6.2 Sam	pling	4	
		rmination of the biobased carbon content and elemental composition	4	
	6.3.1	Procedure		
		lation criteria of the biobased mass content		
	6.5 Exar	nples of application of the decision scheme	6	
	6.6 Test	report	7	
7	Group II pr	oducts Document Preview	8	
		ement		
		pling		
		rmination of the biobased carbon content		
	7.5.1	Variability of test results		
		lation criteria of the biobased mass content		
		nple of application of the decision scheme		
		report		
Ann	<b>ex A</b> (informat	cive) Example of format for reporting results for Group I products	11	
Ann		ve) Calculation of the biobased carbon content and biobased mass cont		
	•	I products		
	_	ive) Example of format for reporting results for Group II products		
Rihl	iogranhy		14	

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work, ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, Plastics, Subcommittee SC 14, Environmental aspects.

This second edition cancels and replaces the first edition (ISO 16620-4:2016), which has been technically revised.

The main changes are as follows:

- the Scope was editorially revised;
- the Normative references have been updated;
- 6.3.1 "Procedure" has been revised;
- the Bibliography has been updated.

A list of all parts in the ISO 16620 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Introduction

Increased use of biomass resources for manufacturing plastics products contributes to both reduction of global warming and conservation of fossil resources.

Current plastics products are composed of biobased synthetic polymers, fossil-based synthetic polymers, natural polymers and additives that can include biobased materials.

"Biobased plastics" refer to plastics that contain materials wholly or partly of biogenic origin.

In the ISO 16620 series, the "biobased content" of biobased plastics refers to the amount of the biobased carbon content, the amount of the biobased synthetic polymer content or the amount of the biobased mass content only.

# iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 16620-4:2024

https://standards.iteh.ai/catalog/standards/iso/44934f22-b98e-4941-a627-21aa92bf8d7a/iso-16620-4-2024

# iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 16620-4:2024

https://standards.jteh.aj/catalog/standards/jso/44934f22-b98e-4941-a627-21aa92bf8d7a/jso-16620-4-2024

# Plastics — Biobased content —

## Part 4:

# Determination of biobased mass content

### 1 Scope

This document specifies a method of determining the biobased mass content in plastics products, based on the radiocarbon analysis and elemental analysis.

This document is applicable to plastic products and plastic materials, polymer resins, monomers or additives, which are made from biobased and/or fossil-based constituents.

This method can be applied provided that the plastic product contains the element carbon and that a statement giving its elemental composition and its biobased carbon content is available.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 16620-1, Plastics — Biobased content — Part 1: General principles

ISO 16620-2, Plastics — Biobased content — Part 2: Determination of biobased carbon content

EN 17351, Bio-based products — Determination of the oxygen content using an elemental analyser

#### 3 Terms, definitions, symbols and abbreviated terms

#### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 16620-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at <a href="https://www.electropedia.org/">https://www.electropedia.org/</a>

#### 3.2 Symbols

14C carbon isotope with an atomic mass of 14

C symbol for element carbon

H symbol for element hydrogen

N symbol for element nitrogen

O symbol for element oxygen

- $m_{\rm R}$  biobased mass content, expressed as a percentage of the total mass of sample
- $x_{\rm B}$  biobased carbon content, expressed as a percentage of the total mass of the sample
- $x^{TC}$  total carbon content, expressed as a percentage of the total mass of the sample
- $x^{\text{TH}}$  total hydrogen content, expressed as a percentage of the total mass of the sample
- $x^{\text{TN}}$  total nitrogen content, expressed as a percentage of the total mass of the sample
- $x^{TO}$  total oxygen content, expressed as a percentage of the total mass of the sample
- *W* mass of a sample, expressed in grams

#### 3.3 Abbreviated terms

- CL confidence level
- TC total carbon
- TH total hydrogen
- TN total nitrogen
- TO total oxygen

# 4 Principle

# iTeh Standards

## 4.1 Product groups

For the purpose of this document, two groups of products are distinguished as follows:

- a) Group I products are obtained by chemical, biochemical or biological reaction(s);
- b) Group II products are obtained by mixing Group I products without chemical, biochemical or biological reaction.

Natural constituents (4.4) can be used to produce Group I products or as constituent(s) of Group II products.

#### 4.2 Group I products

This method, supported by rules described in <u>Clause 6</u>, consists in

- a) the determination of the biobased carbon content and elemental composition of the product by using the radiocarbon analysis and elemental analysis respectively (6.3), and
- b) the comparison between
  - 1) the data of the statement (6.1) comprising the composition and the origin (biobased and/or fossil resources) of the product, and
  - 2) the data resulting from the radiocarbon analysis and elemental analysis of the product (6.3).

NOTE The "statement" in the sense of this document is to be distinguished from the "declaration" of the biobased mass content resulting from this method, which is in the scope of ISO 16620-5.

#### 4.3 Group II products

This method consists in

- a) the determination of the biobased carbon content of the product by using the radiocarbon analysis (7.3), and
- b) the comparison between
  - 1) the data of the statement (7.1) comprising the composition and the origin (biobased and/or fossil resources) of the product, and
  - 2) the data resulting from the radiocarbon analysis of the product (7.3).

NOTE The "statement" in the sense of this document is to be distinguished from the "declaration" of the biobased mass content resulting of this method, which is in the scope of ISO 16620-5.

#### 4.4 Natural constituents

This method is not needed for the determination of the biobased mass content in natural constituents (e.g. natural polymers) wholly derived from biomass.

The biobased mass content of a natural constituent is equal to 100 %.

The biobased carbon content of a natural constituent, expressed as a percentage of the total carbon content, is equal to 100 %.

NOTE This differentiates the calculation of the biobased mass content according to this document from the calculation of the biobased synthetic polymer content according to ISO 16620-3, where the biobased synthetic polymer content of a natural constituent is 0% (see ISO 16620-1:2015, Clause 4).

#### 4.5 Monomers and additives

In case of monomers and additives for which the composition and raw material(s)/chemical(s) from which they are made are known, and whose chemical identification is unequivocal, the method may consist only in a determination of the biobased carbon content. The biobased mass content may be validated by applying the validation criteria (6.4), considering only the biobased carbon content.

#### 5 Rules for allocation of elements

NOTE According to the current state of the art, it is not possible by isotopic measurements to establish a distinction between elements originating from biomass and elements originating from non-biomass for elements such as oxygen, hydrogen or nitrogen.

For a product/constituent of a product obtained by chemical, biochemical or biological reaction(s) (Group I), the following rules shall apply:

- a) if the reactants are exclusively derived from biomass, the biobased mass content of the product/ constituent of the product is 100 %;
- b) if none of the reactants is derived from biomass, the biobased mass content of the product/constituent of the product is 0%;
- c) if the reactants are derived from both biomass and non-biomass, the following conventions apply:
  - 1) if oxygen (0) and/or hydrogen (H) and/or nitrogen (N) element(s) is(are) bound to a carbon structure derived from biomass, its(their) fraction is(are) considered to be part(s) of the biobased mass content;
  - 2) element(s) other than C, H, O and N elements are not considered in this document.

EXAMPLE Esters derived from the condensation of an acid with a primary alcohol keep the O element coming from the alcohol.

#### 6 Group I products

#### 6.1 Statement

The statement to be provided with the product under consideration shall include

- a) information related to the relevant chemical or biological reaction(s) and the raw materials/chemicals from which the product is made,
- b) a complete elemental composition of the product ( $x_1^{\text{TC}}$ ,  $x_1^{\text{TH}}$ ,  $x_1^{\text{TO}}$  and  $x_1^{\text{TN}}$ ), and
- c) the biobased carbon content  $(x_{B1})$  and biobased mass content  $(m_{B1})$  of the product, obtained by calculation, following the rules defined in <u>Clause 5</u>.

NOTE 1 The biobased carbon content can be expressed on the basis of total organic carbon (TOC) or total carbon (TC) or total mass.

NOTE 2 In this document, "biobased carbon content" refers to "biobased carbon content by mass, expressed as a percentage of the total mass".

For products which contain water, the biobased mass content  $(m_{\rm B1})$  is expressed by mass of dry matter.

EXAMPLE Poly(ethylene terephthalate) obtained by polycondensation of terephthalic acid from fossil resources with biobased ethylene glycol (see <u>Table 1</u>).

Fraction	С	Н	0	Total
Доси	mer% Pr	% W	%	%
Fossil fraction (from terephthalic acid)	50,0	2,1	16,6	68,7
Biobased fraction (from ethylene glycol)	12,5	2,1	16,6	31,2
Total //standards itch ai/catalog/standards/is	62,5	49414,2	33,3	166 100,0
$x_1^{\text{TC}} = 62.5 \%$	<i>x</i> <sub>B1</sub> = 12,5 %			
$x_1^{\text{TC}} = 62,5 \%$ $x_1^{\text{TH}} = 4,2 \%$ $x_1^{\text{TO}} = 33,3 \%$	$x_{\rm B1}$ = 12,5 % $m_{\rm B1}$ = 31,2 %			
$x_1^{\text{TO}} = 33.3 \%$				

Table 1 — Example of calculation for poly(ethylene terephthalate)

#### 6.2 Sampling

The samples shall be representative of the product under consideration.

If available, product sampling procedures for the determination of the biobased carbon content and elemental composition shall be used and the details shall be documented.

#### 6.3 Determination of the biobased carbon content and elemental composition

#### 6.3.1 Procedure

Determine the biobased carbon content of the sample in accordance with ISO 16620-2.

Express the biobased carbon content  $(x_{B2})$  as a percentage of the total mass of the sample.

For determining the total carbon content and organic carbon content, test methods as described in ISO 609, ISO 8245, ISO 10694, ISO 15350, ISO 17247, ASTM D5291-02, ASTM E1019-11 or EN 13137 may be used, as applicable.