

SLOVENSKI STANDARD SIST EN 301 444:2001

01-september-2001

Guhr]hg_Y`nYa Y^g_Y`dcghU^Y`]b`g]ghYa]`fG9 GL`!`< Ufa cb]n]fUb]`9 B`nU_cdYbg_Y a cV]`bY`nYa Y^g_Y`dcghU^Y`fl@A 9 GL\\[Z_]`cVfUhi ^Y^c`j`dUgcj]\`%\\\; < n`]b`%\\\\; ; < n\\\Z_] nU[chUj`^U^c`[cjcfbY]b#U]`dcXUh_cjbY_ca i b]_UW]^Y\\\\Z_]`nU^Ya U`V]ghj YbY`nU\hYj Y `YbU' "&X]fY_hJj Y`F/HH9

Satellite Earth Stations and Systems (SES); Harmonized EN for Land Mobile Earth Stations (LMES) operating in the 1.5 GHz and 1.6 GHz bands providing voice and/or data communications covering essential requirements under Article 3.2 of the R&TTE directive

<u>SIST EN 301 444:2001</u> https://standards.iteh.ai/catalog/standards/sist/e43dc4c6-19b2-4512-bcce-482b49321c61/sist-en-301-444-2001

Ta slovenski standard je istoveten z: EN 301 444 Version 1.1.1

ICS:

33.070.40 Satellite Satellite

SIST EN 301 444:2001 en

SIST EN 301 444:2001

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 301 444:2001</u> https://standards.iteh.ai/catalog/standards/sist/e43dc4c6-19b2-4512-bcce-482b49321c61/sist-en-301-444-2001

ETSI EN 301 444 V1.1.1 (2000-05)

Candidate Harmonized European Standard (Telecommunications series)

Satellite Earth Stations and Systems (SES);
Harmonized EN for Land Mobile Earth Stations (LMES)
operating in the 1,5 GHz and 1,6 GHz bands
providing voice and/or data communications
covering essential requirements under Article 3.2
of the R&TTE directive

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 301 444:2001</u> https://standards.iteh.ai/catalog/standards/sist/e43dc4c6-19b2-4512-bcce-482b49321c61/sist-en-301-444-2001



2

Reference DEN/SES-000-TBR44

Keywords satellite, earth station, LMES, regulation

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88 / EW

(standards.iteh.ai)

SIST EN 301 444:2001 https://standards.iteh.ai/catalog/standards/sist/e43dc4c6-19b2-4512-bcce-482b49321c61/sist-en-301-444-2001

Important notice

Individual copies of the present document can be downloaded from: http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at http://www.etsi.org/tb/status/

If you find errors in the present document, send your comment to: editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intellec	ctual Property Rights	5
Forewo	ord	5
Introdu	oction	6
1 5	Scope	9
2 I	References	9
3 I	Definitions and abbreviations	10
3.1	Definitions	
3.2	Abbreviations	10
4 7	Fechnical requirement specifications	11
4.1	Environmental profile	
4.2	Conformance requirements	
4.2.1	Unwanted emissions outside the band 1 625,8 MHz to 1 661,2 MHz	
4.2.1.1	Justification	
4.2.1.2	Specification	
4.2.1.3	Conformance test	
4.2.2	Maximum unwanted emissions within the 1 625,8 MHz to 1 661,2 MHz band	
4.2.2.1	Justification	
4.2.2.2	Specifications	13
4.2.2.3	Specifications Conformance test STANDARD PREVIEW	13
4.2.3		
4.2.3.1	Control and Monitoring Functions (CMF) General General	13
4.2.3.2	Processor monitoring	
4.2.3.2.		
4.2.3.2.		
4.2.3.2.	•	
4.2.3.3	Transmit subsystem monitoring	14
4.2.3.3.		
4.2.3.3.		
4.2.3.3.		
4.2.3.4	Power-on/reset.	
4.2.3.4.	1 Justification	14
4.2.3.4.2		
4.2.3.4.	1	
4.2.3.5	Control Channel (CC) reception	
4.2.3.5.		
4.2.3.5.2	2 Specification	14
4.2.3.5.	•	
4.2.3.6	Network control commands	
4.2.3.6.		
4.2.3.6.2		
4.2.3.6.		
4.2.3.7	Initial burst transmission	15
4.2.3.7.	1 Justification	15
4.2.3.7.		
4.2.3.7.		
	Testing for compliance with technical requirements	
5.1	Environmental conditions for testing	
5.2	Essential radio test suites	
5.2.1	General	
5.2.2	Measurement of unwanted emissions	
5.2.2.1	General	16

ETSI EN 301 444 V1.1.1 (2000-05)

5.2.2.2	Test site	17
5.2.2.3	Test method	17
5.2.2.3.1	Installation	17
5.2.2.3.2	Receive test equipment	
5.2.2.3.2.1	Measuring receiver for measurements up to 1 000 MHz	18
5.2.2.3.2.2	Spectrum analyser for measurements above 1 000 MHz	18
5.2.2.4	Procedure	18
5.2.2.4.1	Test arrangements	
5.2.2.4.2	Unwanted emissions up to 1 000 MHz	19
5.2.2.4.3	Unwanted emissions above 1 000 MHz	
5.2.3	LMES Control and Monitoring Functions (CMF)	20
5.2.3.1	General	20
5.2.3.2	Test arrangement	20
5.2.3.3	Processor monitoring	21
5.2.3.3.1	Test method	21
5.2.3.4	Transmit subsystem monitoring	21
5.2.3.4.1	Test method	21
5.2.3.5	Power-on/Reset	21
5.2.3.5.1	Test method	21
5.2.3.6	Control Channel (CC) reception	22
5.2.3.6.1	Test method	22
5.2.3.7	Network control commands	23
5.2.3.7.1	Test method	23
5.2.3.8	Initial burst transmission	24
5.2.3.8.1	Test method	24
		25
Annex A (normative): The EN Requirements Table (EN-RT)	25
Bibliography (standards.iteh.ai)		
History		27

SIST EN 301 444:2001

https://standards.iteh.ai/catalog/standards/sist/e43dc4c6-19b2-4512-bcce-482b49321c61/sist-en-301-444-2001

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://www.etsi.org/ipr).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [3] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on Tadio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

(Standards.iteh.ai)

National transposition dates					
Date of adoption of this EN:	lards.iteh.ai/catalog/standards/sist/e43dc4c6-19 482b49321c61/sist-en-301-444-2001	b2-4512-bcce- 28 April 2000			
Date of latest announcement of this	EN (doa):	31 July 2000			
Date of latest publication of new Na or endorsement of this EN (dop/e):	31 January 2001				
Date of withdrawal of any conflicting National Standard (dow):		31 January 2001			

Introduction

ETSI has designed a modular structure for the standards. Each standard is a module in the structure. The modular structure is shown in figure 1.




Figure 1: Modular structure for the various standards used under the R&TTE Directive

The left hand edge of the figure shows the different subclauses of Article 3 of the Directive.

7

For article 3.3 various horizontal boxes are shown. Their dotted lines indicate that no essential requirements in these areas have yet been adopted by the Commission. If such essential requirements are adopted, they will be elaborated in individual standards whose scope is likely to be specified by function or interface type.

The vertical boxes show the standards under article 3.2 for the use of the radio spectrum. The scopes of these standards are specified either by frequency (normally in the case where frequency bands are harmonized) or by radio equipment type.

For article 3.1(b), the diagram shows the new single multi-part product EMC standard for radio, and the existing collection of generic and base standards currently used under the EMC Directive [2]. The parts of this new standard will become available in the second half of 2000, and the existing separate EMC standards will be used until it is available.

For article 3.1(a) the diagram shows the existing safety standards currently used under the LVD Directive [3] and the possibility of a new standard on health relating to radio emissions

The bottom of the figure shows the relationship of the standards to radio equipment and telecommunications terminal equipment. A particular equipment may be radio equipment, telecommunications terminal equipment or both.

The modular approach has been taken because:

- it minimizes the number of standards needed. Because equipment may have multiple interfaces and functions it is not practicable to produce a single standard for each possible combination of functions that may occur in an equipment;
- it provides scope for standards to be added:
 - under article 3.2 when new frequency bands are agreed; or
 - under article 3.3 should the Commission take the necessary decisions;

without requiring alteration of standards that are already published.

The technical requirements in the present document are applied under Articles 3.2 of the R&TTE Directive [1], concerning the effective uses of the spectrum allocated to terrestrial/space radio communication and orbital resources so as to avoid harmful interference. These requirements are in two major categories: 2-4512-bcce-482b49321c61/sist-en-301-444-2001

emissions limits: to protect other radio services from harmful interference generated by the LMES in normal use.

LMES Control and Monitoring Functions (CMF): to protect other radio services from unwanted transmissions from the LMES. The CMF in each LMES is capable of answering to commands from the Network Control Facilities (NCF) for its LMES.

The requirements have been selected to ensure an adequate level of compatibility with other radio services. The levels, however, do not cover extreme cases, which may occur in any location but with a low probability of occurrence.

The present document may not cover those cases where a potential source of interference which is producing individually repeated transient phenomena or a continuous phenomenon is present, e.g. a radar or broadcast site in the near vicinity. In such a case it may be necessary to use special protection applied to either the source of interference, or the interfered part or both.

The present document does not contain any requirement, recommendation or information about the installation of the LMES.

The present document is based on TBR 044 [4], which was based on ETS 300 423 [5] which has been used for type approval purposes on a national basis for several years. For this reason, the following text was included in the TBR 044 [4] on which the present document is based, and has therefore been transposed into the present document produced under the R&TTE Directive [1] for the purpose of explaining the applicability of the tables 2a and 2b;

8

NOTE: Due to a new requirement for the protection of the Aeronautical Radio Navigation Service based on the Global Navigation Satellite System (GNSS), scheduled to offer approach and landing operational services likely not before the year 2005, new limits for unwanted emissions will be necessary. These new limits may not be completely met by existing or presently marketed equipment that was developed on the basis of ETS 300 423 [5] and TBR 044 [4]. Consequently the following transitional arrangement is necessary.

The present document incorporates two sets of limits. One set (table 2a) applicable up to 1 June 2002 and a more stringent set of limits (table 2b) applicable after this date for the protection of the Aeronautical Radio Navigation Service in the GNSS band.

The protection of the GNSS band from the year 2005 onwards from harmful interference from LMESs previously approved to TBR 044 [4] or complying with the present document before 1 June 2002 or already in service before the CTR 44 entered into force may be obtained either by decisions of the national regulatory authorities to stop the operation of such equipment, or by operational restrictions agreed by the regulatory authority with satellite operators. It is recommended that such decisions should be harmonized at the European level. Such decisions are outside the scope of the present document.

The determination of the parameters of the user earth stations using a given geo-stationary satellite for the protection of the spectrum allocated to that satellite, is considered to be under the responsibility of the satellite operator or the satellite network operators. *Applicants for LMESs operating in satellite networks which provide* radio navigation service and/or other safety services should note that such satellite network operators may require testing in addition to the present document to prove correct interworking in order to avoid the LMES causing harmful interference which endangers the functioning of these services. References to these requirements will be listed in the Bibliography of the present document as they become known.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 444:2001 https://standards.iteh.ai/catalog/standards/sist/e43dc4c6-19b2-4512-bcce-482b49321c61/sist-en-301-444-2001

1 Scope

The present document applies to Land Mobile Earth Stations (LMESs) radio equipment which have the following characteristics:

- the LMES could be either vehicle mounted or portable equipment;
- these LMESs are controlled and monitored by a Network Control Facility (NCF). The NCF is outside the scope of the present document.
- the LMES operate through geostationary satellites as part of a network providing voice and/or data communications;
- the LMES is capable of operating in all or any part of the frequency ranges given in table 1a:

Table 1a: Land Mobile Satellite Service frequency bands

Direction of transmission	LMSS frequency bands
Transmit 1 (earth to space)	1 631,5 MHz to 1 634,5 MHz
Transmit 2 (earth to space)	1 656,5 MHz to 1 660,5 MHz
Receive 1 (space to earth)	1 525,0 MHz to 1 544,0 MHz
Receive 2 (space to earth)	1 555,0 MHz to 1 559,0 MHz

The present document is intended to cover the provisions of Directive 1999/5/EC [1] (R&TTE Directive) Article 3.2 which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of Article 3 of the R&TTE Directive [1] may apply to equipment within the scope of the present document.

SIST EN 301 444:2001

https://standards.iteh.ai/catalog/standards/sist/e43dc4c6-19b2-4512-bcce-

NOTE: A list of such ENs is included on the ETSI/web-site 1-444-2001

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications equipment and the mutual recognition of their conformity.
- [2] CISPR 16-1: "Specification for radio disturbance and immunity measuring apparatus and methods Part 1: Radio disturbance and immunity measuring apparatus" (annex G: Validation of the open area test site for the frequency range of 30 MHz to 1 000 MHz).
- [3] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.