### INTERNATIONAL STANDARD

ISO 249

Fifth edition 2016-07-01

AMENDMENT 1 2022-06

### Rubber, raw natural — Determination of dirt content

### **AMENDMENT 1**

Caoutchouc naturel brut — Détermination de la teneur en impuretés AMENDEMENT 1

### iTeh STANDARD PREVIEW (standards.iteh.ai)

180 249:2016/Amd 1:2022 https://standards.iteh.ai/catalog/standards/sist/07622d10-8a34-4a59-afff-1b29db03f405/iso-249-2016-amd-1-2022



# iTeh STANDARD PREVIEW (standards.iteh.ai)

18O 249:2016/Amd 1:2022 https://standards.iteh.ai/catalog/standards/sist/07622d10-8a34-4a59-afff-1b29db03f405/iso-249-2016-amd-1-2022



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 3, *Raw materials (including latex) for use in the rubber industry.* 

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

1SO 249:2016/Amd 1:2022 https://standards.iteh.ai/catalog/standards/sist/07622d10-8a34-4a59-afff-1b29db03f405/iso-249-2016-amd-1-2022

### Rubber, raw natural — Determination of dirt content

### **AMENDMENT 1**

#### Figure 1

Correct the height in key b of Figure 1, so that the key to Figure 1 becomes the following.

#### Key

- 1 sieve (stainless sieve ring with wire gauze soldered on to it)
- 2 sieve holder (stainless steel or brass cylinder)
- <sup>a</sup> A recess of 1 mm around the inner edge of the top and the outer edge of the lower end is allowed for easy stacking of the sieves.
- b Dimensions: 30 mm external diameter, 2 mm to 3 mm wall thickness, and 13 mm height.
- c Braze on outside.
- d Sieve holder for inspection of sieve.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 249:2016/Amd 1:2022 https://standards.iteh.ai/catalog/standards/sist/07622d10-8a34-4a59-afff-1b29db03f405/iso-249-2016-amd-1-2022