

INTERNATIONAL STANDARD

ISO
3209

First edition
1989-10-15

**Aerospace — Nuts, anchor, self-locking,
floating, two-lug, with counterbore, with MJ
threads, coated or uncoated, classification
1 100 MPa/235 °C, 1 100 MPa/315 °C or
1 100 MPa/425 °C — Dimensions**

*Aéronautique et espace — Écrous à river, à freinage interne, à filetage MJ, flot-
tants, double patte, avec chambrage, revêtus ou non revêtus, de classification
1 100 MPa/235 °C, 1 100 MPa/315 °C ou 1 100 Mpa/425 °C — Dimensions*



Reference number
ISO 3209 : 1989 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 3209 was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*.

© ISO 1989

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Introduction

The dimensions laid down in this International Standard have been specified so as to satisfy the requirements laid down in ISO 5858 : — 1), *Aerospace — Self-locking nuts with maximum operating temperature less than or equal to 425 °C — Procurement specification.*

1) To be published.

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[ISO 3209:1989](#)

<https://standards.iteh.ai/catalog/standards/iso/4513fb5-a8bb-45ef-9a88-303b95852507/iso-3209-1989>