ISO TC 204/SC/WG 19

Secretariat: ANSI

Date: 2023-3-2705-11

Intelligent transport systems — Mobility integration — ITS data aggregation role and functional

WD/CIB/DTR stage

Warning for WDs and CDs

This document is not an ISO International Standard. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an International Standard.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

A model manuscript of a draft International Standard (known as "The Rice Model") is available at https://www.iso.org/iso/model_document-rice_model.pdf

Style Definition	
Style Definition	
Style Definition	
Style Definition	
Style Definition	()
Style Definition	
Style Definition 14/180-	
Style Definition	
Formatted	

© ISO 2023 – All rights reserved

Formatted

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/DTR 12770

https://standards.iteh.ai/catalog/standards/sist/afb7ee8f-931b-4622-8c38-f7ddacb83b14/iso-dtr-12770



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/DTR 12770

https://standards.iteh.ai/catalog/standards/sist/afb7ee8f-931b-4622-8c38-f7ddacb83b14/iso-dtr-12770

JSO-<u>/DTR</u>_12770:2023(E)

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office

CP 401 • Ch. de Blandonnet 8

CH-1214 Vernier, Geneva

Phone: +41 22 749 01 11

Email: copyright@iso.org

Website: www.iso.orgwww.iso.org

Published in Switzerland

Formatted: Font: 11.5 pt, Bold

Formatted: Font: 11.5 pt, Bold

Formatted: Font: Bold
Formatted: Normal

Formatted

Formatted: Font: 11 pt, Font color: Blue

Formatted: Border: Box: (Single solid line, Blue, 0.5 pt

ine width)

Formatted: Font: 11 pt, Font color: Blue, English (United Kingdom)

Formatted: Font: 11 pt, Font color: Blue, English (United Kingdom)

Teh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/DTR 12770</u>

https://standards.iteh.ai/catalog/standards/sist/afb7ee8f-931b-4622-8c38-f7ddacb83b14/iso-dtr-12770

© ISO 2023 – All rights reserved

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

© ISO 2023 - All rights reserved

ii

Contents

Forew	ord	v		
ntroductionvi				
1	Scope	1		
2	Normative references	1		
3	Terms and definitions	.1		
4	Abbreviated terms	.1		
5	Issues concerning data aggregation and sharing in smart city	2		
5.1	General	.2		
5.2	Data sharing	.2		
5.3	Open-source concept	2		
5.4	Open-source API concept	.2		
5.5	Privacy control and security controls	.2		
5.6	Trustworthiness and data accountability			
6	General overview and framework			
6.1	Objective			
6.2	National variations			
6.3	Mandatory, optional, and cooperative issues	3		
6.3.1	No mandated requirements	3		
6.3.2	Common platform			
6.4	Specification of service provision	3		
6.5	Architecture options	.3		
7	Concept of operations	1		
, 7.1	General			
7.1 7.2	Statement of the goals and objectives of the system	4		
7.2 7.3	Strategies, tactics, policies, and constraints affecting the system			
7.4	Organisations, activities, and interactions among participants and stakeholders			
7.5	Clear statement of responsibilities and authorities delegated			
7.6	Operational processes for the system			
7.6.1	Service requirements definition			
7.7	Appointment of an approval authority (regulatory)			
7.8	In-vehicle system			
7.9	User	-		
7.10	Application service			
7.11	Big data management entity			
	Big data management			
7.12	Data aggregator			
7.13	Map Service providers	6		
7.14	Digital infrastructure service provider			
8	Conceptual architecture framework	7		
8.1	General			
8.2	Actors			
8.3	An image of role model and functional model of ITS data aggregation			
8.4	Service definition	9		

Formatted: Font: 11.5 pt, Bold

Formatted: Font: 11.5 pt, Bold

Formatted: Font: Bold

Formatted: Normal

Formatted: Space Before: 48 pt, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

JSO-<u>/DTR</u>_12770:2023(E)

Role model architecture9 General......9 8.5.1 8.5.2 Application service actors......9 8.5.3 Service provider(s)......10 Quality of service requirements10 10 Definition of service domains utilizing ITS data aggregation......10 General.......10

-Annex-_A (Informative)

Bibliography numbers

Formatted: Font: 11.5 pt, Bold

Formatted: Font: Bold

Formatted: Normal

Formatted: Font: 11.5 pt, Bold

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

© ISO 2023 - All rights reserved

iv

© ISO 2023 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally conducted carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part-1. In particular, the different approval criteria needed for the different types of ISO documents document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part—__2 (see www.iso.org/directives).

Attention is drawn[SO draws attention to the possibility that some of the elements implementation of this document may be involve the subjectuse of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights- in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, Intelligent transport systems.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html,

Formatted: Font: 11.5 pt, Bold

Formatted: Font: 11.5 pt, Bold

Formatted: Font: Bold

Formatted: Normal
Formatted: Don't adjust space betw

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and

numbers

-1/duac005014/180-

Formatted: Font color: Auto

Formatted: English (United States)

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: English (United States)

Formatted: English (United States)

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

© ISO 2023 – All rights reserved 💎 🔻

© ISO 2023 - All rights reserved

Introduction

Currently, more than 70-2% of the world's people live in cities. The proportion of people living in cities is rising around the world as civilisations develop and congregate around cities where there are more employment opportunities. Societies develop more innovatively and rapidly in cities, and they present better entertainment opportunities, adding to their attraction. The Economist magazine recently forecast that by 2045, an extra 2-billion people will live in urban areas. The resulting concentration of population creates various issues such as road congestion due to an increase in vehicle population and environmental pollution due to exhaust gas and tyre erosion. These issues have been attributed to increases in the number of delivery trucks, taxis and town centre traffic and are further exacerbated by obstacles to the effective use of urban space due to the private ownership of cars (parking lots, street parking).

The pressures caused by scientific advice that significant action and change of behaviour is needed to ameliorate the adverse effects of climate change require a more environmentally friendly use of the transport system.

It is recognized that there is also road infrastructure deterioration, a lack of provision of information on the use of public transportation, driver shortages due to the increase in the number of elderly people and the inconvenience of multimodal fare payments, and action to improve the situation is urgently needed.

The International Data Corporation forecasts that of the USD 81-billion that will be spent on smart city technology in 2020, nearly a quarter will go into fixed visual surveillance, smart outdoor lighting, and advanced public transit.

Eventually, this is likely to mean high speed trains and driverless cars. Consultancy McKinsey forecasts that up to 15-% of passenger vehicles sold globally in 2030 will be fully automated, while revenues in the automotive sector could nearly double to USD 6-,7-_trillion thanks to shared mobility (car-sharing, e-hailing) and data connectivity services (including apps and car software upgrades).

Changing consumer tastes are also calling for new types of infrastructure. Today's city dwellers, for example, increasingly shop online and expect ever faster delivery times. To meet their needs, modern urban areas need the support of last-minute distribution centres, backed by out-of-town warehouses.

Therefore, in recent years, in Europe, studies on the development of mobility integration standards have been active to solve urban problems. There are various movements around the world making efforts to address these issues. In the United States, intelligent transport systems [ITS] technology is used to try to solve these urban problems, as in the Smart City Pilot Project. Columbus, Ohio has been selected as a smart city pilot project which is currently being designed in detail. Important key factors here are the core architectural elements of smart cities, and urban ITS sharing of probe data (also called sensor data), connected cars and automated driving. In addition, new issues have been recognized with the introduction of the connected car to the real world in respect of privacy protection, the need to strengthen security measures, big data collection and processing measures, which are becoming important considerations.

In terms of the effective use of urban space, it is hoped that the introduction of connected cars and automated driving can significantly reduce the requirements for urban parking lots (redistribution of road space). If technology can eliminate congestion, the city road area usage can also be minimized and reallocated (space utilization improvement) to improve the living environment of, and quality of life in, the city. In addition, the environment around the road will be improved by improving enforcement (e.g. overloaded vehicles). On the other hand, even in rural areas, it is possible to introduce automated driving robot taxis and other shared mobility that saves labour (and is therefore more affordable) and improves the mobility of elderly people.

© ISO 2023 – All rights reserved

vi

Formatted: Font: 11.5 pt, Bold

Formatted: Font: 11.5 pt. Bold

Formatted: Font: Bold

Formatted: Normal

Formatted: No page break before, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

To achieve this requires the realization of various issues, for example:

- —cooperation with harmonization of de-jure standards such as ISO and industry de facto standards;
- —recognition of the significance of international standardization (e.g., to reduce implementation costs);—recognition of the significance of harmonization activities by countries around the world;
- recognition of the significance of harmonization activities by countries around the world;
- ___cooperation and contribution between ISO/TC 22 for in-vehicle systems and ISO/TC 204 for ITS* technology.

As mentioned above, automated driving mobility is expected to play an important role both in cities and in rural areas. The main effects are, as described above, the reduction of traffic accidents, reduction of environmental burden, elimination of traffic congestion, realization of effective use of urban space, etc.

ITS technology is an important element for realizing smart cities, and it is important to clearly understand the role model of ITS service applications when developing standards to achieve these objectives.

This document gives an important overview of the options for this objective. Considering the emerging direction of mobility electrification, automated driving, and the direction of an environmentally friendly society, incorporating other urban data such as traffic management into the city management will improve the mobility of urban society. It is important to consider the creation of a common open role model for smart city data platforms (such as the ISO <u>15638series</u> service framework]. Similar platforms will be necessary for the realization of the future mobility such as automated driving and electrification of vehicles. A common role model will be developed for all modes of vehicle, including public transport, general passenger vehicles and heavy vehicles. The incorporation of electronic regulation is especially important for automated vehicles, and it is essential to incorporate it as a core element of urban ITS.

This document describes how ITS data can be presented, interchanged, and used by smart cities. This document does not describe smart city use cases for ITS data in any detail nor does it describe in detail any specific ITS use cases. It is focused on the generic role model for data exchange between ITS and smart cities.

The necessary security and data exchange protocols have now been finalized to provide a secure ITS interface, with the approval of ISO/TS 21177, i.e. exchange information with bi-directional protection.

Formatted: Font: 11.5 pt, Bold

Formatted: Font: 11.5 pt, Bold

Formatted: Font: Bold

Formatted: Normal

Formatted: List Continue 1, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

Formatted: List Continue 1, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

3-f7ddacb83b14/iso-

Formatted: std_publisher

Formatted: std_documentType

Formatted: std_docNumber

Formatted: Font: 11 pt

Formatted: Space After: 0 pt, Line spacing: single

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/DTR 12770

https://standards.iteh.ai/catalog/standards/sist/afb7ee8f-931b-4622-8c38-f7ddacb83b14/iso-dtr-12770

Intelligent transport systems — Mobility Integration — ITS data aggregation role and functional model

1 Scope

This document describes a basic role and functional model of the intelligent transport systems (ITS) data aggregation role, which is a basic role of ISO/TR 4445. It provides a paradigm describing:

- a) a framework for the provision of ITS data aggregation for cooperative ITS service application;
- b) a description of the concept of a role and functional model for such roles;
- c) a conceptual architecture between actors involved in the provision/receipt of ITS data aggregation
-) references for the key documents on which the architecture is based; ana
- e) a taxonomy of the organization of generic procedures.

2 Normative references tell ai/catalog/standards

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS-14812, Intelligent transport systems — Vocabulary

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TS 14812 apply.

ISO and IEC maintain terminological terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

4 Abbreviated terms

CONOPS concept of operations

Formatted: Font color: Blue
Formatted: Section start: New page, Different first page

header

Formatted: Space Before: 20 pt, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: Font: Bold, Font color: Blue

Formatted: Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers

Formatted: std_publisher

Formatted: std_documentType

Formatted: std_docNumber

Formatted: List Number 1, Don't adjust space between Latin and Asian text, Don't adjust space between Asian text and numbers, Tab stops: 0.7 cm, Left + 1.4 cm, Left + 2.1 cm, Left + 2.8 cm, Left + 3.5 cm, Left + 4.2 cm, Left + 4.9 cm, Left + 5.6 cm, Left + 6.3 cm, Left + 7 cm, Left

Formatted

Formatted Formatted

Formatted Formatted

Formatted: std_publisher

Formatted: std_documentType

Formatted: std_docNumber

Formatted: std_docTitle, Font: Not Italic

Formatted: Font: Not Italic

Formatted

Formatted

Formatted: std_publisher

Formatted: std_documentType

Formatted: std_docNumber

Formatted

Formatted: Font: Not Italic, Font color: Auto

Formatted

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted

Formatted Table