2023-06-1527

ISO/FDIS 25457:2023(E)

ISO/TC 67/SC 6/WG 8

Secretariat: AFNOR

Oil and gas industries including lower carbon energy — Flare details for general refinery and petrochemical service

Industries du pétrole et du gaz, y compris les énergies à faible teneur en carbone — Détails sur les torches d'usage général dans les raffineries et dans les usines pétrochimiques

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 25457

© ISO 2023, Published in Switzerland

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office

CP 401 • Ch. de Blandonnet 8

CH-1214 Vernier, Geneva

Phone: +41 22 749 01 11

Email: copyright@iso.org

Website: www.iso.org

iTeh STANDARD PREVI**EW** (standards.iteh.ai)

<u>180 25457</u>

Contents-

Fore	eword	iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4 4.1	Supplements to API 537, 3 rd edition (2017)General requirements	1 1
4.2	Limitations for design procedures	2
4.3	Volumetric flow rate	2

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 25457

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn[SO draws attention to the possibility that some of the elements implementation of this document may be involve the subjectuse of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights, in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents, ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC-67, Oil and gas industries including lower carbon energy, Subcommittee SC-6, Process equipment, piping, systems, and related safety, [name of subcommittee]. in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC-12, Oil and gas industries including lower carbon energy, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This documents econd edition cancels and replaces the first edition (ISO-25457:2008This 2008), which has been technically revised.

<u>This</u> document supplements API Std 537, 3rd edition (2017) including addendumAddendum 1-(the previous edition (ISO 25457:2008) has been developed by a common task force team with API. It is a main reason that the current ISO 25457 is built with supplements of API Std 537, 3rd edition (2017) including addendum 1).

The technical requirements of ISO 25457this document and API Std 537 used to be identical. In the meantime API Std 537 has been technically revised as API 537, 3rd edition (2017) with addendum Addendum 1. The purpose of this edition of ISO 25457 is to bring it up to date, by referencing the current edition of API Std 537 and including its supplementary content.

The main changes are as follows:

 Incorporation of the Technical Corrigendum ISO 25457/Cor 1: July 2015 and addition of the data sheets (Changes already done in revised API St 537, 3rd edition (2017));

<u>Additional</u> <u>supplementary</u> requirements to the current API Std 537 edition to for pellet flare ignition systems;

Typo correction of Equation (E3) in Annex E of API Std 537, 3rd edition (2017).

— update of the volumetric flow formula.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 25457

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 25457

Oil and gas industries including lower carbon energy — Flare details for general refinery and petrochemical service

1 Scope

This document specifies requirements and provides guidance for the selection, design, specification, operation, and maintenance of flares and related combustion and mechanical components used in pressure-relieving and vapor-depressurizing systems for petroleum, petrochemical, and natural gas industries.

While this document is primarily intended for onshore facilities, guidance related to offshore applications is included. Guidance and best practices for the selection, specification, and mechanical details for flares and on the design, operation, and maintenance of flare combustion and related equipment is also provided.

This document is a supplement to API 537, 3rd edition (2017) including addendum Addendum 1, the requirements of which are applicable with the exceptions specified in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Std 537, 3rd edition (2017),] Flare details for Petroleum, Petrochemical, and Natural Gas Industies Industries

API Std 537, Addendum 1, Addendum to Flare details Details for Petroleum, Petrochemical, and Natural Gas Industics Industries. Third Edition (2020)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in API 537, 7th3rd edition (2017) and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

ballistic/pyrotechnical ignition system

flare tip ignition system based on projectile technology that is launched from a cabinet via a guide tub to the flare deck

- 4 Supplements to API 537, 3rd edition (2017)
- 4.1 General requirements

The requirements specified in API 537, 3^{rd} edition (2017) shall apply, with the exception specified in 4.2 and 4.3

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 25457

4.2 Limitations for design procedures

The requirements specified in API 537, 3rd edition (2017). Clause 4 shall apply with the following exception:addition.

SECTION 3: Terms and Definitions - Add the following:

3.65 Ballistic Ignition Systems / Pyrotechnical Ignition Systems

 Flare tip ignition system based on projectile technology that is launched from a cabinet via a guide tube to the flare deck.

SECTION 4: Design Add the following:

4.12 Direct Flare Ignition by Ballistic and Pyrotechnical Ignition Systems

Direct flare ignition by ballistic/pyrotechnical ignition systems:

There are numerous Ballistic and Pyrotechnical Ignition Systemballistic/pyrotechnical ignition systems designs available from which to select the most appropriate for the application.

The systemDirect flare ignition systems, i.e. ballistic/pyrotechnical ignition systems, shall include the following components:

A __ a manual or automatic launching system able to deliver the projectile to the flare top platform,

A—a guide tube/pipe to ensure that the projectile is transported from launch location to delivery point on the flare top platform.

A_a method for delivering by compressed dry nitrogen or air the projectile to the tip (some self-propelled projectiles can be considered as an alternative).

A—a capture device to collect shall spent projectiles safely.

The following requirements Several constraints shall be complied with applied to these ignition systems

- a) The guide tube shall be purged in compliance conformity with manufacturer's recommendation to avoid blockage within the tube from water or sand or dust and maintain a dry atmosphere. In addition, this purge shall be sufficient to prevent flammable gas from returning down the guide tube/pipe. This information should be provided at the bidding stage.
- b) Projectiles shall be safe for handling, storage and loading as well as, and for removal in their spent state. This information should be provided at the bidding stage.
- <u>c</u>) The supplier shall have a system to contain spent projectiles in a safe location.- Information on this system should be provided at <u>the</u> bidding stage.
- d) The supplier shall ensure safe burn out of the sparks around the tip to ensure that there are not not dropped objects.

⁴ Including addendum 1 and addendum 2

4.3 ANNEX Volumetric flow rate

The recommendations specified in API 537, 3rd edition (2017), E-(Informative): Instructions for Flare Datasheets

₽.2.3 Form General 3

_Line 6. There is a type (3.091 instead of 3091) in the constant of, Equation (E.3).

Replace equation (E3) should apply with the following exception:

$$\frac{V_{eq}}{4} = 3.091 \times q_{m} \times \sqrt{\frac{T_{gas}}{M_{gas}}}$$

$$V_{eq}$$
 = 3.091' q_m ' $\sqrt{\frac{T_{gas}}{M_{gas}}}$

Field Code Changed

iTeh STANDARD PREVI**EW** (standards.iteh.ai)

ISO 25457