

International Standard

ISO 13205

Marine technology — Seawater desalination — Vocabulary

First edition

Navires et technologie maritime — Dessalement de l'eau de mer — Terminologie **iTeh Standards**

(https://standards.iteh.ai) Document Preview

ISO/PRF 13205

https://standards.iteh.ai/catalog/standards/iso/db7c3c52-8f55-44bf-b11e-0d9de901b266/iso-prf-13205

PROOF/ÉPREUVE

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/PRF 13205

https://standards.iteh.ai/catalog/standards/iso/db7c3c52-8f55-44bf-b11e-0d9de901b266/iso-prf-13205



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

Contents

Foreword			
Introduction		. V	
1	Scope		1
2	Norma	ative references	1
3	Terms	s and definitions	1
	3.1	Basic definitions	.1
	3.2	Water intake	.2
	3.3	Pre-treatment	.3
	3.4	Membrane desalination	.4
	3.5	Distillation desalination	.6
	3.6	Post-treatment	.8
	3.7	Auxiliary terms	.9
Biblio	Bibliography		
Index			.2

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/PRF 13205

https://standards.iteh.ai/catalog/standards/iso/db7c3c52-8f55-44bf-b11e-0d9de901b266/iso-prf-13205

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 8, *Ships and marine technology*, Subcommittee SC 13, *Marine technology*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

<u>SO/PRF 13205</u>

https://standards.iteh.ai/catalog/standards/iso/db7c3c52-8f55-44bf-b11e-0d9de901b266/iso-prf-13205

Introduction

Establishing a standardized set of terms and definitions is highly important for the production of scientific and engineering publications in a technical area, including the development of standards. The absence of a standardized terminology can ultimately result in inefficiencies and a high-probability of misinterpretation.

This document defines terms and definitions used in the entire process of seawater desalination. The flow process of seawater desalination is given in <u>Figure 1</u>. Desalination methods are mainly categorized into distillation processes and membrane processes. Both processes involve mutual parts of water intake, pre-treatment and post-treatment, but differ in terms of membrane desalination and distillation desalination. In addition, the auxiliary part consisting of membrane cleaning and agents dosing is essential for specific processes.




Figure 1 — Flow diagram of seawater desalination terminology

https://standards.iteh.ai/catalog/standards/iso/db7c3c52-8f55-44bf-b11e-0d9de901b266/iso-prf-13205

This document aims to provide guidance for unified terminology in seawater desalination; remove any obstacles to communication in management, industry and academia; and promote multi-field cooperation in more countries and regions. The objective of this document is to consolidate unified descriptions of seawater desalination activities, for the benefit of all users and stakeholders.

iTeh Standards (https://standards.iteh.ai) Document Preview

<u>ISO/PRF 13205</u>

https://standards.iteh.ai/catalog/standards/iso/db7c3c52-8f55-44bf-b11e-0d9de901b266/iso-prf-13205

Marine technology — Seawater desalination — Vocabulary

1 Scope

This document defines terms and definitions for the integral seawater desalination process. It covers basic definitions, as well as specific subject matter including water intake, pre-treatment, membrane desalination, distillation desalination, post-treatment and auxiliary part.

This document applies to all types and sizes of seawater desalination facilities and systems, and to all types of stakeholders involved in seawater desalination.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at <u>https://www.electropedia.org/</u>

3.1 Basic definitions

3.1.1

seawater desalination

process which removes excess substances such as organisms and salts from seawater to make it usable as municipal water, industrial water and for other applications 155-44bi-bille-0d9de901b266/iso-pri-13205

3.1.2

seawater desalination system

set of interrelated or interacting units for *seawater desalination* (3.1.1) processes, including source *water intake* (3.2.1) system, *pre-treatment* (3.3.1) facilities, membrane and distillation separation devices, post-treatment facilities and electronic control unit, etc.

3.1.3

source water

raw water

inlet water supplied to the *seawater desalination system* (3.1.2)

3.1.4

feed water

inlet water supplied to an individual component or a device of *seawater desalination system* (3.1.2)

3.1.5

desalinated water

freshwater produced by distillation and membrane desalination plants

3.1.6

product water

water produced by *post-treatment* (3.6.3) of *desalinated water* (3.1.5) such as *mineralization* (3.6.4) and *waters blending* (3.6.5)

PROOF/ÉPREUVE © ISO 2024 – All rights reserved

3.1.7

brine

concentrate (reject) stream from a membrane or a distillation device performing desalination, with a salinity that is higher than seawater

3.1.8

concentration factor

CF

ratio of the concentration of components in the retentate [concentrate, *brine* (3.1.7)] to the concentration of the total components in the feed

Note 1 to entry: Concentration factor (CF) is generally expressed by C_b/C_f , where C_b is brinewater concentration and C_f is feedwater concentration.

3.1.9

recovery rate

ratio of the permeate volume to the feed volume

[SOURCE: ISO 23070:2020, 3.10]

3.1.10

element

component containing the membrane, generally replaceable, such as hollow fibre, spiral wound cartridge or cassette

[SOURCE: ASTM D6161-2019, 5.1, modified — "hollow fibre" has been added to the definition.]

3.1.11

module

iTeh Standards

membrane *element* (3.1.10) combined with the element's housing

Note 1 to entry: The *pressure vessel* (<u>3.4.3</u>) contains the membrane element(s).

[SOURCE: ASTM D6161-2019, 5.1, modified — part of the original definition has been moved to Note 1 to entry.]

3.2 Water intake

SO/PRF 13205

https://standards.iteh.ai/catalog/standards/iso/db7c3c52-8f55-44bf-b11e-0d9de901b266/iso-prf-13205 3.2.1

water intake

process of withdrawing seawater from the source

3.2.2

surface intake

seawater collected from the open ocean above the seabed

Note 1 to entry: Surface intakes can be single purpose or collocated with a power plant as well as offshore submerged, nearshore submerged, or nearshore surface intakes.

3.2.3

subsurface intake

seawater collected via *vertical wells* (<u>3.2.3.1</u>), infiltration galleries or other locations beneath the seabed

Note 1 to entry: Subsurface intakes can be onshore (vertical wells), including vertical beach wells or deep aquifer wells, horizontal wells, radial or collector wells, and beach infiltration galleries; or offshore wells, including horizontal drains (wells), and seabed infiltration galleries.

3.2.3.1

vertical well

well which is well-drilled straight down into the underlying rock or unconsolidated coastal aquifer system

3.2.3.2

slant well

well which is well-drilled at an angle from the horizontal into the underlying rock or unconsolidated coastal aquifer system

3.2.3.3

infiltration gallery

filtering device which is a horizontal drain made from open jointed or perforated pipes, or a blocked drain, which is laid below the water table and collects seawater

3.2.3.4

tunnelled intake

seawater collected from deep water by the tunnelled structure

Note 1 to entry: The tunnel is built over the full distance from the intake structure to the diffusers offshore.

3.3 Pre-treatment

3.3.1

pre-treatment

processes such as chlorination, filtration, coagulation, clarification, dechlorination, which may be used on feed water (3.1.4) ahead at reverse osmosis (3.4.2) membrane devices and distillation devices to minimize scaling (3.6.2) and blockage potential and to control biological activity

3.3.2

sterilization

process which inactivates or removes all living organisms (including vegetative and spore forms) as well as viruses

[SOURCE: ISO 6107:2021, 3.539] tps://standards.iteh.ai)

3.3.3

dissolved air flotation DAF

flotation process by which low density particles are removed from seawater by using fine bubbles which are produced by the reduction in pressure of a water stream saturated with air

[SOURCE: ISO 20480-4:2021, 3.2, modified — Note 1 to entry has been removed.]

3.3.4

flocculation

formation of large separable particles by aggregation of small particles; the process is usually assisted by mechanical, physical, chemical or biological means

[SOURCE: ISO 6107:2021, 3.234]

3.3.5

sedimentation

process of settling and depositing suspended solids in water under the action of gravity

3.3.6

sand filter

device used to remove suspended solids

Note 1 to entry: Sand filter is made up of layers of inert medium, usually quartz/silica sand.

PROOF/ÉPREUVE © ISO 2024 - All rights reserved 3

3.3.7 multimedia filter **MMF**

lavered filtration media in a pressurized container, used to reduce the level of suspended solids (turbidity) in incoming feed water (3.1.4)

Note 1 to entry: Media layers can consist of anthracite, activated carbon, guartz/silica sand and garnet.

[SOURCE: ISO 22519:2023, 3.1.3]

3.3.8

self-cleaning filter

filtration system used to reduce the level of suspended solids (turbidity) in incoming *feed water* (3.1.4), as well as automatically clean itself

Note 1 to entry: The self-cleaning filter starts automatic cleaning mechanisms according to the pre-set cleaning cycle or system differential pressure due to the accumulation of suspended solids (turbidity).

3.3.9 microfiltration MF

pressure driven membrane-based separation process designed to remove particles and dissolved macromolecules in the approximate range of 0,05 μ m to 2 μ m

[SOURCE: ASTM D6161-2019, 5.1]

3.3.10 ultrafiltration **HF**

pressure driven process employing a semipermeable membrane under a hydraulic pressure gradient to separate components in a solution

Note 1 to entry: The pores of the membrane are of a size smaller than $0,1 \mu m$, which allows passage of the solvent(s) but will retain non-ionic solutes based primarily on physical size, not chemical potential.

[SOURCE: ASTM D6161-2019, 5.1, modified — part of the original definition has been moved to Note 1 to entry.]

3.3.11 cartridge filter

device used to further reject the remained foulants in the *feed water* (3.1.4) before *reverse osmosis (RO)* (3.4.2) membranes

Note 1 to entry: The purpose of the cartridge filter is to protect the RO membranes from damage.

3.4 Membrane desalination

3.4.1

high-pressure feed pump

device used to deliver *feed water* (3.1.4) to the *reverse osmosis* (3.4.2) membranes at the pressure required for membrane separation of *desalinated water* (3.1.5) from the seawater

3.4.2

reverse osmosis

RO

separation process where one component of a solution is removed from another component by flowing the feed stream under pressure across a semipermeable membrane that causes selective movement of solvent against its osmotic pressure difference

Note 1 to entry: RO removes ions based on electro chemical forces, colloids, and organics down to 150 molecular mass.

[SOURCE: ASTM D6161-2019, 5.1, modified — part of the original definition has been moved to Note 1 to entry.]