

INTERNATIONAL
STANDARD

ISO/IEC
18013-4

Second edition
2019-11

AMENDMENT 1

**Personal identification —
ISO-compliant driving licence —**

Part 4:
Test methods

AMENDMENT 1: Test methods for
compact encoding

(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC 18013-4:2019/PRF Amd 1](https://standards.iteh.ai/catalog/standards/sist/3a26573f-cb01-4f4c-95ca-20dcf757d592/iso-iec-18013-4-2019-prf-amd-1)

<https://standards.iteh.ai/catalog/standards/sist/3a26573f-cb01-4f4c-95ca-20dcf757d592/iso-iec-18013-4-2019-prf-amd-1>

PROOF / ÉPREUVE



Reference number
ISO/IEC 18013-4/Amd. 1:2023(E)

© ISO/IEC 2023

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC 18013-4:2019/PRF Amd 1](https://standards.iteh.ai/catalog/standards/sist/3a26573f-cb01-4f4c-95ca-20dcf757d592/iso-iec-18013-4-2019-prf-amd-1)

<https://standards.iteh.ai/catalog/standards/sist/3a26573f-cb01-4f4c-95ca-20dcf757d592/iso-iec-18013-4-2019-prf-amd-1>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Personal identification — ISO-compliant driving licence —

Part 4: Test methods

AMENDMENT 1: Test methods for compact encoding

Clause 2 Normative references

Add the date of publication to the reference to ISO/IEC 18013-2 as follows:

ISO/IEC 18013-2:2020

Replace all the occurrences of ISO/IEC 18013-2 in the document to the dated version.

Clause 4

Add the following abbreviated term after CA

CE compact encoding

Subclause 6.2.2.1

Replace

"One IUT is defined as an IDL with SE for SIC (see ISO/IEC 18013-2:—, Annex C)"

by

"One IUT is defined as an IDL with SE for SIC (see ISO/IEC 18013-2:2020, Annex C) or an IDL with CE (see ISO/IEC 18013-2:2020, Annex B) "

Subclause 6.3.1.3

Replace the full text by

"All equipment described in Annexes A to D pertinent to the machine-readable technology supported by the IUT shall be available."

Subclause 7.1

Replace the second sentence by

"Test requirements for Commands and LDS tests conformity are defined in Annexes A to D."

Subclause 7.3

Add the following subclause:

"7.3.3 Compact encoding (CE)

Test case specifications for CE cover are as follows:

- Data structure tests for CE and commands tests (applicable to CE on SIC). The tests shall be carried out as specified in Annex D."

Subclause A.3.2.19

In row "References", replace

"ISO/IEC 18013-2:—, A.5.1"

by "ISO/IEC 18013-2: 2020, A.4.1".

Subclause A.3.2.20

In row "References", replace

ISO/IEC 18013-2:—, A.5.1

by

ISO/IEC 18013-2: 2020, A.4.1

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC 18013-4:2019/PRF Amd 1](https://standards.iteh.ai/catalog/standards/sist/3a26573f-cb01-4f4c-95ca-20dcf757d592/iso-iec-18013-4-2019-prf-amd-1)

<https://standards.iteh.ai/catalog/standards/sist/3a26573f-cb01-4f4c-95ca-20dcf757d592/iso-iec-18013-4-2019-prf-amd-1>

In row "References", replace " ISO/IEC 18013-2:—, A.5.1"

by

"ISO/IEC 18013-2: 2020, A.4.1

Add following new Annex D after Annex C.

Annex D (normative)

Test case specification for Compact Encoding (CE)

D.1 General

This annex specifies the test cases for CE.

D.2 General test requirements

D.2.1 Preconditions for testing

The tests in this annex require a fully personalized IDL. This means that all mandatory data groups shall be present. This annex tests all mandatory and optional data groups.

All tests are mandatory unless marked as optional or conditional.

D.2.2 Test setup

For setting up these tests, any read device able to read all data at the same time can be used.

D.2.3 Implementation conformance statement

In order to set up the tests properly, Tables D.1 and D.2 shall be completed.

The ISO/IEC 18013-2 and ISO/IEC 18013-3 specifications define several optional elements that an IDL can support.

Since these elements are optional, it is not possible to define the corresponding tests as mandatory for each IDL. Therefore, this document specifies a set of profiles. Each profile covers a specific optional element. A tested IDL shall be assigned to the supported profiles in the ICS, and a test shall only be performed if the IDL supports this profile.

Table D.1 — Implementation conformance statement

| Profile | Information for test setup | Applicable (YES or NO) |
|---------|---|---------------------------|
| SIC | Contact ICC or PICC storage media | |
| BAP | Basic Access Protection | |
| PACE | Password Authenticated Connection Establishment | |
| NO-SIC | All technologies excluding ICs | |
| DG2 | IDL contains Data Group 2 | |
| DG3 | IDL contains Data Group 3 | |
| DG4 | IDL contains Data Group 4 | |
| DG7 | IDL contains Data Group 7 | |
| DG11 | IDL contains Data Group 11 | |
| SOD | IDL contains SOD | |
| SOD2 | IDL contains DG.SOD.2, but no DG.SOD.3 | |
| SOD23 | IDL contains DG.SOD.2 and DG.SOD.3 | |

Table D.1 (continued)

| Profile | Information for test setup | Applicable (YES or NO) |
|---------|----------------------------|------------------------|
| NMA | IDL contains Data Group 12 | |

Table D.2 — Configuration information

| Supported profile | Configuration information |
|--|---|
| DG11 | Indicate whether DG11 is a type 1 or type 2 data group. If DG11 is a type 2 data group, indicate the length in bytes of the datagroup. |
| SOD, SOD2 not supported, SOD23 not supported | Provide the public key value and the curve identifier for the verification of the signature in the SOD. For allowed values for the curve identifier, see ISO/IEC 18013-3:2017, Table 3. |
| SOD, SOD2, SOD23 not supported | Provide the curve identifier for the verification of the signature in the SOD. For allowed values for the curve identifier, see ISO/IEC 18013-3:2017, Table 3. |

D.3 Test layer CE

D.3.1 Test unit CE_FILE — Compact encoding (CE) file structure tests

D.3.1.1 Test case CE_FILE_001

| | |
|------------------|---|
| Test Case-ID | CE_FILE_001 |
| Purpose | This test checks the template tag of the encoded LDS element. |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B |
| Profile | SIC |
| Preconditions | 1. Encoded EF.CE object in binary format (as read from the IDL) |
| Test scenario | 1. Check the very first byte of the EF.CE element |
| Expected results | 1. First byte shall be '53' |

D.3.1.2 Test case CE_FILE_002

| | |
|------------------|---|
| Test Case-ID | CE_FILE_002 |
| Purpose | This test checks the absence of EF.COM for CE |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B |
| Profile | SIC |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test scenario | 1. Check the presence of EF.COM |
| Expected results | 1. EF.COM shall not be present |

D.3.1.3 Test case CE_FILE_003

| | |
|------------------|--|
| Test Case-ID | CE_FILE_003 |
| Purpose | This test checks the file structure for CE |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B |
| Profile | |
| Preconditions | 1. Encoded CE Constructed Data Object in binary format (as read from the IDL; without the SIC template tag, if applicable) |
| Test scenario | 1. Check the first byte of the CE constructed data object 2. Check the last byte of the CE constructed data object |
| Expected results | 1. The first byte shall be 'A0' 2. The last byte shall be the End of File Delimiter 'B6' |

D.3.2 Test unit CE_HEADER — Compact encoding (CE) header tests**D.3.2.1 Test case CE_HEADER_001**

| | |
|------------------|--|
| Test Case-ID | CE_HEADER_001 |
| Purpose | This test checks the Application Identifier referred by the header element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B |
| Profile | NO-SIC |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test scenario | 1. Check the AID bytes (first 7 bytes) of the Header element |
| Expected results | 1. AID shall be 'A0 00 00 02 48 01 00' |

D.3.2.2 Test Case CE_HEADER_002

| | |
|------------------|--|
| Test Case-ID | CE_HEADER_002 |
| Purpose | This test checks the Application Identifier referred by the header element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B |
| Profile | SIC |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Check the AID bytes (first 7 bytes) of the Header element |
| Expected Results | 1. AID shall be 'A0 00 00 02 48 03 00' |

D.3.2.3 Test Case CE_HEADER_003

| | |
|--------------|---|
| Test Case-ID | CE_HEADER_003 |
| Purpose | This test checks the Version referred by the header element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B |
| Profile | |

| | |
|------------------|--|
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Check the number of bytes of the Version 2. Check the first byte of the Version of the Header element 3. Check the second byte of the Version of the Header element |
| Expected Results | 1. The number of bytes is two 2. The first byte of the Version shall be '01' 3. The second byte of the Version shall contain a valid BCD encoded number |

D.3.2.4 Test Case CE_HEADER_004

| | |
|------------------|--|
| Test Case-ID | CE_HEADER_004 |
| Purpose | This test checks the Length encoded in the header element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Analyze the encoding of the Length bytes in the Header Element 2. Verify the length of the data file |
| Expected Results | 1. The Length shall contain a valid length encoding according to ASN.1 encoding rules 2. The encoded length shall equal the total number of bytes from (and including) the data group delimiter between the header and Data Group 1, up to and including the last character of the LDS (i.e. the end of file delimiter) |

D.3.3 Test Unit CE_DG1 – Compact encoding (CE) DG1 tests

D.3.3.1 Test Case CE_DG1_001

| | |
|------------------|--|
| Test Case-ID | CE_DG1_001 |
| Purpose | This test checks the encoded DG1 for CE according to Type 1 Data Group encoding rules |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B ISO/IEC 8859-1 |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Check the byte following the length encoding in the header, i.e. the byte preceding Data Group 1. |
| Expected Results | 1. The byte shall be 'D7' ("x") |

D.3.3.2 Test Case CE_DG1_002

| | |
|------------------|---|
| Test Case-ID | CE_DG1_002 |
| Purpose | This test checks the Field Delimiters of DG1 for CE according to Type 1 Data Group encoding rules |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020, Annex B ISO/IEC 8859-1 |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Check the number of Field Delimiters in DG1 |
| Expected Results | 1. The number of Field Delimiters shall be 8 |

D.3.3.3 Test Case CE_DG1_003

| | |
|------------------|---|
| Test Case-ID | CE_DG1_003 |
| Purpose | This test checks the encoding of the Family Name referred by the DG1 element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020 ISO/IEC 8859-1 |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Search for DG1 2. Verify the Family Name field length 3. Verify the Family Name. |
| Expected Results | 1. DG1 shall be present. 2. The number of bytes shall not exceed 36 3. Family Name shall not contain numeric characters |

D.3.3.4 Test Case CE_DG1_004

| | |
|---------------|---|
| Test Case-ID | CE_DG1_004 |
| Purpose | This test checks the encoding of the Given Name referred by the DG1 element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020 ISO/IEC 8859-1 |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Search for DG1 2. Verify the Given Name field length 3. Verify the Given Name. |

| | |
|------------------|--|
| Expected Results | <ol style="list-style-type: none"> 1. DG1 shall be present. 2. The number of bytes shall not exceed 36 3. Given Name shall not contain numeric characters |
|------------------|--|

D.3.3.5 Test Case CE_DG1_005

| | |
|------------------|---|
| Test Case-ID | CE_DG1_005 |
| Purpose | This test checks the encoding of the Date of Birth referred by the DG1 element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020 |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | <ol style="list-style-type: none"> 1. Search for DG1 2. Verify the Date of Birth field length 3. Check the Date of Birth encoding 4. Check that the Date of Birth element contains a valid date. |
| Expected Results | <ol style="list-style-type: none"> 1. DG1 shall be present. 2. Date of Birth field length shall be 4 bytes long 3. Date of Birth shall be encoded in YYYYMMDD BCD format 4. The Date of Birth shall be reasonable. It shall specify an existing day and it should be in the past. |

D.3.3.6 Test Case CE_DG1_006

| | |
|------------------|---|
| Test Case-ID | CE_DG1_006 |
| Purpose | This test checks the encoding of the Date of Issue referred by the DG1 element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020 |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | <ol style="list-style-type: none"> 1. Search for DG1 2. Verify the Date of Issue field length 3. Check the Date of Issue encoding 4. Check that the Date of Issue element contains a valid date. |
| Expected Results | <ol style="list-style-type: none"> 1. DG1 shall be present. 2. Date of Issue field length shall be 4 bytes long 3. Date of Issue shall be encoded in YYYYMMDD BCD format 4. The Date of Issue shall be reasonable. It shall specify an existing day and it should be in the past. |

D.3.3.7 Test Case CE_DG1_007

| | |
|------------------|---|
| Test Case-ID | CE_DG1_007 |
| Purpose | This test checks the encoding of the Date of Expiry referred by the DG1 element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020 |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Search for DG1 2. Verify the Date of Expiry field length 3. Check the Date of Expiry encoding 4. Check that the Date of Expiry element contains a valid date. |
| Expected Results | 1. DG1 shall be present. 2. Date of Expiry field length shall be 4 bytes long 3. Date of Expiry shall be encoded in YYYYMMDD BCD format 4. The Date of Expiry shall specify an existing day and shall be later than the Date of Issue. |

D.3.3.8 Test Case CE_DG1_008

| | |
|------------------|---|
| Test Case-ID | CE_DG1_008 |
| Purpose | This test checks the encoding of the Issuing Country referred by the DG1 element |
| Version | 0.2 |
| References | ISO/IEC 18013-2:2020 ISO/IEC 8859-1 ISO 3166-1 |
| Profile | |
| Preconditions | 1. Encoded LDS Data in binary format (as read from the IDL) |
| Test Scenario | 1. Search for DG1 2. Verify the Issuing Country field length 3. Check the Issuing Country encoding 4. Check Issuing Country |
| Expected Results | 1. DG1 shall be present. 2. Issuing Country field length shall be 3 bytes long 3. Issuing Country shall be encoded in Alpha characters only 4. Issuing Country shall be a valid value as defined in ISO 3166-1 |

D.3.3.9 Test Case CE_DG1_009

| | |
|--------------|--|
| Test Case-ID | CE_DG1_009 |
| Purpose | This test checks the encoding of the Issuing Authority referred by the DG1 element |
| Version | 0.2 |