



**International
Standard**

ISO 23285

**Agricultural machinery, tractors, and
earth-moving machinery — Safety of
electrical and electronic components
and systems operating at 32 V to 75
V DC and 21 V to 50 V AC**

**First edition
2025-02**

*Matériel agricole, tracteurs et engins de terrassement —
Sécurité des composants et systèmes électriques et électroniques
fonctionnant sous 32 V à 75 V DC et 21 V à 50 V AC*

[ISO 23285:2025](https://standards.iteh.ai/standards/iso/feb076f3-6abb-4408-91de-e46fac693b71/iso-23285-2025)

<https://standards.iteh.ai/catalog/standards/iso/feb076f3-6abb-4408-91de-e46fac693b71/iso-23285-2025>

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 23285:2025](https://standards.iteh.ai/catalog/standards/iso/feb076f3-6abb-4408-91de-e46fac693b71/iso-23285-2025)

<https://standards.iteh.ai/catalog/standards/iso/feb076f3-6abb-4408-91de-e46fac693b71/iso-23285-2025>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	2
3.1 Terms and definitions.....	2
3.2 Abbreviated terms.....	8
4 General requirements	9
4.1 V-model.....	9
4.2 Voltages.....	9
4.3 Environmental and operational requirements.....	9
4.4 Components and devices.....	10
5 Protection against electric shock hazards	10
5.1 Overview.....	10
5.2 General.....	10
5.2.1 Fundamental requirements.....	10
5.2.2 Determination of shock protection requirements.....	10
5.3 Protective measures.....	11
5.4 Basic protection.....	12
5.4.1 General.....	12
5.4.2 Basic insulation.....	12
5.4.3 Enclosures or barriers.....	12
5.4.4 Limitation of touch current or capacitive discharge energy.....	13
5.4.5 Limitation of voltage.....	13
5.5 Fault protection.....	14
5.5.1 General.....	14
5.5.2 PEPB.....	15
5.5.3 Automatic disconnection of power supply.....	20
5.5.4 Supplementary insulation.....	20
5.5.5 Basic protection between circuits.....	20
5.6 Enhanced protection.....	20
5.6.1 General.....	20
5.6.2 Reinforced insulation and protective separation between circuit.....	21
5.6.3 Protection by means of protective impedance and limited capacitive discharge energy.....	21
5.7 Equipment protective combinations.....	22
5.8 Separation of VC-A2- and VC-B1-systems from VC-B2 (and higher) systems.....	22
5.9 Protection against residual voltages.....	23
5.9.1 Basic protection.....	23
5.9.2 Protection by power supply disruption.....	23
5.10 Connector human contact.....	24
5.10.1 General.....	24
5.10.2 Mated non-enclosed connectors.....	24
5.10.3 Non-mated, non-enclosed connectors.....	24
5.10.4 Enclosed connectors.....	25
5.10.5 Tractor implement plug/socket combinations (or similar mobile machinery implement and attachment combinations).....	25
5.11 Water depth.....	25
6 Wiring practices	26
6.1 Conductor and cable runs.....	26
6.2 Colour.....	26
6.3 Cable protection inside an enclosure.....	26
6.4 Power supply voltage differences.....	26

7	Overcurrent protection (OCP)	27
7.1	Overview.....	27
7.2	General.....	27
7.2.1	Transformers.....	27
7.2.2	Power converters.....	27
7.2.3	OCP implementation.....	27
7.2.4	Rating and setting of OCP.....	28
7.2.5	Placement of OCP.....	28
7.2.6	Protection via engine shutoff.....	28
7.3	Chassis faults/residual currents.....	28
8	Disconnection and connection	28
8.1	General disconnecting devices.....	28
8.2	Specifics of disconnecting.....	28
8.2.1	VC-B1.....	28
8.2.2	Power converter disconnects.....	29
8.2.3	Manually actuated disconnecting devices.....	29
8.2.4	Disconnecting multiple power supplies.....	30
8.3	Prevention of unintended start-up.....	30
8.4	Charging power supplies and recuperation.....	30
8.4.1	Electrical power supplies.....	30
8.4.2	Powered interchangeable towed machinery and towed machines.....	31
8.4.3	PTO.....	31
8.5	Pre-charge protective measures.....	31
9	Connectors	32
9.1	General.....	32
9.2	Negative connectors and terminals.....	32
9.3	Connector mating.....	32
9.3.1	Incompletely mated connectors.....	32
9.3.2	Connecting and disconnecting under load.....	32
9.4	Power cable connections.....	33
9.5	Terminals for the PEPB cables.....	33
9.6	Plug/socket combination.....	33
10	Electric motors and generators	34
10.1	General.....	34
10.2	Enclosures.....	34
10.3	Mounting and compartments.....	35
10.4	Overheating protection.....	35
10.5	Overspeed protection.....	35
10.6	Towing and coasting.....	35
10.7	Bonding.....	35
10.7.1	Motors and generators.....	35
10.7.2	Exempted from marking requirement.....	36
11	Non-motor loads (components)	36
11.1	General.....	36
11.2	Accessories.....	36
12	Insulation coordination	36
12.1	General.....	36
12.2	Cable insulation.....	37
12.2.1	Temperature and loading.....	37
12.2.2	Inspection.....	37
12.2.3	Shielding.....	37
12.2.4	Different voltages.....	37
13	Verification and validation	38
13.1	General.....	38
14	Information for use	38

ISO 23285:2025(en)

14.1	General.....	38
14.2	Markings.....	38
14.2.1	First responder information.....	38
14.2.2	Shock hazard symbols.....	38
14.2.3	Operating voltage.....	38
14.2.4	Live parts accessible during installation and maintenance.....	38
14.2.5	Bonding.....	38
14.2.6	Residual voltage.....	39
14.2.7	Power supply disruption.....	39
14.2.8	Disconnected plug/socket combinations.....	39
14.2.9	Maximum water depth.....	39
14.2.10	Connection markings.....	39
14.2.11	Conductor and cable colour markings.....	39
14.2.12	Bolted joints.....	39
14.2.13	Disconnection of electrical power supplies.....	39
14.2.14	Multiple disconnects.....	40
14.2.15	Unintended start-up.....	40
14.2.16	External charging.....	40
14.2.17	Towing.....	40
14.2.18	Connecting and disconnecting under load.....	40
14.2.19	Phase cable connections.....	40
14.2.20	Bonding of motors and generators EPB.....	40
14.2.21	Shipping, dealer setup and transport.....	40
14.2.22	Electrical ratings.....	40
14.2.23	Protection systems.....	41
14.2.24	General purpose socket-outlets.....	41
14.2.25	Magnetic hazard symbols.....	41
14.3	Manuals and technical documentation.....	41
14.3.1	General.....	41
14.3.2	Operator's manual.....	42
14.3.3	Service manuals.....	43
Annex A	(informative) List of significant hazards.....	45
Annex B	(informative) V-Model.....	46
Annex C	(informative) Shock protection requirements.....	47
Annex D	(informative) Protection classes.....	49
Annex E	(informative) Documentation.....	51
Bibliography	53

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 19, *Agricultural electronics*, in collaboration with ISO/TC 127, *Earth-moving machinery*, Subcommittee SC 3, *Machine characteristics, electrical and electronic systems, operation and maintenance*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

<https://standards.iteh.ai/catalog/standards/iso/feb076f3-6abb-4408-91de-e46fac693b71/iso-23285-2025>

Introduction

Electrification technology can provide increased flexibility in mobile machinery configuration. It offers efficiency gains and enhanced power delivery options, which are not possible with current mechanical and hydraulic systems.

Traditional agricultural and earth-moving machinery electrical systems operate in VC-A1, 0 V DC to 32 V DC and 0 V AC to 21 V AC. VC-B2 mobile machinery operate in the 75 V DC to 1 500 V DC and 50 V AC to 1 000 V AC and are covered by ISO 16230-1 for agricultural machines and ISO 14990 series for earth-moving machines. This document covers mobile machinery with systems operating in VC-A2 and VC-B1 (see [Table 1](#)). Some of the content of this document is based on IEC 60204-1 and IEC 62477-1, adapted to the specific application of agricultural and earth-moving machinery. Non-electrical hazards are addressed by ISO 4254 series for agricultural machinery, ISO 26322 series for tractors used in agriculture and forestry, and ISO 20474 series for earth-moving machinery.

Even though this document addresses most hazards associated with the use of electrical systems within the voltage ranges in the scope of this document, owing to the possible presence of additional electrical hazards, conformance with it cannot be taken as an absolute guarantee of electrical safety. Areas of concern are included in the list of significant hazards found in [Annex A](#).

Having a background in the IEC approach to electrical system safety helps the user make better decisions about the application of this document.

This document is a type-C standard as stated in ISO 12100.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises); and
- health and safety bodies (regulators, accident prevention organisations, market surveillance, etc.)

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, (e.g. for maintenance, small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document. The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

Agricultural machinery, tractors, and earth-moving machinery — Safety of electrical and electronic components and systems operating at 32 V to 75 V DC and 21 V to 50 V AC

1 Scope

This document primarily specifies both general design requirements and guidelines for protection of operators and bystanders against electric shock and electrically induced fire, for voltage classes A2 (32 V DC to 60 V DC and 21 V AC to 30 V AC) and B1 (60 V DC to 75 V DC and 30 V AC to 50 V AC), including waveforms synthesized by power electronic converters. This document is limited to addressing hazards that are not as commonly found in 12 V DC and 24 V DC systems, including those related to higher power converters and drive motors.

NOTE 1 Although protection against electrically induced fire hazards is addressed sparingly, conformance to content of this document has the impact of reducing the occurrence and hazards associated with fire.

This document is applicable to electric systems used on:

- tractors, self-propelled ride-on machines, interchangeable towed machinery, semi-mounted implements, and mounted implements used in or with agriculture and forestry; and
- earth-moving machinery (EMM) as defined in ISO 6165 and attachments.

For mobile machinery with multiple rated voltages, with at least one system rated greater than VC-B1, this document addresses the risks associated with the interactions between VC-A2 and VC-B1 systems and those systems which are nearby and rated greater than VC-B1.

NOTE 2 Electrical safety requirements for greater than VC-B1 are described in ISO 16230-1 for agricultural machines and ISO 14990 series for earth-moving machines.

NOTE 3 Although 12 V DC and 24 V DC systems are generally below the limits of this document, meeting appropriate requirements of this document ensures that proper protection exists between the covered systems and lower voltage systems.

This document is applicable to mobile machinery that are either externally powered or self-powered or both.

Alternative safety requirements can be necessary for special equipment or components such as underground mining equipment. This document does not address the additional risks for mobile machinery operating in potentially explosive atmospheres.

This document deals with all significant hazards, hazardous situations, or hazardous events relevant within its scope (see [Annex A](#)), when the mobile machinery is used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer. It specifies appropriate technical measures for eliminating or reducing risks arising from significant hazards, hazardous situations, or hazardous events during commissioning, operation, and maintenance.

This document is not applicable to mobile machinery manufactured before the date of its publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 23285:2025(en)

ISO 6405-1:2017, *Earth-moving machinery — Symbols for operator controls and other displays — Part 1: Common symbols*

ISO 7010¹⁾, *Graphical symbols — Safety colours and safety signs — Registered safety signs*

ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 13857:2019, *Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs*

ISO 14990-1:2016, *Earth-moving machinery — Electrical safety of machines utilizing electric drives and related components and systems — Part 1: General requirements*

ISO 14990-2, *Earth-moving machinery — Electrical safety of machines utilizing electric drives and related components and systems — Part 2: Particular requirements for externally-powered machines*

ISO 14990-3, *Earth-moving machinery — Electrical safety of machines utilizing electric drives and related components and systems — Part 3: Particular requirements for self-powered machines*

ISO 15003, *Agricultural engineering — Electrical and electronic equipment — Testing resistance to environmental conditions*

ISO 16230-1:2015, *Agricultural machinery and tractors — Safety of higher voltage electrical and electronic components and systems — Part 1: General requirements*

ISO 19014-3, *Earth-moving machinery — Functional safety — Part 3: Environmental performance and test requirements of electronic and electrical components used in safety-related parts of the control system*

IEC 60034-1, *Rotating electrical machines — Part 1: Rating and performance*

IEC 60204-1:2016, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*

IEC 60309-1, *Plugs, socket-outlets, and couplers for industrial purposes — Part 1: General requirements*

IEC 60364-5-54:2011/AMD1:2021, *Low-voltage electrical installations — Part 5-54: Selection and erection of electrical equipment — Earthing arrangements and protective conductors*

IEC 60417¹⁾, *Graphical symbols for use on equipment*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664 (all parts), *Insulation coordination for equipment within low-voltage systems*

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

IEC 61140:2016, *Protection against electric shock — Common aspects for installations and equipment*

IEC 61984, *Connectors — Safety requirements and tests*

IEC 62477-1:2022, *Safety requirements for power electronic converter systems and equipment — Part 1: General*

SAE J1614, *Wiring Distribution Systems for Off-Road, Self-Propelled Work Machines*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12100 and the following apply.

1) The graphical symbol collections of ISO 7010 and IEC 60417 can be previewed and purchased on the Online Browsing Platform (OBP), www.iso.org/obp.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1

access system

(machine) access system

system provided on a machine for ascending from the ground or descending to the ground or for moving from one area on the machine to another area

[SOURCE: ISO 2867:2011, 3.2.1]

3.1.2

accessible conductive part

accessible part having a conductive surface that is bare or covered by an insulating layer that does not comply with the requirements of basic insulation

Note 1 to entry: An accessible conductive part is considered to be a hazardous live part if not separated from live parts by at least basic insulation.

3.1.3

accessible part

part which, as installed, can be touched by means of the jointed test finger in IEC 60529

[SOURCE: IEC 60050-442:1998, 442-01-15, modified — definition has been changed to be more specific about finger accessibility]

3.1.4

basic insulation

insulation of live parts providing protection against direct contact

Note 1 to entry: Basic insulation does not include insulation used exclusively for a functional purpose.

Note 2 to entry: The use of winding wire coatings as basic, supplementary, or reinforced insulation is restricted in some VC-B2 (and higher) standards. However, VC-A and VC-B1 are not subject to such restrictions.

[SOURCE: IEC 60050-195:2021, 195-06-06, modified — definition has been clarified and better reflect the voltage range covered by this document.]

3.1.5

basic protection

Protection against electrical shock under fault-free conditions

[SOURCE: IEC 60050-195:1998, 195-06-01]

3.1.6

conductive part

part of the machine that is capable of conducting electric current

[SOURCE: IEC 60050-195:2021, 195-01-06, modified — definition has been made clearer]

3.1.7

converter

electric energy converter

device for changing one or more characteristics associated with electric energy

Note 1 to entry: In informal usage, it is common to use the term "inverter" to mean converter, rectifier, or AC/DC or AC/AC converter. The informal meanings of "inverter" are not used in this document.

[SOURCE: IEC 60050-151:2001, 151-13-36, modified — Note has been removed and replaced by a new Note.]

3.1.8

double insulation

insulation comprised of both basic and supplementary insulation types

[SOURCE: IEC 60050-195:2021, 195-06-08, modified — definition has been made clearer]

3.1.9

earth

local earth

ground, US

local ground, US

part of the Earth which is in electric contact with an earth electrode and whose electric potential is not necessarily equal to zero

[SOURCE: IEC 60050-195:2021, 195-01-03]

3.1.10

electric chassis

chassis

conductive parts of a machine that are electrically connected and whose potential is taken as reference

[SOURCE: ISO 6469-4:2015, 3.5, modified — replaced "vehicle" with "machine" and added option of just using chassis]

3.1.11

enclosure

part providing protection of equipment against certain external influences and protection against direct contact in any direction

Note 1 to entry: Enclosures provide protection of persons against access to hazardous parts, and also protect enclosed devices from the environment.

3.1.12

enhanced protection

protective provision having a reliability of protection not less than that provided by two independent protective provisions

[SOURCE: IEC 60050-195:2021, 195-06-27, modified — original term was enhanced protection provision]

3.1.13

equipotential bonding

EPB

set of electric connections intended to achieve equipotentiality between conductive parts

Note 1 to entry: In standards referenced by this document and elsewhere, earth, earthed and earthing are often used to designate the equivalent of EPB. However, for mobile equipment it is often impractical and unnecessary to create an EPB connection to the actual earth, rather the frame of the machinery or other metallic components are often used for protection against shock.

[SOURCE: IEC 60050-195:2021, 195-01-10, modified — note to entry has been added]

3.1.14

functional-equipotential-bonding

FEPB

equipotential bonding for the reasons other than electrical shock, fire, and arc flash safety

Note 1 to entry: In this definition 'other than electrical shock, fire, and arc flash safety' is most typically the use of EPB to reduce electromagnetic interference and transient impact on control system functionality.

[SOURCE: IEC 60050-195:2021, 195-01-16, modified — to clarify electrical safety meaning within the definition]

3.1.15

protective-equipotential-bonding

PEPB

equipotential bonding for the purposes of electrical shock, fire, and arc flash safety

Note 1 to entry: In this definition 'electrical shock, fire and arc flash safety' most typically is the prevention of shock or fires by use of EPB to maintain low touch currents during a fault condition or to provide a low resistance current path facilitating effective OCP operation.

[SOURCE: IEC 60050-195:2021, 195-01-15, modified — to clarify electrical safety meaning within the definition]

3.1.16

fault

system, device, or component unable to perform a required function, excluding both human error and the inability to perform a required function during preventive maintenance or other planned action

Note 1 to entry: A fault is often the result of a failure but can exist without prior failure.

Note 2 to entry: A fault is not the operator ignoring a warning sign. 'Ignoring' is equivalent to human error for the purposes of this definition.

3.1.17

I²t

current squared multiplied times the time

electrical quantity used to determine energy through a protective device, such as a circuit breaker or fuse, where I = current and t = time

Note 1 to entry: The excess heat generated in the protected conductors, is approximately proportional to the current squared times the duration of the overload.

3.1.18

interchangeable towed machinery

machine which is designed to be towed by a tractor and changes or adds to its functions

Note 1 to entry: It may include a load platform designed and constructed to receive any tools and appliances needed for those purposes, and to store temporarily any materials produced or needed during work.

Note 2 to entry: Any vehicle intended to be towed by a tractor and permanently incorporating an implement or designed to process materials shall be considered interchangeable towed machinery if the ratio of the technically permissible gross mass to the unladen mass of that vehicle is less than 3,0.

[SOURCE: ISO 12934:2021, 3.1.3]

3.1.19

IP code

degree of protection

extent of protection provided by an enclosure against access to hazardous parts, against egress of solid foreign objects and/or against ingress of water and verified by standardized test methods, related to preventing contact with live parts of a back-of-hand test (IPXXA), test finger (IPXXB), a test rod (IPXXC), or a test wire (IPXXD), which is also an indication of protection degrees related to the ingress of water and dust through enclosures (e.g. IPX3 by water spray, IPX5 by a water jet, IPX7 by short term immersion, IPX8 by continuous immersion, or IP6X for dust)

Note 1 to entry: IP degrees of protection are defined in IEC 60529.

[SOURCE: IEC 60529:1989+AMD 1:1999+AMD 2:2023, modified — added extra context found in IEC 60529]

3.1.20

live part

conductor or conductive component intended to be electrically energized in normal use, but not a combined EPB-neutral conductor

Note 1 to entry: Unless meeting all requirements of an EPB conductor, negative and neutral conductors are considered live on a system even though they can be connected galvanically to the chassis. EPB conductors have additional requirements for fault conditions and durability, which extend beyond a simple neutral or negative conductor.

3.1.21

lockout

lockout device

placement of an energy-isolating device, in accordance with an established procedure, ensuring that the energy-isolating device and the equipment being controlled cannot be operated until the device is removed

Note 1 to entry: A lockout device is any device that uses positive means, such as a lock, to hold an energy-isolating device in a safe position, thereby preventing the energizing of machinery or equipment.

3.1.22

maximum working voltage

highest value of AC voltage (rms) or of DC voltage that can occur under any normal operating conditions according to the manufacturer's specifications, disregarding transients, and ripple

[SOURCE: ISO 6469-3:2021, 3.26]

3.1.23

mobile machinery

tractors, self-propelled ride-on machines, *interchangeable towed machinery* (3.1.18), semi-mounted implements, and mounted implements used in agriculture and forestry which also applies to earth-moving machinery (EMM), as defined in ISO 6165

3.1.24

neutral conductor

conductor electrically connected to the neutral point and capable of contributing to the distribution of electrical energy

[SOURCE: IEC 60050-195:2021, 195-02-06]

[ISO 23285:2025](https://standards.iteh.ai/iso/feb076f3-6abb-4408-91de-e46fac693b71/iso-23285-2025)

3.1.25

pollution degree

numeral characterizing expected pollution of the micro-environment

[SOURCE: IEC 60050-581:2008, 581-21-07, modified — to eliminate irrelevant note]

3.1.26

power supply

provision of electrical energy from a source

[SOURCE: IEC 60050 151-13-75:2001]

3.1.27

protective barrier

part providing protection against direct contact from any usual direction of access

[SOURCE: IEC 60050-195:2021, 195-06-15, modified — directionality has been clarified.]