

ISO/FDIS 19109:####(en)

ISO/TC 211/WG 4

Secretariat: SIS

Date: 2025-01-1503-10

Geographic information — General feature model and rules for application schema

Information géographique — Modèle général des entités et règles relatives au schéma d'application

iTeh Standards
(<https://standards.itih.ai>)
FDIS stage

ISO/FDIS 19109

<https://standards.itih.ai/catalog/standards/iso/a4410137-6a92-4599-af95-b74672fe18ba/iso-fdis-19109>

© ISO 2025—All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT

ISO-#####-#####(X/FDIS 19109:2025(en)

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: + 41 22 749 01 11
E-mail: copyright@iso.org
Website: www.iso.org

Published in Switzerland

iTeh Standards (<https://standards.iteh.ai>) Document Preview

ISO/FDIS 19109

<https://standards.iteh.ai/catalog/standards/iso/a4410137-6a92-4599-af95-b74672fe18ba/iso-fdis-19109>

Contents

Foreword.....	Error! Bookmark not defined.
Introduction.....	Error! Bookmark not defined.
1 Scope.....	Error! Bookmark not defined.
2 Normative references.....	Error! Bookmark not defined.
3 Terms, definitions, and abbreviated terms.....	Error! Bookmark not defined.
3.1 Terms and definitions.....	Error! Bookmark not defined.
3.2 Abbreviated terms.....	Error! Bookmark not defined.
4 Conformance.....	Error! Bookmark not defined.
4.1 General.....	Error! Bookmark not defined.
4.2 Meta-Model.....	Error! Bookmark not defined.
4.3 Spatial.....	Error! Bookmark not defined.
4.4 Temporal.....	Error! Bookmark not defined.
4.5 Quality.....	Error! Bookmark not defined.
4.6 Spatial referencing by identifiers.....	Error! Bookmark not defined.
4.7 Coverages.....	Error! Bookmark not defined.
4.8 UML application schema.....	Error! Bookmark not defined.
4.9 Profile existing conceptual schema.....	Error! Bookmark not defined.
5 Presentation and abbreviations.....	Error! Bookmark not defined.
5.1 Presentation.....	Error! Bookmark not defined.
5.2 Package abbreviations.....	Error! Bookmark not defined.
6 Context.....	Error! Bookmark not defined.
6.1 Purpose of an application schema.....	Error! Bookmark not defined.
6.2 Rationale for defining the rules for application schemas.....	Error! Bookmark not defined.
6.3 Application schemas supporting data interchange.....	Error! Bookmark not defined.
7 General feature model.....	Error! Bookmark not defined.
7.1 Principle for defining features.....	Error! Bookmark not defined.
7.2 The Concept of the General Feature Model.....	Error! Bookmark not defined.
7.3 Conceptual Schema of the General Feature Model.....	Error! Bookmark not defined.
7.4 Attributes of feature types.....	Error! Bookmark not defined.
7.5 Relationships between feature types.....	Error! Bookmark not defined.
7.6 Constraints.....	Error! Bookmark not defined.
8 Rules for application schemas.....	Error! Bookmark not defined.
8.1 The application modelling process.....	Error! Bookmark not defined.
8.2 General rules for application schemas.....	Error! Bookmark not defined.
8.3 Rules for use of spatial schemas.....	Error! Bookmark not defined.
8.4 Rules for use of temporal schemas.....	Error! Bookmark not defined.
8.5 Rules for use of quality schemas.....	Error! Bookmark not defined.
8.6 Rule for use of geographic identifiers.....	Error! Bookmark not defined.
8.7 Use of metadata.....	Error! Bookmark not defined.
8.8 Rule for use of coverage functions.....	Error! Bookmark not defined.
8.9 Use of observations.....	Error! Bookmark not defined.
8.10 Rules for application schemas in UML.....	Error! Bookmark not defined.
8.11 Rules for domain profiles of existing conceptual schemas in UML.....	Error! Bookmark not defined.
(normative) Abstract test suite.....	Error! Bookmark not defined.
(informative) The modelling approach and the General Feature Model.....	Error! Bookmark not defined.

ISO-#####-#####(X/FDIS 19109:2025(en)

(informative) Application schema examples.....Error! Bookmark not defined.

(informative) Backward compatibilityError! Bookmark not defined.

BibliographyError! Bookmark not defined.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

ISO/FDIS 19109

<https://standards.iteh.ai/catalog/standards/iso/a4410137-6a92-4599-af95-b74672fe18ba/iso-fdis-19109>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 287, *Geographic Information*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 19109:2015), which has been technically revised.

The main changes are as follows:

- Changes in the title and scope
- New sub-clauses discussing the concept of the General Feature Model
- Re-organization of [Clause 7](#) to include only concepts of the General Feature Model and moving the general rules for application schema to [Clause 8](#)
- Updating the references to other ISO/TC 211 standards in applicable cases to reflect classes in respective latest versions
- Removing the dependencies to other ISO/TC 211 standards related to attributes of features

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Any description of reality is always an abstraction, always partial, and always just one of many possible “views”, depending on the application field.

The widespread application of computers and geographic information systems (GIS) has led to an increased use of geographic data within multiple disciplines. With current technology as an enabler, society’s reliance on such data is growing. Geographic datasets are increasingly being shared and exchanged. They are also used for purposes other than those for which they were produced.

To ensure that data will be understood by both computer systems and users, it is necessary to fully document the data structures for data access and exchange. The interfaces between systems, therefore, need to be defined with respect to data and operations, using the methods standardized in this document. For the construction of internal software and data storage within proprietary systems, any method is acceptable provided it supports the standardized interfaces.

An application schema provides the formal description of the data structure and content required by one or more applications. An application schema contains the descriptions of both geographic data and other related data. A fundamental concept of geographic data is the feature.

This document aims to express the importance of continuing the modelling of geospatial information according to the concepts contained in this document.

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 19109

<https://standards.iteh.ai/catalog/standards/iso/a4410137-6a92-4599-af95-b74672fe18ba/iso-fdis-19109>

Geographic information — General feature model and rules for application schema

1 Scope

This document defines the General Feature Model (GFM) as the metamodel for creating application schemas in the context of geo-information modelling. The GFM is explained and implemented as rules for creating and documenting application schemas, including principles for the definition of features.

This document is applicable to:

- conceptual modelling of features and their properties from a universe of discourse;
- definition of application schemas;
- general rules for using a conceptual schema language for application schemas;
- rules for application schemas using UML as the conceptual schema language;
- transition from the concepts in the conceptual model to the data types in the application schema;
- integration of standardized schemas from other ISO geographic information standards with the application schema.

This document does not apply to:

- choice of one particular conceptual schema language for application schemas;
- definition of any particular application schemas;
- representation of feature types and their properties in a feature catalogue;
- representation of metadata;
- rules for mapping one application schema to another;
- implementation of the application schema in a computer environment;
- computer system and application software design;
- programming.

2 Normative references

~~The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.~~

~~ISO 19103:2024, *Geographic information — Conceptual schema language*~~

~~There are no normative references in this document.~~

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1 ~~3.1.1~~

application

manipulation and processing of data in support of user requirements

[SOURCE: ISO 19101-1:2014, 4.1.1]

3.1.2 ~~3.1.2~~

application schema

conceptual schema (~~3.1.5(3.1.5)~~) for data required by one or more *applications* (~~3.1.1(3.1.1)~~)

[SOURCE: ISO 19101-1:2014, 4.1.2]

3.1.3 ~~3.1.3~~

complex feature

feature (~~3.1.9(3.1.9)~~) composed of other features

3.1.4 ~~3.1.4~~

conceptual model

model (~~3.1.15(3.1.15)~~) that defines concepts of a *universe of discourse* (~~3.1.19(3.1.19)~~)

[SOURCE: ISO 19101-1:2014, 4.1.5]

3.1.5 ~~3.1.5~~

conceptual schema

formal description of a *conceptual model* (~~3.1.4(3.1.4)~~)

[SOURCE: ISO 19101-1:2014, 4.1.6]

3.1.6 ~~3.1.6~~

coverage

function which returns values from its range for any direct position within its *domain* (~~3.1.8(3.1.8)~~)

[SOURCE: ISO 19123-1:2023, 3.1.9]

3.1.7 ~~3.1.7~~

dataset

identifiable collection of data

[SOURCE: ISO 19115-1:2014, 4.3]

3.1.8 ~~3.1.8~~

domain

well-defined set

Note 1 to entry: Well-defined means that the definition is both necessary and sufficient, as everything that satisfies the definition is in the set and everything that does not satisfy the definition is necessarily outside the set.

3.1.9 ~~3.1.9~~

feature

abstraction of real-world phenomena

Note 1 to entry: A feature can occur as a type or an instance. Feature type or feature instance will be used when only one is meant.

[SOURCE: ISO 19101-1:2014, 4.1.11]

3.1.10 ~~3.1.10~~

feature association

relationship that links instances of one *feature* (3.1.9(3.1.9)) type with instances of the same or a different feature type

[SOURCE: ISO 19110:2016, 3.3]

3.1.11 ~~3.1.11~~

feature attribute

characteristic of a *feature* (3.1.9(3.1.9))

Note 1 to entry: A feature attribute can occur as a type or an instance. Feature attribute type or feature attribute instance will be used when only one is meant.

Note 2 to entry: A feature attribute type has a name, a data type and a domain associated with it. A feature attribute instance has an attribute value taken from the domain of the feature attribute type.

[SOURCE: ISO 19101-1:2014, 4.1.12, modified — EXAMPLES and Notes have been removed and two new Notes to entry have been added.]

3.1.12 ~~3.1.12~~

geographic data

data with implicit or explicit reference to a location relative to the Earth

Note 1 to entry: Geographic information is also used as a term for information concerning phenomena implicitly or explicitly associated with a location relative to the Earth.

3.1.13 ~~3.1.13~~

general feature model

metamodel that classifies real-world phenomena and defines their respective attributes and relationships

3.1.14 ~~3.1.14~~

metadata

information about a resource

[SOURCE: ISO 19115-1:2014, 4.10]

3.1.15 ~~3.1.15~~

model

abstraction of some aspects of reality

3.1.16 ~~3.1.16~~

observation

act carried out by an observer to determine the value of an observable *property* (3.1.17(3.1.17)) of an object (feature-of-interest) by using a procedure, with the value is provided as the result

[SOURCE: ISO 19156:2023, 3.13]

3.1.17 3.1.17
property
facet or attribute of an object referenced by a name

[SOURCE: ISO 19143:2010, 4.21]

3.1.18 3.1.18
quality
degree to which a set of inherent characteristics of an object fulfils requirements

[SOURCE: ISO 9000:2015, 3.6.2, modified — Note 1 and Note 2 to entry have been removed]

3.1.19 3.1.19
universe of discourse
view of the real or hypothetical world that includes everything of interest

[SOURCE: ISO 19101-1:2014, 4.1.38]

3.2 Abbreviated terms

- CSL Conceptual Schema Language
- GFM General Feature Model
- MOF Meta-Object Facility
- OCL Object Constraint Language
- OWL Web Ontology Language
- UML Unified Modeling Language
- URI Uniform Resource Identifier

4 Conformance

4.1 General

This document defines 8 conformance classes shown in [Tables 1](#) to [8](#), matching the 8 requirements classes described in [Clause 8](#). Any application schema claiming conformance to any requirements class in this document shall pass all of the tests listed in the corresponding conformance class, which are described in detail in the abstract test suites in [Annex A](#). Each test relates to one or more specific requirements, which are explicitly indicated in the description of the test.

4.2 Meta-Model

Table 1 — Meta-model conformance class

Conformance class	/conf/general
Requirements class	/req/general (8.2, Table 11)
Tests	All tests in Clause A.2

4.3 Spatial

Table 2 — Spatial conformance class

Conformance class	/conf/general-spatial
Dependency	/conf/general (4.2(4.2))
Requirements class	/req/general-spatial (8.3, Table 12(8.3, Table 12))
Tests	All tests in Clause A.3 Clause A.3

4.4 Temporal

Table 3 — Temporal conformance class

Conformance class	/conf/general-temporal
Dependency	/conf/general (4.2(4.2))
Requirements class	/req/general-temporal (8.4, Table 14(8.4, Table 14))
Tests	All tests in Clause A.4 Clause A.4

4.5 Quality

Table 4 — Quality conformance class

Conformance class	/conf/general-quality
Dependency	/conf/general (4.2(4.2))
Requirements class	/req/general-quality (8.5, Table 16(8.5, Table 16))
Tests	All tests in Clause A.5 Clause A.5

4.6 Spatial referencing by identifiers

Table 5 — Spatial referencing by identifiers conformance class

Conformance class	/conf/general-identifier
Dependency	/conf/general (4.2(4.2))
Requirements class	/req/general-identifier (8.6, Table 17(8.6, Table 17))
Tests	All tests in Clause A.6 Clause A.6

4.7 Coverages

Table 6 — Coverages conformance class

Conformance class	/conf/general-coverage
Dependency	/conf/general (4.2(4.2))
Requirements class	/req/general-coverage (8.8, Table 18(8.8, Table 18))
Tests	All tests in Clause A.7 Clause A.7

4.8 UML application schema

Table 7 — UML application schema conformance class

Conformance class	/conf/uml
Dependency	/conf/general (4.2(4.2))
Requirements class	/req/uml (8.10.1, Table 20(8.10.1, Table 20))
Tests	All tests in Clause A.8Clause A.8

4.9 Profile existing conceptual schema

Table 8 — Profile existing conceptual schema conformance class

Conformance class	/conf/uml-profile
Dependency	/conf/uml (4.8(4.8))
Requirements class	/req/uml-profile (8.11, Table 22(8.11, Table 22))
Tests	All tests in Clause A.9Clause A.9

5 Presentation and abbreviations

5.1 Presentation

5.1.1 General

This document describes how to create an application schema that integrates conceptual schemas defined in the ISO geographic information standards. In addition to stating the rules for creating application schemas, this document provides guidance through examples.

5.1.2 Conformance class

Conformance to this document is possible at a number of levels, specified by conformance classes (Clause 4(Claude 4)). Each conformance class is summarized using the template shown as Table 9Table 9.

Table 9 — Conformance class template

Conformance class	/conf/{classM}
Dependency	[identifier for another conformance class]
Requirements class	/req/{classA}
Tests	[reference to clause(s) containing tests]

All tests in a class shall be passed, so dependencies are recorded with respect to other conformance classes rather than individual tests. Each conformance class tests conformance to a set of requirements packaged in a requirements class (Clause 8(Claude 8)).

5.1.3 Requirements class

Each requirement or recommendation in this document is a member of a requirements class. In this document each requirements class is described in a discrete clause or subclause and summarized using the template shown as Table 10Table 10.

Table 10 — Requirements class template

Requirements class	/req/{classM}
Target type	[artefact or technology type]
Dependency	[identifier for another requirements class]
Requirement	/req/{classM}/{reqN}
Recommendation	/rec/{classM}/{recO}
Requirement/Recommendation	[repeat as necessary]

All requirements in a class shall be satisfied, so the requirements class is the unit of re-use and dependency, rather than individual requirements. Hence, the value of a dependency requirement is another requirements class.

5.1.4 Provisions

All requirements are normative, while recommendations convey a possible course of action deemed suitable without necessarily prohibiting others. Each provision is presented using the following template:

Name # /re(c|q)/[classM]/[re(c|q)(N|O)] [Normative statement]
[Normative statement]

where /req/[classM]/[reqN] identifies the requirement and /rec/[classM]/[recO] identifies the recommendation. The use of this layout convention allows the provisions of this document to be easily located by implementers.

5.1.5 Identifiers

Each requirements class, requirement, and recommendation has an identifier in the form of a path or partial URI. The identifier supports cross-referencing of class membership, dependencies, and links from each conformance test to requirements tested. The identifier can be appended to a URI that identifies the standard as a whole in order to construct an absolute URI which identifies the requirements class, requirement or recommendation. For example, a URI scheme following the approach described in 4.6 of IETF RFC 5141 [26] would result in:

— <https://standards.iso211.org/19109/-/3>

— <http://standards.iso211.org/19109/-/3>

Hence, the absolute URI for each requirements class would have the form

— [https://standards.iso211.org/19109/-/3/req/\[classM\]](https://standards.iso211.org/19109/-/3/req/[classM])

— [http://standards.iso211.org/19109/-/3/req/\[classM\]](http://standards.iso211.org/19109/-/3/req/[classM])

and the absolute URI for each requirement or recommendation would have the form

— [https://standards.iso211.org/19109/-/3/re\(c|q\)/\[classM\]/\[re\(c|q\)\(N|O\)\]](https://standards.iso211.org/19109/-/3/re(c|q)/[classM]/[re(c|q)(N|O)])

— [http://standards.iso211.org/19109/-/3/re\(c|q\)/\[classM\]/\[re\(c|q\)\(N|O\)\]](http://standards.iso211.org/19109/-/3/re(c|q)/[classM]/[re(c|q)(N|O)])

5.1.6 Conceptual schemas

Conceptual schemas in the normative part of this document are presented in the Unified Modeling Language (UML) in conformance with ISO 19103. UML diagrams are presented in ~~compliance~~conformance with UML 2.5.1.

5.1.7 Descriptions of concepts

Within the diagrams in this document, as a convention, class names are denoted as in Recommendation 12 of ISO 19103.

Within the text, class names and attributes are presented in italics for clarity of discussion (e.g., *AttributeType*). When necessary, such as in cases where two interfaces from different packages have the same name, the package name is written before the name, separated by double colons (e.g., *Topology::Complex* vs. *Geometry::Complex*).

Concepts from UML are presented in all capitals – e.g., CLASS, PACKAGE, ROLE, ATTRIBUTE, ASSOCIATION.

5.2 Package abbreviations

Concepts from schemas defined in some other International Standards are designated with names that start with two-letter codes as ~~follow~~follows:

EX	ISO 19115 1:2014/Amd 1:2018/Amd 2:2020 Extent Information
LI	ISO 19115-1:2014/Amd 1:2018/Amd 2:2020 Lineage information
MD	ISO 19115-1:2014/Amd 1:2018/Amd 2:2020 Metadata fundamentals
MI	ISO 19115-2:2019/Amd 1:2022 Metadata extensions for imagery
TM	ISO 19108:2002/Cor 1:2006 Temporal Schema

6 Context

6.1 Purpose of an application schema

An application schema is a conceptual schema for data required by one or more applications. An application schema defines:

- the content and structure of data;
- and can define:
- operations for manipulating and processing data;
 - constraints to ensure the integrity of the data.

The purpose of an application schema is twofold:

- to provide a computer-readable data description defining the data structure, which makes it possible to apply automated mechanisms for data management;
- achieve a common and correct understanding of the data, by documenting the data content of the particular application field, thereby making it possible to unambiguously retrieve information from the data.