



International Standard

ISO 11812

Small craft — Watertight or quick- draining recesses and cockpits

AMENDMENT 1

*Petits navires — Cavités et cockpits étanches ou rapidement
autovideurs*

AMENDEMENT 1

**Second edition
2020-07**

**AMENDMENT 1
2024-08**

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO 11812:2020/Amd 1:2024](https://standards.itih.ai/catalog/standards/iso/e4b9f327-84bd-4947-8806-04821ce13c54/iso-11812-2020-amd-1-2024)

<https://standards.itih.ai/catalog/standards/iso/e4b9f327-84bd-4947-8806-04821ce13c54/iso-11812-2020-amd-1-2024>

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 11812:2020/Amd 1:2024](https://standards.iteh.ai/catalog/standards/iso/e4b9f327-84bd-4947-8806-04821ce13c54/iso-11812-2020-amd-1-2024)

<https://standards.iteh.ai/catalog/standards/iso/e4b9f327-84bd-4947-8806-04821ce13c54/iso-11812-2020-amd-1-2024>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 188, *Small craft*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 464, *Small Craft*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

<https://standards.iteh.ai/catalog/standards/iso/e4b9f327-84bd-4947-8806-04821ce13c54/iso-11812-2020-amd-1-2024>

<https://standards.iteh.ai/catalog/standards/iso/e4b9f327-84bd-4947-8806-04821ce13c54/iso-11812-2020-amd-1-2024>

Small craft — Watertight or quick-draining recesses and cockpits

AMENDMENT 1

Foreword

Replace “The main changes compared to the previous edition are as follows:” with “The main changes are as follows (see also Annex D):”.

Clause 1

Replace last sentence by the following:

This document does not guarantee that the water contained in a watertight or quick-draining recess or cockpit will not affect the stability and buoyancy of the craft, which are covered by ISO 12217-1, ISO 12217-2 and ISO 12217-3.

Clause 2

Replace the seven references by the following:

ISO 8666, *Small craft — Principal data*

ISO 9093, *Small craft — Seacocks and through-hull fittings*

ISO 12216, *Small craft — Windows, portlights, hatches, deadlights and doors — Strength and watertightness requirements*

ISO 12217-1, *Small craft — Stability and buoyancy assessment and categorization — Part 1: Non-sailing boats of hull length greater than or equal to 6 m*

ISO 12217-2, *Small craft — Stability and buoyancy assessment and categorization — Part 2: Sailing boats of hull length greater than or equal to 6 m*

ISO 12217-3, *Small craft — Stability and buoyancy assessment and categorization — Part 3: Boats of hull length less than 6 m*

3.1

Replace Note 1 to entry by the following:

Note 1 to entry: The design categories are defined in ISO 12217-1, ISO 12217-2 and ISO 12217-3.

3.2

Replace Note 1 to entry by the following:

Note 1 to entry: The reference sail area, A_s , is defined in ISO 8666.

3.3

Replace Note 1 to entry by the following:

Note 1 to entry: The reference sail area, A_s , is defined in ISO 8666.

3.4

Replace Note 1 to entry by the following:

Note 1 to entry: The fully loaded, ready-for-use condition is defined in ISO 8666.

3.5

Replace Note 1 to entry by the following:

Note 1 to entry: The fully loaded, ready-for-use condition is defined in ISO 8666.

3.6

Replace Note 1 to entry by the following:

Note 1 to entry: Where fitted with closure device(s) according to ISO 12216, cabins, shelters or lockers are not recesses.

[ISO 11812:2020/Amd 1:2024](https://standards.iteh.ai/catalog/standards/iso/e4b9f327-84bd-4947-8806-04821ce13c54/iso-11812-2020-amd-1-2024)

<https://standards.iteh.ai/catalog/standards/iso/e4b9f327-84bd-4947-8806-04821ce13c54/iso-11812-2020-amd-1-2024>

3.10

Replace the terminological entry by the following:

3.10

recess open to the sea

recess (3.6) where the aft and/or side boundaries are open to the outside of the craft so to not retain water in the recess, with:

- a *recess retention height* (3.21) equal to zero; or
- a draining section area of the recess greater than or equal to $[0,05 V_C]$, where V_C is the recess volume (3.30)

Note 1 to entry: Figure C.1 gives an example of a recess open to the sea.

3.18, Table 1, footer

Replace the note by the following:

NOTE Test procedures for watertightness degrees are provided in ISO 12216.