ISO-<u>/PRF</u> 9211-3:2023(E

ISO-<u>/</u>TC-<u>172/SC-03</u>

Secretariat:-JISC

Date: 2023-11-29xx

Optics and photonics—Optical coatings——

Part-3:

Environmental durability

Optique et photonique-_— Traitements optiques——___

Partie-_3: Durabilité environnementale

iTeh Standards

(https://standards.iteh Document Preview

PROOF, O/PRF 9211-

https://standards.iteh.ai/catalog/standards/sist/a91ea81d-f0fc-47ba-b4a

Style Definition	
Style Definition	
Style Definition	$\overline{}$
Style Definition	$\overline{}$
Style Definition	
Style Definition	
Style Definition	<u> </u>
Style Definition	
Style Definition	Ä
Style Definition	
Style Definition	()
Style Definition	
C. I. D. C. W.	$\overline{}$

Style Definition
Style Definition

ISO/PRF 9211-3:2023(E)

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: + 41 22 749 01 11

Email E-mail: copyright@iso.org Website: www.iso.orgwww.iso.org

Published in Switzerland

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line

spacing: single

Formatted: French (France)

Formatted: Left: 1.9 cm, Right: 1.9 cm, Bottom: 1 cm, Gutter: 0 cm, Header distance from edge: 1.27 cm,

Footer distance from edge: 0.5 cm

Commented [eXtyles1]: The reference is to a withdrawn standard which has been replaced

ISO 20344, Personal protective equipment — Test methods for footwear

Formatted: Default Paragraph Font, French (France)

Formatted: FooterPageRomanNumber

Formatted: French (France)

Formatted: Default Paragraph Font, French (France)

Formatted: French (France)

Formatted: French (France)

Formatted: French (France)

Formatted: French (France)

ISO-/PRF_9211-3:2023(E)

Contents

Foreword. Normative references 3 Terms and definitions..... General information for use 4.1 Environmental test code 4.2 Standard categories of use 4.2.1 General..... 4.2.2 Category A..... 4.2.3 Category B..... 4.2.4 Category C 4.2.5 Category D..... 4.2.6 Category 0..... 4.3 General use case..... 4.4 Operating and storage conditions..... 4.5 Temperature conditions..... 4.6 Influence of the substrate..... 4.7 Cemented coatings..... Indications on drawings..... 5.1 Standard categories of use 5.2 General use case..... 5.2.1 General..... 5.2.2 Direct description 5.2.3 Tabular description..... Annex A (informative) Environmental tests for optical coatings. Annex B (informative) Implementation of test sequence for Category of use O... Bibliography..... Foreword 1 Scope 1

Normative references 1
Terms and definitions 1

4 General information for use 2
4.1 Environmental test code 2

4.2 Standard categories of use

© ISO 2023 — All rights reserved

© ISO 2023 - All rights reserved

Formatted: Font: 11 pt, Bold
Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Left, Space After: 0 pt, Line spacing: single

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

2C916C3999Ea/180-p11-9211-3

 $\textbf{Formatted:} \ \mathsf{FooterPageRomanNumber}$

Formatted: Font: 11 pt, Bold Formatted: HeaderCentered, Space After: 0 pt, Line 4.2.1 General spacing: single 4.2.2—Category A 3 4.2.3 Category B 3 4.2.4 Category C 4.2.5 Category D 5 4.2.6 Category 0 6 4.3 General use case 4.4 Operating and storage conditions 7 4.5 Temperature conditions 7 4.6 Influence of the substrate 4.7 Cemented coatings 7 5 Indications on drawings 7 5.1 Standard categories of use 7 5.2 General use case 8 5.2.1 General 8 5.2.2 Direct description 5.2.3 Tabular description 8 Annex A (normative) Environmental tests for optical coatings 9 Annex B (informative) Implementation of test sequence for Category of use 0 15 Bibliography 17

ISO/PRF 9211-3:2023(E)

ISO/PRF 9211-3

https://standards.iteh.ai/catalog/standards/sist/a91ea81d-f0fc-47ba-b4a3-2c9f8c5999ea/iso-prf-9211-3

© ISO 2023 - All rights reserved

Formatted: FooterPageRomanNumber

Formatted: Font: 11 pt, Bold

iv

© ISO 2023 - All rights reserved

iv

ISO-/PRF_9211-3:2023(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents.. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee [or Project Committee] ISO/TC 172, Optics and photonics, Subcommittee SC 3, Optical materials and components.

This third edition cancels and replaces the second edition (ISO 9211-3:2008), which has been technically revised.

The main changes are as follows:

- ——Included ISO 9211-2 in bibliography.
- —Add new section that explains the test code notation to use when specifying a coating environmental durability test.
- ——Remove previous Annex AAnnex A and move test sequence tables for standard categories into relevant sections.
- Update notation for standard test sequence tables to include conditioning method and degree of severity test code notation.

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Left, Space After: 0 pt,

Line spacing: single

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: English (United Kingdom)

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Commented [eXtyles2]: ISO 9211-2: current stage is 50 00

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Formatted: FooterPageRomanNumber

© ISO 2023 - All rights reserved

ISO/PRF 9211-3:2023(E)

- Clarify that category 0 is for non-standard test sequences that are also similar to other standard categories of use.
- Add new section for a general use case when specifying coating environmental durability tests
 and the sequence they follow. This is used for test sequences that are not similar to any of the standard
 categories of use.
- —Add statement that if specifying a temperature requirement for a coating, this notation is described in ISO 9211-2.
- Add new normative Annex Annex A that includes the previously shown table 1.
- Update previous <u>able 1 Table 1</u> to include conditioning method and degrees of severity test code notation.
- Add new relevant degrees of severity from JSO 9022-2 Amd 1 and JSO 9022-4 Amd 1.
- —Add conditioning methods and degrees of severity shown in <u>ISO 9211-5 to ISO 9211-8 not listed</u> previously.
- Clarify descriptions in previous table 1 to match what is listed in the conditioning method table for each test.
- ——Separate solvent solubility line in previous Tables A.2, A.3 and A.4 to two lines, separating
 <u>Acetoneacetone</u> and <u>Ethanolethanol</u>.
- Add new informative Annex B Annex B explaining how to use category 0.

A list of all parts in the ISO 9211 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

https://standards.iteh.ai/catalog/standards/sist/a91ea81d-f0fc-47ba-b4a3

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line

spacing: single

Commented [eXtyles3]: ISO 9211-2: current stage is 50.00

Formatted: Default Paragraph Font

Commented [eXtyles4]: Invalid reference: "ISO 9211 series"

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: English (United Kingdom)

Field Code Changed

Formatted: FooterPageRomanNumber

INTERNATIONAL STANDARD ISO 9211 3:2023(I

Optics and photonics—Optical coatings——

Part-

Environmental durability

1 Scope

ISO_9211_(series) describes surface treatments of components and substrates excluding ophthalmic optics (spectacles) by the application of optical coatings and gives a standard form for their specification. It defines the general characteristics and the test and measurement methods whenever necessary, but it is not intended to define the process method.

This document specifies general use and standard categories of use for optical coatings and identifies which environmental tests are necessary to prove that the coatings meet the required specification. The mechanical and chemical properties of coated optical elements, and more generally their environmental durability, can be assessed by a variety of methods. The test methods are generally described in various parts of ISO_9022 and in ISO_9211-4. These test methods are selected to give meaningful results representative of actual exposure of optical elements in their operating environment, alternatively to the minimum requirements as described in ISO 9211-5 to ISO 9211-8, which are coating type related.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

<std>ISO 9022 1, Optics and photonics Environmental test methods Part 1: Definitions, extent of testing</std>

<std>ISO 9022 2, Optics and photonics Environmental test methods Part 2: Cold, heat an humidity</std>

<std>ISO 9022-4, Optics and photonics Environmental test methods Part 4: Salt mist</std>

<std>ISO 9022 6, Optics and photonics Environmental test methods Part 6: Dust</std>

<std>ISO 9022 9, Optics and photonics Environmental test methods Part 9: Solar radiation and weathering</std>

<std>ISO 9022-11, Optics and photonics—Environmental test methods—Part 11: Mould growth</std>

<std>ISO 9022 12, Optics and photonics Environmental test methods Part 12: Contamination </std

<std>ISO 9022-14, Optics and photonics Environmental test methods Part 14: Dew, hoarfros

<std>ISO 9211-ISO 9022-1, Optics and photonics — Environmental test methods — Part 1: Definitions extent of testing

Formatted: Left: 1.9 cm, Right: 1.9 cm, Bottom: 1 cm, Gutter: 0 cm, Section start: New page, Header distance from edge: 1.27 cm, Footer distance from edge: 0.5 cm

Formatted: Main Title 2, Space After: 0 pt, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Default Paragraph Font

3:

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font
Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

ISO/PRE 9211-3:2023(E)

ISO 9022-2, Optics and photonics — Environmental test methods — Part 2: Cold, heat and humidity

ISO 9022-4, Optics and photonics — Environmental test methods — Part 4: Salt mist

ISO 9022-6, Optics and photonics — Environmental test methods — Part 6: Dust

ISO 9022-9, Optics and photonics — Environmental test methods — Part 9: Solar radiation and weathering

ISO 9022-11, Optics and photonics — Environmental test methods — Part 11: Mould growth

ISO 9022-12, Optics and photonics — Environmental test methods — Part 12: Contamination

ISO 9022-14, Optics and photonics — Environmental test methods — Part 14: Dew, hoarfrost, ice

<u>ISO 9211-4, Optics and optical instruments — Optical coatings — Part 4: Specific test methods: abrasion, adhesion and resistance to water /std></u>

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminologicalterminology databases for use in standardization at the following


- —ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

4 General information for use

4.1 Environmental test code

2

The coating environmental durability tests should be listed according the environmental test codenotation. In the case that the ISO base number is the ISO 9022 series, the part of ISO 9022 shall not to be listed, as per the notation in ISO 9022-1, as shown in Figure 1. Only the conditioning method and degree of severity shall be listed following the ISO 9022 base number for the test code.



NOTE ____The test code notation from ISO 9022-1 is slightly different in that this description does not include the statement "Environmental test". The environmental test name should be included as a descriptor to the environmental test code to avoid confusion, but is not directly a part of the environmental test code.

Figure 1-_— Code for environmental tests

© ISO 2023 All rights reserved

© ISO 2023 – All rights reserved

Formatted: Font: 11 pt, Bold
Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line

spacing: single

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Commented [eXtyles5]: The match came back with a different title. The original title was: Optics and optical instruments — Optical coatings — Part 4: Specific test methods: abrasion, adhesion and resistance to water

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Commented [eXtyles6]: The URL

https://www.iso.org/obp has been redirected to https://www.iso.org/obp/ui. Please verify the URL.

Formatted

Formatted Formatted

Formatted

Commented [eXtyles7]: Invalid reference: "ISO 9022

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font **Formatted:** Default Paragraph Font

Torridacea. Beradic raragraph rom

Formatted: Default Paragraph Font
Formatted: Default Paragraph Font


Formatted: Default Paragraph Font

Formatted Formatted

Formatted: FooterPageRomanNumber

ISO-/PRF_9211-3:2023(E)

If the environmental durability test is one specified from ISO 9211-4, the ISO base number shall be listed as 9211-4, as shown in Figure 2. Figure 2. This notation still includes the conditioning method and degree of severity.



NOTE ____ The test code notation from ISO 9211-4 is slightly different in that this description does not include the statement "Coating environmental durability test". The coating environmental durability test name should be included as a descriptor to the environmental test code to avoid confusion, but is not directly a part of the environmental test code.

Figure 2- Code for coating environmental durability tests

4.2 Standard categories of use

4.2.1 General

Four standard categories of use and one non—standard category of use are defined. The four standard categories of use represent different environmental conditions that a component may experience. Each category requires either different environmental tests and/or different degrees of severity. These categories are listed below in order of severity of requirement. These categories are a summary of use cases and are not exhaustive of all instances.

Note: A complete description of environmental durability tests, necessary for all standard categories of use, isshall be as provided in Annex A. Annex A.

4.2.2 Category A dards. iteh.ai/catalog/standards/sist/a91ea81d-f0fc-47ba-b4a

This category refers to components in applications which would normally only apply when they are to be mounted internally within sealed units. In this category, handling is in a protected and controlled environment and should only take place with extreme care. Physical contact with the optically coated surface is discouraged. See Table 1 for complete test sequence.

Table 1- — Default test sequence for Category of use A (one test sample is used)

Tes	Test code	Test	Description	Sa
1	ISO 9022-10-05	Cold	Expose to a temperature of -25 °C ± 3 °C for 16 h	х
2	ISO 9022-11-03	Dry heat	Expose to an atmosphere of 55 °C ± 2 °C (below 40 % relative humidity) for 16 h	х

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted Formatted

_ ...

Formatted

Commented [eXtyles8]: Invalid reference: "ISO 9022-1

Formatted

Formatted

Formatted

Formatted

Torritatieu

Commented [eXtyles9]: Invalid reference: "ISO 9022-1

Formatted

Formatted

Formatted

Formatted

Formatted

© ISO 2023 – All rights reserved

ISO/PRF 9211-3:2023(E)

4.2.3 Category B

This category refers to applications where components will be exposed only to a controlled environment. Such applications may involve mild abrasion such as occurs with carefully controlled cleaning. See Table 2 for complete test sequence.

Table 2-_— Default test sequence for Category of use B (two test samples are used)

Tes	Test code_	Test	Description	Sa	Sa	7
1	ISO 9211-4-02-01	Adhesion: tape test	Slow tape removal	Х	Х	ŀ
2	ISO 9211-4-01-01	Abrasion: cheesecloth/eraser test	50 strokes cheesecloth	х		4
3	ISO 9022-10-07	Cold	Expose to a temperature of – 35 °C ± 3 °C for 16 h		х	4
4	ISO 9022-11-05	Dry heat	Expose to an atmosphere of 70 °C ± 2 °C (below 40 % relative humidity) for 6 h		х	4
5	JSO 9022-12-06	Damp heat	Expose to climatic conditions of 90 % to 95 % relative humidity and 55 °C \pm 2 °C for 6 h		х	•
6	,ISO,9022-,14-02	Slow temperature change	- 25 °C ± 3 °C to + 55 °C ± 2 °C Number of cycles: 5 Dwell time: wait until sample has reached a temperature within at least 3 K of the test chamber temperature but not less than 2,5 h Test chamber temperature change rate: between 0,2 K/min and 2 K/min	ls te	x	4
7	ISO 9022-87-01	Laboratory agent: Acetone (CH3COCH3)	5 min	х	V V	ļ
8	ISO 9022-87-01	Laboratory agent: Ethanol (C ₂ H ₅ OH)	5 min ISO/PRF 9211-3	x	4.2	ļ
9	ISO 9211-4-02-01	Adhesion: tape test	Slow tape removal	X	X	4

4.2.4 Category C

This category refers to applications where components will be exposed to normal outdoor ambient conditions and cleaning but without severe abrasion and scratching. See <u>Table 3</u> For complete test sequence.

Table 3—Default test sequence for Category of use C (three test samples are used)

Tes	Test code	Test	Description	Sa	Sa	Sa
1	ISO 9211-4-02- 02	Adhesion: tape test	Quick tape removal	х	х	х
2	JSO 9211-4-01- 02	Abrasion: cheesecloth/eraser test	100 strokes cheesecloth	х		

© ISO 2023 - All rights reserved

Formatted Formatted Formatted Formatted

4

© ISO 2023 - All rights reserved

Formatted Formatted Formatted Formatted Formatted Formatted **Formatted Formatted** Formatted Formatted **Formatted Formatted** Formatted **Formatted** Commented [eXtyles10]: Invalid reference: "ISO 9211- **Formatted Formatted** Commented [eXtyles11]: Invalid reference: "ISO 9211-**Formatted Formatted** Commented [eXtyles12]: Invalid reference: "ISO 9022-**Formatted** Formatted Commented [eXtyles13]: Invalid reference: "ISO 9022-**Formatted Formatted** Commented [eXtyles14]: Invalid reference: "ISO 9022-Formatted **Formatted** Commented [eXtyles15]: Invalid reference: "ISO 9022-**Formatted Formatted** Commented [eXtyles16]: Invalid reference: "ISO 9022-**Formatted Formatted Formatted** Commented [eXtyles17]: Invalid reference: "ISO 9022-**Formatted** Formatted Commented [eXtyles18]: Invalid reference: "ISO 9211-**Formatted Formatted Formatted Formatted Formatted Formatted** Formatted **Formatted** Formatted **Formatted Formatted**

Formatted