



Technical Specification

ISO/TS 17430

Patient compartment of negative pressure ambulance — Technical specifications

*Compartiment patient pour ambulance à pression négative —
Spécifications techniques*

**First edition
2025-02**

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TS 17430:2025](https://standards.iteh.ai/catalog/standards/iso/d199fed6-298a-43e8-b511-f6c1af26d690/iso-ts-17430-2025)

<https://standards.iteh.ai/catalog/standards/iso/d199fed6-298a-43e8-b511-f6c1af26d690/iso-ts-17430-2025>

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TS 17430:2025](https://standards.iteh.ai/catalog/standards/iso/d199fed6-298a-43e8-b511-f6c1af26d690/iso-ts-17430-2025)

<https://standards.iteh.ai/catalog/standards/iso/d199fed6-298a-43e8-b511-f6c1af26d690/iso-ts-17430-2025>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General requirements for patient compartment	2
5 Special requirements for patient compartment	2
5.1 Sealing and isolation requirements.....	2
5.2 Requirements for performance of negative pressure.....	2
5.3 Ventilation frequency requirements.....	2
5.4 Air directional collection efficiency requirements.....	2
5.5 Requirements for disinfection system.....	2
5.6 Requirements for filtration equipment of negative pressure system.....	3
5.7 Requirements for disinfection device of negative pressure system.....	3
6 Marking	3
7 Manual	4
8 Test methods	4
8.1 Sealing performance test.....	4
8.2 Negative pressure performance test.....	4
8.3 Ventilation rate test.....	4
8.4 Air directional collection efficiency requirements.....	5
8.4.1 Test equipment and facilities.....	5
8.4.2 Test procedures.....	5
8.4.3 Test results.....	6
8.5 Test for disinfection system.....	6
8.6 Verification for performance of the filtration device of negative pressure system.....	6
8.7 Verification for result of disinfection device of negative pressure system.....	6
Bibliography	7

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 40, *Specific aspects for light and heavy commercial vehicles, busses and trailers*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/TS 17430:2025

<https://standards.iteh.ai/catalog/standards/iso/d199fed6-298a-43e8-b511-f6c1af26d690/iso-ts-17430-2025>

Introduction

According to the data from World Health Organization, there have been large-scale outbreaks of respiratory infectious diseases in the past decades, such as SARS, bird flu, H1N1, MERS, CoVID-19, etc., posing a huge challenge to the public health system. In the fight against respiratory diseases, the concept of negative pressure ambulances was initiated by public health and epidemic experts. For the establishment and improvement of the public health emergency rescue system, we have studied the negative pressure ambulance products with global experts.

A negative pressure ambulance is defined as an ambulance fitted with negative pressure and sterilization equipment, used for the care, monitoring and transportation for respiratory disease patients. It provides treatment for patients, isolates sources of transmission and prevents cross infection effectively. Due to the highly contagious nature of respiratory viruses, conventional ambulances are not up to the task of transporting. Compared with conventional ambulances, negative pressure ambulances can effectively block airborne transmission, greatly reduce the risk of infection for medical and public personnel, as well as the contamination of the surrounding environment, effectively ensuring the safe transport of respiratory infection patients.

As a special type of ambulance, the difference between a negative pressure ambulance and any other conventional ambulance mainly lies in the patient compartment, which has functions such as blocking the source of infection, disinfecting and sterilizing, preventing cross-infection and many others. In the state of the art, there are no special, systematic and unified technical requirements for negative pressure ambulances globally. During the production and use phase, the absence of unified regulations and unbalanced standards for the negative pressure ambulance, especially for its patient compartment, causes great trouble to the production and leading the risk of use. For the safe use of negative pressure ambulances, it is of great significance to develop a technical specification for the patient compartment of negative pressure ambulances in the ISO system as a global reference in line with their differences and characteristics. This document mainly involves the special requirements and test methods of the patient compartment, including sealing and isolation, negative pressure, ventilation rate, directional airflow, sterilization system, filtration, and sterilization device of the negative pressure system. Relative technical standards and test methods are fully in accordance with the needs of the medical and health industry, to improve the technical level of the products and provide safer services in the transfer of patients, and promote effective and timely treatment of patients in the epidemic environment.

In summary, forming a set of global, unified, formal negative pressure ambulance technical specifications of patient compartments could have a positive impact on controlling infectious respiratory diseases around the world, reduce the risk of transmission and can better protect medical workers and the surrounding environment.

