

ISO/FDIS 18081:2024(E)

ISO/TC 135/SC 9/AWG 11

Secretariat: SAC

Date: 2024-01-23/03-18

Non-destructive testing — Acoustic emission testing (AT) — Leak detection by means of acoustic emission

Essais non destructifs — Essais d'émission acoustique — Détection de fuites par émission acoustique

iTeh Standards
(<https://standards.itih.ai>)
FDIS stage Preview

ISO/FDIS 18081

<https://standards.itih.ai/catalog/standards/iso/fc41e6d3-e709-459c-a570-95c4193d6ea7/iso-fdis-18081>

Edited DIS - MUST BE USED FOR FINAL DRAFT

ISO/FDIS 18081:2024(En)

© ISO 2023/2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 18081

<https://standards.iteh.ai/catalog/standards/iso/fc41e6d3-e709-459c-a570-95c4193d6ea7/iso-fdis-18081>

Contents

Foreword ix

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Qualification of test personnel 2

5 Principle of acoustic emission testing 2

5.1 The acoustic emission phenomenon 2

5.2 Influence of different media and different phases 3

5.3 Influence of pressure differences 5

5.4 Influence of geometry of the leak path 5

5.5 Influence of wave propagation 5

6 Applications 6

7 Testing equipment 7

7.1 General requirements 7

7.2 Sensors 7

7.2.1 Typical frequency ranges (band widths) 7

7.2.2 Mounting technique 7

7.2.3 Temperature range, wave guide 8

7.2.4 Intrinsic safety 8

7.2.5 Immersed sensors 8

7.2.6 Integral electronics (amplifier, RMS converter, ASL converter, band pass) 8

7.3 Portable and non-portable AE instruments 8

7.4 Single and multi-channel AT instruments 8

7.4.1 Single-channel instruments 8

7.4.2 Multi-channel instruments 9

7.5 Determination of features (RMS, ASL vs. hit or continuous AE vs. burst AE) 9

7.6 System verification using artificial leak noise sources 9

8 Test procedure for leak detection 10

8.1 Mounting of sensors 10

8.2 Additional features to be determined 11

8.3 Background noise 11

8.3.1 General 11

8.3.2 Environmental noise 11

8.3.3 Process noise 12

8.4 Data acquisition 12

ISO/FDIS 18081:2024(En)

9	Location procedures.....	12
9.1	General.....	12
9.2	Single-sensor location based on AE wave attenuation.....	12
9.3	Multi-sensor location based on Δt values (linear, planar).....	13
9.3.1	Threshold level and peak level timing technique.....	13
9.3.2	Cross-correlation technique.....	14
10	Data presentation.....	15
10.1	Numerical data presentation (level meter).....	15
10.2	Parametric dependent function.....	16
10.3	Frequency spectrum.....	17
11	Data interpretation.....	17
11.1	Leak validation.....	17
11.1.1	On-site (during test) and off-site (post analysis).....	17
11.1.2	Correlation with pressure.....	18
11.1.3	Rejection of false indications.....	18
11.2	Leakage rate estimation.....	18
11.3	Demand for follow-up actions.....	18
12	Quality management documents.....	19
12.1	Test procedure.....	19
12.2	Test instruction.....	19
13	Test documentation and reporting.....	20
13.1	Test documentation.....	20
13.2	Test report.....	21
Annex A (informative) Example applications of leak detection.....		
A.1	Performance test of steam traps.....	22
A.1.1	Steam traps.....	22
A.1.2	Test equipment.....	22
A.1.3	Testing personnel.....	22
A.1.4	Test procedure.....	22
A.1.5	Interpretation of test results.....	24
A.1.6	Documentation.....	24
A.2	Leak detection on pipelines.....	24
A.2.1	Determination of wave attenuation.....	24
A.2.2	Cross-correlation.....	25
A.2.3	Pigging.....	27
A.3	Leak detection during hydrotest of nuclear power plant primary loops.....	28
A.3.1	General.....	28

ISO/FDIS 18081:2024(En)

A.3.2	Technique	28
A.3.3	Primary loop hydrotest monitoring	29
A.3.4	Qualification and main results	29
A.4	Leak testing on tank floors	31
A.4.1	General	31
A.4.2	Testing	31
A.4.3	Test result	34
A.5	Leak testing on containment structures	34
A.5.1	General	34
A.5.2	All-encompassing surveillance	35
A.5.3	Acoustic field mapping around a leak source – Local area surveillance	35
A.6	Tightness in underground storage tanks	36
A.6.1	General	36
A.6.2	Test equipment	36
A.6.3	Testing personnel	37
A.6.4	Test procedure	37
A.6.5	Interpretation of test results	38
A.6.6	Documentation	38
	Bibliography	39

	Foreword	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Personnel qualification	2
5	Principle of acoustic emission test method	2
5.1	The acoustic emission phenomenon	2
5.2	Influence of different media and different phases	3
5.3	Influence of pressure differences	4
5.4	Influence of geometry of the leak path	4
5.5	Influence of wave propagation	4
6	Applications	5
7	Testing equipment	5
7.1	General requirements	5
7.2	Sensors	5
7.2.1	Typical frequency ranges (band widths)	5

ISO/FDIS 18081:2024(En)

7.2.2	Mounting technique	6
7.2.3	Temperature range, wave guide	6
7.2.4	Intrinsic safety	6
7.2.5	Immersed sensors	6
7.3	Portable and non-portable AE instruments	6
7.4	Single and multi-channel AE instruments	6
7.4.1	Single-channel instruments	6
7.4.2	Multi-channel instruments	7
7.5	Measuring features (RMS, ASL vs. hit or continuous AE vs. burst AE)	7
7.6	Verification using artificial leak noise sources	7
8	Test steps for leak detection	7
8.1	Sensor application	7
8.2	Measured features	8
8.3	Background noise	8
8.3.1	General	8
8.3.2	Environmental noise	8
8.3.3	Process noise	8
8.4	Data acquisition	9
9	Location procedures	9
9.1	General	9
9.2	Single sensor location based on AE wave attenuation	9
9.3	Multi sensor location based on Δt values (linear, planar)	10
9.3.1	Threshold level and peak level timing method	10
9.3.2	Cross correlation method	10
10	Data presentation	11
10.1	Numerical data presentation (level meter)	11
10.2	Parametric dependent function (e.g. pressure)	11
10.3	Frequency spectrum	12
11	Data interpretation	12
11.1	Leak validation	12
11.1.1	On-site (during test) and off-site (post analysis)	12
11.1.2	Correlation with pressure	12
11.1.3	Rejection of false indications	12
11.2	Leakage rate estimation	13
11.3	Demands on follow-up actions	13
12	Quality management documents	13
12.1	Test procedure	13

ISO/FDIS 18081:2024(En)

12.2	Test instruction	14
13	Test documentation and reporting	14
13.1	Test documentation	14
13.2	Test report	15
Annex A	(normative) Examples of leak detection	16
A.1	Performance test of steam traps	16
A.1.1	Steam traps	16
A.1.2	Test equipment	16
A.1.3	Testing personnel	16
A.1.4	Test procedure	16
A.1.5	Interpretation of test results	17
A.1.6	Documentation	17
A.2	Leak detection on pipelines	17
A.2.1	Determination of wave attenuation	17
A.2.2	Cross-correlation	18
A.2.3	Pigging	18
A.3	Leak detection during hydrotest of nuclear power plant primary loops	20
A.3.1	Objective	20
A.3.2	Methodology	20
A.3.3	Primary loop hydrotest monitoring	21
A.3.3.1	Sensors positions	21
A.3.3.2	AE monitoring	21
A.3.3.3	Real-time data analysis	21
A.3.4	Qualification and main results	21
A.4	Leak testing on tank floors	22
A.4.1	General	22
A.4.2	Testing	23
A.4.2.1	General	23
A.4.2.2	Test set-up	23
A.4.2.3	Test performance	24
A.4.3	Test result	25
A.5	Leak testing on containment structures	25
A.5.1	Background	25
A.5.2	Global surveillance	25
A.5.3	Acoustic field mapping around a leak source—local area surveillance	25
A.5.4	Dependence of leakage noise on pressure differential	26
A.6	Tightness in underground storage tanks	27

ISO/FDIS 18081:2024(En)

A.6.1	General	27
A.6.2	Test equipment	28
A.6.3	Testing personnel	28
A.6.4	Test procedure	28
A.6.5	Interpretation of test results	28
A.6.6	Documentation	29
	Bibliography	30

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 18081

<https://standards.iteh.ai/catalog/standards/iso/fc41e6d3-e709-459c-a570-95c4193d6ea7/iso-fdis-18081>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 135, *Non-destructive testing*, Subcommittee SC 9, *Acoustic emission testing*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 138, *Non-destructive testing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 18081:2016), which has been technically revised.

The main changes are as follows:

- ~~Figure 1~~ Figure 1 has been improved;
- ~~the term "AT equipment"~~ has been replaced by "AE instrument" in the whole ~~standard~~ document;
- ~~the term "system"~~ has been replaced by "instrument" in the whole ~~standard~~ document;
- ~~Figure 2~~ Figure 2 showing an adjustable air jet has been added;
- ~~Formula (1)~~ Formula (1) has been corrected;
- ~~Table 2~~ Table 2 "Leakage grading and the influence of leak flow dynamic on AE activity" has been added;

ISO/FDIS 18081:2024(En)

— ~~editorial corrections throughout the whole text has been editorially modified~~document.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Field Code Changed

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 18081

<https://standards.iteh.ai/catalog/standards/iso/fc41e6d3-e709-459c-a570-95c4193d6ea7/iso-fdis-18081>

*

© ISO 2024 – All rights reserved

© ISO 2024 – All rights reserved

Edited DIS - MUST BE USED FOR FINAL DRAFT^x

Non-destructive testing — Acoustic emission testing (AT) — Leak detection by means of acoustic emission

1 Scope

This document specifies the general principles required for leak detection by acoustic emission testing (AT). It is addressed to the application of the methodology on structures and components, where a leak flow as a result of pressure differences appears and generates acoustic emission (AE).

It describes phenomena of the AE generation and influence of the nature of fluids, shape of the gap, wave propagation and environment.

The different application techniques, instrumentation and presentation of AE results are discussed. Also included are guidelines for the preparation of application documents which describe specific requirements for the application of the acoustic emission testing.

~~Annex A~~ Annex A gives procedures for some leak-testing applications.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9712, *Non-destructive testing — Qualification and certification of NDT personnel*

ISO 12716, *Non-destructive testing — Acoustic emission inspection — Vocabulary*

ISO/TS 18173, *Non-destructive testing — General terms and definitions*

EN 1330-1, *Non-destructive testing — Terminology — Part 1: General terms*

EN 1330-2, *Non-destructive testing — Terminology — Part 2: Terms common to the non-destructive testing methods*

EN 1330-9, *Non-destructive testing — Terminology — Part 9: Terms used in acoustic emission testing*

EN 13477-1, *Non-destructive testing — Acoustic emission — Equipment characterisation — Part 1: Equipment description*

EN 13477-2, *Non-destructive testing — Acoustic emission — Equipment characterisation — Part 2: Verification of operating characteristics*

EN 13554, *Non-destructive testing — Acoustic emission testing — General principles*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12716, ISO/TS 18173, EN 1330-1, EN 1330-2 and EN 1330-9 apply.

ISO/FDIS 18081:2024(En)

NOTE — The definitions of leak, leakage rate, leak tightness are those defined in ISO 20484.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

NOTE — The definitions of leak, leakage rate, leak tightness are those defined in ISO 20484.


4 Qualification of test personnel

It is assumed that acoustic emission testing is performed by qualified and capable personnel. In order to prove this qualification, it is recommended to certify the personnel in accordance with ISO 9712.

5 Principle of acoustic emission testing

5.1 The acoustic emission phenomenon

See Figure 1.



See Figure 1.